


Indestro Tools

Indestro Mfg. Corp.
Chicago, Illinois
U. S. A.



CATALOG NO. 22




PLANT
NO. 1

It takes quality to build a reputation.....

Good reputations are earned as a result of much effort over a long period of years. We, at Indestro, put a high value on the reputation that has been earned in the past almost 50 years of manufacturing tools, acclaimed by mechanics the world over as tools of quality.

Making quality tools is an art. It takes careful planning and design by experienced engineers. It requires the skill of loyal workers who take pride in their work. It requires the use of the best materials and modern manufacturing methods.

In the future, as in the past, we shall keep our standards high. We will continue to use the best materials. Through continuous research we will improve design and manufacturing methods. We will keep our prices competitive. We will continue to make the best, ever better.



PLANT
NO. 2



Guarantee

Indestro Products are fully guaranteed against defects in workmanship and material, except those products indicated by a star () which, because of their unique design, are not guaranteed.*

The guarantee does not apply if inspection shows that the tool has been worn out from use, or has been abused by hammering, or used on undersized nuts, or ground or design changed, or used for purposes other than that for which it was designed.

DISPOSITION OF DEFECTIVE PRODUCT

Under the above policy, FREE REPLACEMENT or REPAIR will be made of any defective tool, upon its return Prepaid to:

Indestro Mfg. Corp.
4880 Bloomingdale Avenue
Chicago 39, Illinois

RETURN GOODS POLICY (Excluding Defective Products)

- (a) No merchandise may be returned without written permission from the factory specifying items and quantities to be returned.
- (b) No merchandise may be returned under any circumstances,
 - (1) which is obsolete, or
 - (2) which has been out of the factory 12 months or more.

Credit for Returned Merchandise will be priced at the price paid or the current price, whichever is lower, less freight both ways and less a 10% handling charge.

Should it be necessary to refinish the merchandise to put same in a salable condition, the cost of such reconditioning will be deducted from the amount of the credit.

We reserve the right to make changes in, or discontinue the production of, any item at such time as we deem necessary.

INDESTRO MFG. CORP.

2649-59 N. Kildare Ave.
CHICAGO 39, ILLINOIS

PRINTED
IN
U.S.A.

SPEED INDEX

PRODUCTS	PAGES
Adaptors	2, 4, 9, 18
Adjustable Wrenches	26
Battery Tools	51, 62
Body and Fender Tools	54, 55, 56
Brake Tools	51, 60
Brushes	58
Chisels	46, 47, 48, 49
Cutters	54, 60, 62
Displays	72 thru 93
Extractors, Screw	47
Gauges	65, 66
Hacksaws and Blades	52
Hammers	53, 54
Ignition Tools	23, 50, 51, 61, 63, 64
Lubrication Tools	62
Metric-Size Tools	69, 70, 71
Pipe Wrenches	26
Piston Tools	59
Pliers	50, 51, 64
Pry Bars	46
Pullers	67, 68
Pulleys	66
Punches	46, 47, 48, 49
Rim Wrenches	57
Screwdrivers	43, 44, 45
Set Screw Wrenches	28, 29
Snips	52
Sockets and Fittings	2 thru 20, 38 thru 42
Sockets, Metric	69, 70, 71
Special Purpose Tools	9, 60, 61
Tire and Rim Tools	58
Torque Wrenches	3, 5, 9, 18, 27
Valve Tools	58
Wrenches:	
Box End	24, 32, 33, 34, 58
Flare Nut	60
Open End	22, 23, 30, 31, 63, 69
Combination	25, 35, 36, 37

For Complete Alphabetical Index, Please
See Page 94



CHROME ALLOY STEEL

These small precision tools are made from chrome alloy steel, heat treated, polished and brightly chrome plated—the best choice for efficient work on small mechanical devices.



Federal Spec: GGG-W-641b

A newly designed and engineered male drive chrome alloy steel ratchet. Features a patented form fit finger tip reversing cap—will not reverse when “palming”.

Close positive action is assured with 52 teeth—a new “bite” every 7°.


Comfortable Oval Grip handle, and compact round head provides utmost ease and speed under restricted operating conditions.

Torque tested far beyond government specifications. Chrome plated and polished. Length 4 5/8".

NO. 2875 REVERSIBLE RATCHET

STD. PKG. 3. PKG. WT. 3/4 LB.

RATCHET INNER BODY ASSEMBLY



The 1/4" square drive ratchet is so constructed that the inner body assembly can be quickly removed from the ratchet handle for cleaning or inspection. (See instruction booklet attached to each ratchet).

Further disassembly of this unit is not recommended.

NO. 2875-8 RATCHET INNER BODY ASSEMBLY

STD. PKG. 1. PKG. WT. 1/8 LB.



A forged 30 tooth action ratchet. Simplified construction provides trouble free operation and easy maintenance. Chrome plated and polished. Length 5".

NO. 2839 REVERSIBLE RATCHET

STD. PKG. 3. PKG. WT. 3/4 LB.



Federal Spec: GGG-W-641b

Oval Grip swing head handle. A most versatile and essential tool. Drilled for use with cross bar as either an offset or “T” handle. Length 6".

NO. 2850 6" SWING HEAD HANDLE

STD. PKG. 4. PKG. WT. 1/2 LB.

NO. 2855 4" CROSS BAR

STD. PKG. 4. PKG. WT. 1/8 LB.



Federal Spec: GGG-W-641b

Universal Joint with spring loaded friction to hold drive in any position. Male and female type. Length 1 1/16".

NO. 2836 UNIVERSAL JOINT

STD. PKG. 3. PKG. WT. 1/4 LB.



6 Point



4 Point



8 Point

Federal Spec: GGG-W-641b

Small, beautifully proportioned sockets with strong, thin walls, ideal for working on small devices. The drive openings have recesses in all four faces for quick, positive attachment to any handle.

Polished and brightly chrome plated.

6 POINT

No.	Size	Length	Std. Pkg.	Pkg. Wt.
2806	3/16" 6 Pt.	15/16"	6	1/8 lb.
2807	7/32" 6 Pt.	15/16"	6	1/8 lb.
2808	1/4" 6 Pt.	15/16"	6	1/8 lb.
2809	9/32" 6 Pt.	15/16"	6	1/8 lb.
2810	5/16" 6 Pt.	15/16"	6	1/8 lb.
2811	11/32" 6 Pt.	15/16"	6	1/8 lb.
2812	3/8" 6 Pt.	15/16"	6	1/4 lb.
2814	7/16" 6 Pt.	15/16"	6	1/4 lb.

4 POINT AND 8 POINT

No.	Size	Length	Std. Pkg.	Pkg. Wt.
2806S	3/16" 4 Pt.	15/16"	4	1/8 lb.
2807S	7/32" 4 Pt.	15/16"	4	1/8 lb.
2808S	1/4" 8 Pt.	15/16"	4	1/8 lb.
2810S	5/16" 8 Pt.	15/16"	4	1/4 lb.
2812S	3/8" 8 Pt.	15/16"	4	1/4 lb.



Federal Spec: GGG-W-641b

Two lengths of Extensions are offered to meet different conditions.

NO. 2832 3" EXTENSION

STD. PKG. 4. PKG. WT. 1/4 LB.

NO. 2833 6" EXTENSION

STD. PKG. 4. PKG. WT. 1/2 LB.

No. 481



No. 491

Federal Spec: GGG-W-641b

Adaptor to enable use of 3/8" square drive sockets with 1/4" square drive handle.

NO. 481 1/4" FEMALE, 3/8" MALE ADAPTOR

STD. PKG. 4. PKG. WT. 1/8 LB.

Use this adaptor to turn 1/4" square drive sockets with 3/8" square drive handles.

NO. 491 1/4" MALE, 3/8" FEMALE ADAPTOR

STD. PKG. 4. PKG. WT. 1/4 LB.



CHROME ALLOY STEEL



Spin-flex handle meets the need for that tool which "will reach around the corner" and yet have positive action in turning in either on or off direction. Handy for those hard to reach places under the dash, around the carburetor, etc. With shock-proof amber handle. Length 7".

NO. 2879 7" SPIN-FLEX HANDLE

STD. PKG. 4. PKG. WT. 3/4 LB.



Shock-proof and break-proof amber handle for spinning nuts on or off. Length 4".

NO. 2872 4" SPINNER HANDLE

STD. PKG. 4. PKG. WT. 1/2 LB.



A long Spinner with break-proof, shock-proof amber handle. Length 6".

NO. 2873 6" SPINNER HANDLE

STD. PKG. 4. PKG. WT. 5/8 LB.

The socket sets shown below fill the need for automotive and aviation servicemen; repairing of radio, television, electrical devices and home appliances.

11 PIECE SET



A basic set of the most popular sockets and a swing head handle with cross bar. Complete with an attractive plastic box of high impact strength.

CONTENTS

No.	Description	No.	Description
2808	1/4" Hex 6 Pt. Skt.	28085	1/4" Sq. 8 Pt. Skt.
2809	5/32" Hex 6 Pt. Skt.	28105	5/16" Sq. 8 Pt. Skt.
2810	3/16" Hex 6 Pt. Skt.	28125	3/8" Sq. 8 Pt. Skt.
2811	11/32" Hex 6 Pt. Skt.	2850	6" Sw. Hd. Hdle.
2812	3/8" Hex 6 Pt. Skt.	2855	4" Cross Bar
2814	7/16" Hex 6 Pt. Skt.		

NO. 7600 11 PIECE SOCKET SET IN PLASTIC BOX
STD. PKG. 1. PKG. WT. 3/4 LB.

NO. 9947 PLASTIC BOX, ONLY—7 5/16 x 2 7/16 x 1 1/8
STD. PKG. 1. PKG. WT. 1/4 LB.



Attached to a 1/4" sq. dr. handle, this laminated steel extension is the ideal tool to reach otherwise inaccessible places. Length 6".

NO. 2869 6" FLEXIBLE EXTENSION

STD. PKG. 4. PKG. WT. 1/2 LB.



Make a flexible drive with any 1/4" Sq. Dr. Handle and this Flexible Extension. Length 4".

NO. 2870 4" FLEXIBLE EXTENSION

STD. PKG. 4. PKG. WT. 3/8 LB.




Torque indicating wrench with a range of 120 inch pounds (10 foot pounds). Scale graduations in 5 inch pound units. Ideal and especially desirable in achieving accurate measurement for small delicate work.

NO. 8099-1/4" 1/4" SQUARE DRIVE TORQUE WRENCH

STD. PKG. 1. PKG. WT. 3/8 LB.

The small sockets and perfectly proportioned extensions and handles will reach and turn nuts or bolts in the most restricted spaces.



14 PIECE SET

An intermediate set complete with ratchet offering the most used sockets, handles, and attachments. Set is complete in red enameled box.

CONTENTS

No.	Description	No.	Description
2806	3/16" Hex 6 Pt. Skt.	2814	7/16" Hex 6 Pt. Skt.
2807	1/32" Hex 6 Pt. Skt.	28085	1/4" Sq. 8 Pt. Skt.
2808	1/4" Hex 6 Pt. Skt.	28105	5/16" Sq. 8 Pt. Skt.
2809	9/32" Hex 6 Pt. Skt.	28125	3/8" Sq. 8 Pt. Skt.
2810	5/16" Hex 6 Pt. Skt.	2832	3" Extension
2811	11/32" Hex 6 Pt. Skt.	2873	6" Spin. Handle
2812	3/8" Hex 6 Pt. Skt.	2875	Reversible Ratchet

NO. 7602 14 PIECE SOCKET SET IN METAL BOX
STD. PKG. 1. PKG. WT. 1 5/8 LBS.

NO. 9930L METAL BOX, ONLY 6 5/8 x 2 3/4 x 1"
STD. PKG. 1. PKG. WT. 3/4 LB.



CHROME ALLOY STEEL

A series of chrome alloy handles and fittings with professional balance, modern comfortable design, and beautiful appearance.



Federal Spec: GGG-W-641b

An outstanding chrome alloy steel ratchet—proven so by professional mechanics thru three years of field testing. Compact round head provides ease and speed when working in close areas.

The new Oval Grip handle provides comfort and greater "knuckle clearance".

Patented design finger tip reversing cap—will not reverse when palmed.

Fifty-two teeth assures fast ratcheting—a new hold every 7°. Torque tests far beyond government specifications. Length 7½". Chrome plated and polished.

NO. 2777 REVERSIBLE RATCHET
STD. PKG. 3. PKG. WT. 1¾ LBS.

Same as above, except round knurled handle.


NO. 2775 REVERSIBLE RATCHET
STD. PKG. 3. PKG. WT. 1¾ LBS.



The Swivel Head ratchet, a revolutionary concept in ratchets, affords the user positive ratcheting action from 0° to 90° in either direction. Designed primarily for the removal of spark plugs, and to by-pass obstructions. 52 tooth action. Length 10".

★**NO. 2736 SWIVEL HEAD RATCHET**
STD. PKG. 3. PKG. WT. 2¼ LBS.

RATCHET INNER BODY ASSEMBLY



The ¾" square drive Ratchets, Nos. 2775, 2777, and 2736 illustrated above, are so designed that the inner body assembly can be quickly removed from the ratchet handle for cleaning or inspection. (See instruction booklet attached to each ratchet.) Further disassembly of this unit is not recommended.

NO. 2775-8 RATCHET INNER BODY ASSEMBLY
STD. PKG. 1. PKG. WT. ¼ LB.



Finger tip reversible ratchet, male drive. Small compact head—30 tooth action. Chrome plated and polished. Length 7½".

NO. 2739 REVERSIBLE RATCHET
STD. PKG. 3. PKG. WT. 1¾ LBS.



Federal Spec: GGG-W-641b

Forged in one piece. Fully polished. Drilled for cross bar.

NO. 2730 3" EXTENSION STD. PKG. 4. PKG. WT. ¾ LB.
NO. 2732 4½" EXTENSION STD. PKG. 4. PKG. WT. ¾ LB.
NO. 2733 6" EXTENSION STD. PKG. 4. PKG. WT. ¾ LB.
NO. 2734 9" EXTENSION STD. PKG. 4. PKG. WT. 1¼ LBS.
NO. 2735 12" EXTENSION STD. PKG. 4. PKG. WT. 1½ LBS.
NO. 2737 20" EXTENSION STD. PKG. 4. PKG. WT. 3 LBS.



Federal Spec: GGG-W-641b

This swing head handle features a new design—the Oval Grip handle. Spring tension holds head to any preselected angle. Drilled for use with a cross bar. Length 9".

NO. 2782 9" SWING HEAD HANDLE
STD. PKG. 3. PKG. WT. 1¾ LBS.



Federal Spec: GGG-W-641b

Same as above, except round knurled handle. Length 9".

NO. 2781 9" SWING HEAD HANDLE
STD. PKG. 3. PKG. WT. 1¾ LBS.



Cross bar designed to add versatility to swing head handles and extensions for use as T handles.

NO. 2780 5½" CROSS BAR
STD. PKG. 3. PKG. WT. ¾ LB.




Federal Spec: GGG-W-641b

An especially useful tool around obstructions as the head can be moved to any suitable position on the bar. Spring loaded head holds at the selected position. Length 8".

NO. 2763 8" SLIDE "T" HANDLE
STD. PKG. 2. PKG. WT. ¾ LB.


Federal Spec: GGG-W-641b



The most used tool for speedy assembly or tear down. Handle is designed with a ball thrust bearing for easy operation and is knurled permitting a good comfortable grip. Finished in chrome plate it sparkles with quality. Length 16½".

NO. 2785 16½" SPEEDER
STD. PKG. 3. PKG. WT. 3¼ LBS.


Federal Spec: GGG-W-641b




A time saver for those "hard to reach" nuts or bolts. Spring tension in joints holds drive at any selected angle. Length 11¾".

NO. 2797 UNIVERSAL JOINT
STD. PKG. 3. PKG. WT. ¾ LB.

No. 482



No. 491



Federal Spec: GGG-W-641b

With this adaptor, ½" square drive sockets can be used with any ¾" square drive handle. Length 1¼".

NO. 482 ¾" FEMALE, ½" MALE ADAPTOR
STD. PKG. 4. PKG. WT. ¾ LB.

Using this adaptor, all ¼" square drive sockets can be turned with any ¾" square drive handle. Length 1".

NO. 491 ¾" FEMALE, ¼" MALE ADAPTOR
STD. PKG. 4. PKG. WT. ¼ LB.

CHROME ALLOY STEEL



Indestro is nationally recognized for making the finest sockets. Precision machined to exact size, hot broached teeth accurately centered, uniform wall strength, and four way lock-on feature are the *Professional* qualities most desired.



12 Point



8 Point



6 Point

Federal Spec: GGG-W-641b

Each Indestro socket has **RETAINING GROOVES** in all four sides of the drive opening to provide an instant lock-on of socket to fitting without positioning. Chrome plated and fully polished.

12 POINT SOCKETS


No.	Size	Length	Std. Pkg.	Pkg. Wt.
2714	7/16"	1 1/16"	6	1/4 lb.
2716	1/2"	1 1/16"	6	3/8 lb.
2718	9/16"	1 1/16"	6	1/2 lb.
2720	5/8"	1 1/16"	6	1/2 lb.
2722	11/16"	1 1/8"	6	3/4 lb.
2724	3/4"	1 1/8"	6	3/4 lb.
2726	13/16"	1 3/8"	6	1 lb.
2728	7/8"	1 1/4"	6	1 1/4 lb.

8 POINT SOCKETS

2712S	3/8"	1 1/16"	4	1/4 lb.
2714S	7/16"	1 1/8"	4	3/8 lb.
2716S	1/2"	1 1/8"	4	1/2 lb.

6 POINT SOCKETS

2708H	1/4"	1 1/16"	6	1/4 lb.
2710H	5/16"	1 1/16"	6	1/4 lb.
2712H	3/8"	1 1/16"	6	1/2 lb.
2714H	7/16"	1 1/16"	6	1/2 lb.
2716H	1/2"	1 1/8"	6	1/2 lb.
2718H	9/16"	1 1/8"	6	1/2 lb.
2720H	5/8"	1 1/8"	6	1/2 lb.
2722H	11/16"	1 1/8"	6	3/4 lb.
2724H	3/4"	1 1/8"	6	3/4 lb.
2726H	13/16"	1 3/8"	6	1 lb.
2728H	7/8"	1 1/4"	6	1 1/4 lb.



Federal Spec: GGG-W-641b

Universal joint sockets will save time on many jobs. The short over-all length enable these sockets to operate in tight places. A patented spring tension holds socket at selected angle. 6 point hexagon opening for positive hold on nuts. Nominal length 1 1/16" over-all.

No.	Size	Std. Pkg.	Pkg. Wt.
2712UV	3/8"	2	1/4 lb.
2714UV	7/16"	2	1/4 lb.
2716UV	1/2"	2	1/4 lb.
2718UV	9/16"	2	1/4 lb.
2720UV	5/8"	2	1/4 lb.
2722UV	11/16"	2	1/4 lb.
2724UV	3/4"	2	1/4 lb.

12 Point



6 Point



Federal Spec: GGG-W-641b

The extra deep sockets shown here provide the clearance required on spark plugs and body bolts. These sockets have straight, thin walls with high strength imparted by hot broaching and controlled heat treatment of quality chrome alloy steel. Polished and brightly chrome plated.

12 POINT DEEP SOCKETS


No.	Size	Length	Std. Pkg.	Pkg. Wt.
2742	7/16"	2 1/16"	6	5/8 lb.
2743	1/2"	2 1/16"	6	5/8 lb.
2744	9/16"	2 1/16"	6	3/4 lb.
2745	5/8"	2 1/2"	6	1 1/8 lbs.
2746	11/16"	2 1/2"	6	1 3/8 lbs.
2747	3/4"	2 1/2"	6	1 5/8 lbs.
2748	13/16"	2 5/8"	6	1 3/4 lbs.
2749	7/8"	2 3/4"	6	1 7/8 lbs.

6 POINT DEEP SOCKETS

2741H	3/8"	2 1/16"	6	5/8 lb.
2742H	7/16"	2 1/16"	6	5/8 lb.
2743H	1/2"	2 1/16"	6	5/8 lb.
2744H	9/16"	2 1/16"	6	3/4 lb.
2745H	5/8"	2 1/2"	6	1 1/8 lbs.
2746H	11/16"	2 1/2"	6	1 3/8 lbs.
2747H	3/4"	2 1/2"	6	1 5/8 lbs.
2748H	13/16"	2 5/8"	6	1 3/4 lbs.
2749H	7/8"	2 3/4"	6	1 7/8 lbs.

SPARK PLUG HOLDING SOCKET

This special deep socket—13/16" opening—has an oil resistant insert which securely holds and protects 14 mm. spark plugs. The socket may be used with any 3/8" Sq. Dr. fitting—or, if the plug is obstructed, use Ratchet No. 2736—a 13/16" wrench can be applied to the male plug. Made from alloy steel. Fully chrome plated and polished. Length 2 7/16".



NO. 2748HS 13/16" SPARK PLUG HOLDING SOCKET

STD. PKG. 6. PKG. WT. 1 1/2 LBS.

NO. 2748HS-2 INSERT ONLY

STD. PKG. 6. PKG. WT. 1/8 LB.

Spark plugs which the above sockets will fit are listed on the inside of the back cover.



Torque indicating Wrench has a range of 50 foot pounds with 2 1/2 ft. lb. scale graduations. Simplicity of construction insures accuracy and long life. This size is popular for adjusting automatic transmissions. Length 13 5/16".

NO. 8099-3/8" 3/8" SQUARE DRIVE TORQUE WRENCH

STD. PKG. 1. PKG. WT. 3/4 LB.



CHROME ALLOY STEEL

For work in close and crowded spaces, Indestro 3/8" square drive sets are unequalled. They are extra strong being made of chrome alloy steel and scientifically heat treated for long life service. Sockets have thin walls, and fittings are compactly designed and balanced for ease of usage and speed in confined work. Tools are polished to a sparkling finish and brightly chrome plated. Metal boxes are of heavy gauge steel and baked enamel Chinese red color.

6 PIECE SET



A set of the six most popular sizes of Universal Joint sockets complete in metal box. Sockets are 6 point with friction arrangement for positive grip at any angle.

CONTENTS

No.	Description
2714UV	7/16" Hex Universal Joint Socket
2716UV	1/2" Hex Universal Joint Socket
2718UV	9/16" Hex Universal Joint Socket
2720UV	5/8" Hex Universal Joint Socket
2722UV	11/16" Hex Universal Joint Socket
2724UV	3/4" Hex Universal Joint Socket

- NO. 7709 6 PC. UNIVERSAL JOINT SOCKET SET IN BOX
STD. PKG. 1. PKG. WT. 1 1/2 LBS.
- NO. 9904L METAL BOX, ONLY—6 3/8" x 2 7/8" x 1 3/16"
STD. PKG. 1. PKG. WT. 5/8 LB.
- NO. 7709F 6 PC. UNIVERSAL JOINT SOCKET SET
IN FIBRE BOX
STD. PKG. 1. PKG. WT. 1 LB.

9 PIECE SET



A 9 piece set containing the most essential sockets and fittings with metal box. Frequently used as a "starter" set.

CONTENTS

No.	Description	No.	Description
2712	3/8" 6 Pt. Socket	2722	11/16" 12 Pt. Socket
2714	7/16" 12 Pt. Socket	2724	3/4" 12 Pt. Socket
2716	1/2" 12 Pt. Socket	2780	5 1/2" Cross Bar
2718	9/16" 12 Pt. Socket	2781	9" Swing Head Handle
2720	5/8" 12 Pt. Socket		

- NO. 7700 9 PC. 12 POINT SOCKET SET IN METAL BOX
STD. PKG. 1. PKG. WT. 2 3/8 LBS.
- NO. 7700H 9 PC. 6 POINT SOCKET SET IN METAL BOX
STD. PKG. 1. PKG. WT. 2 3/8 LBS.
- NO. 9913L METAL BOX, ONLY 9 3/4" x 3 1/4" x 1 1/4"
STD. PKG. 1. PKG. WT. 1 1/4 LBS.

7 PIECE SET



A complete set of 7 deep wall sockets invaluable for the mechanic or service station for changing spark plugs, work on body bolts, etc. Chinese red, baked enamel, metal box.

CONTENTS

No.	Description	No.	Description
2742	7/16" 12 Pt. Deep Socket	2746	11/16" 12 Pt. Deep Socket
2743	1/2" 12 Pt. Deep Socket	2747	3/4" 12 Pt. Deep Socket
2744	9/16" 12 Pt. Deep Socket	2748	1 3/16" 12 Pt. Deep Socket
2745	5/8" 12 Pt. Deep Socket		

- NO. 7707 SET OF 7 DEEP 12 POINT SOCKETS IN METAL BOX
STD. PKG. 1. PKG. WT. 2 3/8 LBS.
- NO. 7707H SET OF 7 DEEP 6 POINT SOCKETS IN METAL BOX
STD. PKG. 1. PKG. WT. 2 3/8 LBS.
- NO. 9904L METAL BOX, ONLY—6 3/8" x 2 7/8" x 1 3/16"
STD. PKG. 1. PKG. WT. 5/8 LB.

11 PIECE SET



A set of 11 pieces usually chosen as it contains the most used tools when speed and utility is desired. In metal box.

CONTENTS


No.	Description	No.	Description
2712	3/8" 6 Pt. Socket	2724	3/4" 12 Pt. Socket
2714	7/16" 12 Pt. Socket	2733	6" Extension
2716	1/2" 12 Pt. Socket	2780	5 1/2" Cross Bar
2718	9/16" 12 Pt. Socket	2781	9" Swing Head Handle
2720	5/8" 12 Pt. Socket	2775	Reversible Ratchet
2722	11/16" 12 Pt. Socket		

- NO. 7701 11 PC. 12 POINT SOCKET SET IN METAL BOX
STD. PKG. 1. PKG. WT. 3 3/4 LBS.
- NO. 7701H 11 PC. 6 POINT SOCKET SET IN METAL BOX
STD. PKG. 1. PKG. WT. 3 3/4 LBS.
- NO. 9913L METAL BOX, ONLY—9 3/4" x 3 1/4" x 1 1/4"
STD. PKG. 1. PKG. WT. 1 1/4 LBS.



CHROME ALLOY STEEL

14 PIECE SET



The excellent choice of tools assembled in this set has made it the most popular set in this series. In metal box.

CONTENTS

No.	Description	No.	Description
2712	3/8" 6 Pt. Socket	2730	3" Extension
2714	7/16" 12 Pt. Socket	2733	6" Extension
2716	1/2" 12 Pt. Socket	2735	12" Extension
2718	9/16" 12 Pt. Socket	2763	8" Slide T Handle
2720	5/8" 12 Pt. Socket	2785	16" Speeder
2722	11/16" 12 Pt. Socket	2777	Reversible Ratchet
2724	3/4" 12 Pt. Socket	2797	Universal Joint

NO. 7705G 14 PC. 12 POINT SOCKET SET IN METAL BOX
STD. PKG. 1. PKG. WT. 5 3/4 LBS.


NO. 7705 Same as above, except Ratchet has a round knurled handle.

NO. 7705H 14 PC. 6 POINT SOCKET SET IN METAL BOX
STD. PKG. 1. PKG. WT. 5 3/4 LBS.

NO. 9915L METAL BOX, ONLY—17 1/4" x 5 1/4" x 1 1/4"
STD. PKG. 1. PKG. WT. 2 1/2 LBS.



19 PIECE SET



Discriminating mechanics will always select this set as it contains 19 tools of greatest importance to accomplish the most difficult jobs speedily with ease and convenience.

CONTENTS

No.	Description	No.	Description
2712	3/8" 6 Pt. Socket	27145	7/16" 8 Pt. Socket
2714	7/16" 12 Pt. Socket	27165	1/2" 8 Pt. Socket
2716	1/2" 12 Pt. Socket	2797	Universal Joint
2718	9/16" 12 Pt. Socket	2730	3" Extension
2720	5/8" 12 Pt. Socket	2733	6" Extension
2722	11/16" 12 Pt. Socket	2780	5 1/2" Cross Bar
2724	3/4" 12 Pt. Socket	2781	9" Swing Head Handle
2726	13/16" 12 Pt. Socket	2785	16" Speeder
2728	7/8" 12 Pt. Socket		
27125	3/8" 8 Pt. Socket	2775	Reversible Ratchet

NO. 7710 19 PC. 12 POINT SOCKET SET IN METAL BOX
STD. PKG. 1. PKG. WT. 6 LBS.

NO. 7710H 19 PC. 6 POINT SOCKET SET IN METAL BOX
STD. PKG. 1. PKG. WT. 6 LBS.

NO. 9905L METAL BOX, ONLY—16 1/16" x 4 7/8" x 3 3/16"
STD. PKG. 1. PKG. WT. 3 LBS.

31 PIECE SET

A deluxe set especially appointed for automotive and aviation mechanics. It is the ultimate in the selection of tools for broadest combination of working arrangements of sockets and fittings. Complete in a streamlined metal box with eye appealing graceful lines.

CONTENTS

No.	Description	No.	Description
2712	3/8" 6 Pt. Socket	2746	11/16" 12 Pt. Deep Socket
2714	7/16" 12 Pt. Socket	2747	3/4" 12 Pt. Deep Socket
2716	1/2" 12 Pt. Socket	2748	13/16" 12 Pt. Deep Socket
2718	9/16" 12 Pt. Socket		
2720	5/8" 12 Pt. Socket	2714UV	7/16" Universal Joint Socket
2722	11/16" 12 Pt. Socket	2716UV	1/2" Universal Joint Socket
2724	3/4" 12 Pt. Socket	2718UV	9/16" Universal Joint Socket
2726	13/16" 12 Pt. Socket	2720UV	5/8" Universal Joint Socket
2728	7/8" 12 Pt. Socket	2722UV	11/16" Universal Joint Socket
		2724UV	3/4" Universal Joint Socket
27125	3/8" 8 Pt. Socket	2730	3" Extension
27145	7/16" 8 Pt. Socket	2733	6" Extension
27165	1/2" 8 Pt. Socket	2735	12" Extension
2742	7/16" 12 Pt. Deep Socket	2781	9" Swing Head Handle
2743	1/2" 12 Pt. Deep Socket	2785	16" Speeder
2744	9/16" 12 Pt. Deep Socket	2775	Reversible Ratchet
2745	5/8" 12 Pt. Deep Socket		

NO. 7711 31 PC. 12 POINT SOCKET SET IN METAL BOX

NO. 7711H 31 PC. 6 POINT SOCKET SET IN METAL BOX

NO. 9922L METAL BOX ONLY—18 1/16" x 5 7/8" x 3 1/2"

STD. PKG. 1. PKG. WT. 7 LBS.

STD. PKG. 1. PKG. WT. 7 LBS.


STD. PKG. 1. PKG. WT. 4 LBS.



CHROME ALLOY STEEL

The Quality and Value of Indestro sockets and fittings are unsurpassed for excellence. Made of Chrome Alloy steel and scientifically heat treated, Indestro sockets and fittings are the strongest ever developed, and are acclaimed by professional mechanics everywhere.

All sockets are hot broached providing smooth walls of uniform thickness, and accurately centered teeth.



Federal Spec: GGG-W-641b


Check the outstanding features—designed and engineered by Professional men for Professional men.

- Patented form fit finger tip reversing cap—no rough edges to irritate the hand when palming.
- Ratchet will not reverse when palmed.
- Compact round head provides ease and speed when working in restricted places—no blind corners.
- Fifty-two teeth guarantees fast, close, positive ratcheting action—a new “bite” every 7°.
- The newly designed Oval Grip handle affords the user comfort and greater “knuckle clearance”.
- Tough chrome alloy steel—torque tested far beyond government specifications.

Fully chrome plated. Length 10 1/2".

NO. 3277 REVERSIBLE RATCHET

STD. PKG. 3. PKG. WT. 4 LBS.




Federal Spec: GGG-W-641b

The ratcheting mechanism of this ratchet is the same as No. 3277, illustrated above. This ratchet is available for the user who prefers a round knurled handle.

NO. 3275 REVERSIBLE RATCHET

STD. PKG. 3. PKG. WT. 4 LBS.

RATCHET INNER BODY ASSEMBLY



Ratchet Nos. 3275 and 3277 are so designed that the inner body assembly can be quickly removed from the ratchet handle for cleaning or inspection. (See instruction booklet attached to each ratchet).

NO. 3275-8 RATCHET INNER BODY ASSEMBLY

STD. PKG. 1. PKG. WT. 1/4 LB.



Forged male drive ratchet—30 tooth action. Instant finger tip reversing. Simplified design provides easy maintenance. Chrome plated.

NO. 3239 REVERSIBLE RATCHET

STD. PKG. 3. PKG. WT. 3 1/4 LBS.

Indestro sockets are locked to handles speedily by a RETAINING GROOVE in each of the four walls at the drive end.

Chrome Alloy steel used in Indestro fittings provides extra strength while eliminating bulk and clumsiness. Fully chrome plated and polished.



Female drive reversible 36 tooth ratchet. Designed extra strong with smooth positive easy action. Slight pressure on thumb lever instantly reverses action. Length 9 1/4".

NO. 3202R REVERSIBLE RATCHET, FEMALE DRIVE

STD. PKG. 3. PKG. WT. 3 LBS.

NO. 3215



NO. 3205

A connector for use with female drive ratchet wrench. Ball and spring at each end lock into ratchet and socket. No. 3215 has head knurled for easy removal.

NO. 3215 RATCHET ADAPTOR PLUG

STD. PKG. 4. PKG. WT. 5/8 LB.

NO. 3205 1 1/4" EXTENSION

STD. PKG. 4. PKG. WT. 3/8 LB.

Federal Spec: GGG-W-641b



Provides accessibility to many difficult jobs. Close coupled and with spring tension. Length 2 3/4".

NO. 3217 UNIVERSAL JOINT

STD. PKG. 4. PKG. WT. 1 LB.



Federal Spec: GGG-W-641b

Extensions are important to a socket set as nuts and bolts in out-of-reach places can be conveniently turned. Forged in one piece for extra strength. Cross drilled for use with cross bar No. 3210.

NO. 3230 2 1/8" EXTENSION

STD. PKG. 4. PKG. WT. 1 LB.

NO. 3216 5 1/2" EXTENSION

STD. PKG. 4. PKG. WT. 1 1/2 LBS.

NO. 3211 10" EXTENSION

STD. PKG. 4. PKG. WT. 2 1/4 LBS.



Federal Spec: GGG-W-641b

The sliding T handle is ideal for use around crowded places as the head slides from one end of the bar to the other to clear obstructions. The head will hold at any selected position on the bar thru ball and spring tension.

NO. 3206 11" SLIDE "T" HANDLE

STD. PKG. 4. PKG. WT. 4 1/2 LBS.

CHROME ALLOY STEEL



Federal Spec: GGG-W-641b

The swing head handle is the ideal tool where extra leverage is needed to tighten or "break loose" a stubborn nut or bolt. Ball and spring tension hold head at any selected angle. The Oval Grip handle provides comfort as well as greater "knuckle clearance".

- NO. 3225** 11 1/2" SWING HEAD HANDLE
STD. PKG. 2. PKG. WT. 2 5/8 LBS.
- NO. 3226** 15 1/2" SWING HEAD HANDLE
STD. PKG. 2. PKG. WT. 3 1/4 LBS.
- NO. 3227** 18" SWING HEAD HANDLE
STD. PKG. 2. PKG. WT. 3 3/8 LBS.



Federal Spec: GGG-W-641b

Same swing head handle, as illustrated above, except handle is of the round knurled type.

- NO. 3220H** 11 1/2" SWING HEAD HANDLE
STD. PKG. 2. PKG. WT. 2 5/8 LBS.
- NO. 3222H** 15 1/2" SWING HEAD HANDLE
STD. PKG. 2. PKG. WT. 3 1/4 LBS.
- NO. 3223H** 18" SWING HEAD HANDLE
STD. PKG. 2. PKG. WT. 3 3/8 LBS.




Select steel swing head handle. Length 15". Chrome plated.

- NO. 3224** 15" SWING HEAD HANDLE
STD. PKG. 2. PKG. WT. 3 LBS.




Used with swing head handles and extensions to form a "T" handle. Also used for turning deep wall sockets. Length 9".

- NO. 3210** 9" CROSS BAR
STD. PKG. 4. PKG. WT. 1 1/8 LBS.



Designed especially for speedy nut turning. Comfortable knurled handle insures firm grip in greasy hands. Ball bearing design prevents sticking and allows a smooth working action. Friction ball in drive end gives positive lock to socket.


- NO. 3208** 17 5/8" SPEEDER
STD. PKG. 4. PKG. WT. 5 7/8 LBS.
- NO. 3209** 12" SPEEDER
STD. PKG. 4. PKG. WT. 5 1/2 LBS.




The "L-T" handle provides the user with a combination speed and leverage tool. Removable handle can be attached to either end of bar. Length 9 1/2". Fully plated.

- NO. 646** L-T HANDLE
STD. PKG. 4. PKG. WT. 5 1/2 LBS.

NO. 483



NO. 492




Federal Spec: GGG-W-641b

Permits use of 3/4" square drive sockets with 1/2" square drive fittings. Recessed grooves in female end and spring loaded ball in male end for firm lock to sockets and fittings.

- NO. 483** 1/2" FEMALE, 3/4" MALE ADAPTOR
STD. PKG. 4. PKG. WT. 1 1/4 LBS.

Permits use of 3/8" square drive sockets with 1/2" square drive fittings. Has spring loaded ball in male end for positive lock to socket. Recessed grooves in female end.

- NO. 492** 1/2" FEMALE, 3/8" MALE ADAPTOR
STD. PKG. 4. PKG. WT. 1/2 LB.




Fed. Spec: GGG-W-641b Type XIV Class 1 Form A Size No. 8

Designed especially for adjusting drag links and for use as a heavy duty screw driver. Has 1/2" square drive female end. Bit .150" thick, 1 5/16" wide.

- NO. 3213** DRAG LINK SOCKET
STD. PKG. 4. PKG. WT. 5/8 LB.

FORD CONNECTING ROD SOCKET



Special Ford connecting rod socket. Although made of the best chrome alloy steel, this socket is not guaranteed. For use in restricted space the nose is tapered thinner than good engineering permits.

- *NO. 618X** 6 PT. 5/8" SOCKET
STD. PKG. 6. PKG. WT. 7/8 LB.



Two torque measuring wrenches are available in 1/2" square drive. One with maximum range of 100 foot lbs.; the other 150 foot lbs., both with scales graduated in 2 1/2 foot lb. units. Sturdy beam construction assures long life and accuracy. Manufacturers' recommendations for cylinder heads, connecting rods, main bearings, spark plugs, and other parts are included in a torque book packed with every wrench. Length 18".

- NO. 8099 1/2** 1/2" SQ. DR. TORQUE WRENCH
Range 100 Ft. Lbs.
STD. PKG. 1. PKG. WT. 1 1/4 LBS.
- NO. 8099 1/2H** 1/2" SQ. DR. TORQUE WRENCH
Range 150 Ft. Lbs.
STD. PKG. 1. PKG. WT. 1 1/8 LBS.



CHROME ALLOY STEEL

12 POINT



8 POINT



6 POINT



Federal Spec: GGG-W-641b

12 POINT SOCKETS

Tapered thin wall 12 point sockets to fit hexagon nuts and bolts. Chrome plated and fully polished.

No.	Size	Length	Std. Pkg.	Pkg. Wt.
1214	7/16"	1 1/2"	6	3/4 lb.
1216	1/2"	1 1/2"	6	3/4 lb.
1218	9/16"	1 1/2"	6	3/4 lb.
1219	19/32"	1 9/16"	6	3/4 lb.
1220	5/8"	1 9/16"	6	3/4 lb.
1221	21/32"	1 9/16"	6	1 lb.
1222	11/16"	1 9/16"	6	1 1/4 lbs.
1224	3/4"	1 9/16"	6	1 1/2 lbs.
1225	25/32"	1 5/8"	6	1 1/2 lbs.
1226	13/16"	1 5/8"	6	1 5/8 lbs.
1228	7/8"	1 21/32"	6	1 7/8 lbs.
1230	15/16"	1 21/32"	6	2 lbs.
1232	1"	1 21/32"	6	2 1/4 lbs.
1234	1 1/16"	1 21/32"	6	2 1/2 lbs.
1236	1 1/8"	1 21/32"	6	2 3/4 lbs.
1240	1 1/4"	1 21/32"	6	3 3/8 lbs.

8 POINT SOCKETS

Tapered 8 point double square sockets to fit square nuts and bolts. Chrome plated and fully polished.

No.	Size	Length	Std. Pkg.	Pkg. Wt.
1212S	3/8"	1 7/16"	4	1/2 lb.
1214S	7/16"	1 13/32"	4	5/8 lb.
1216S	1/2"	1 15/32"	4	5/8 lb.
1218S	9/16"	1 15/32"	4	3/4 lb.
1220S	5/8"	1 15/32"	4	1 lb.
1222S	11/16"	1 15/32"	4	1 lb.
1224S	3/4"	1 15/32"	4	1 3/8 lbs.
1226S	13/16"	1 17/32"	4	1 5/8 lbs.
1228S	7/8"	1 19/32"	4	2 lbs.

6 POINT SOCKETS

Especially designed with 6 point openings for positive grip where bolts or nuts are undersize or distorted with rounded corners. Straight thin walls. Chrome plated. Fully polished.

No.	Size	Length	Std. Pkg.	Pkg. Wt.
1212H	3/8"	1 1/2"	6	3/4 lb.
1214H	7/16"	1 1/2"	6	3/4 lb.
1216H	1/2"	1 1/2"	6	3/4 lb.
1218H	9/16"	1 1/2"	6	3/4 lb.
1220H	5/8"	1 9/16"	6	3/4 lb.
1222H	11/16"	1 9/16"	6	1 1/4 lbs.
1224H	3/4"	1 9/16"	6	1 1/2 lbs.
1226H	13/16"	1 5/8"	6	1 5/8 lbs.
1228H	7/8"	1 21/32"	6	1 7/8 lbs.
1230H	15/16"	1 21/32"	6	2 lbs.
1232H	1"	1 21/32"	6	2 1/4 lbs.
1234H	1 1/16"	1 21/32"	6	2 1/2 lbs.
1236H	1 1/8"	1 21/32"	6	2 3/4 lbs.
1240H	1 1/4"	1 21/32"	6	3 3/8 lbs.

12 POINT DEEP SOCKETS



Federal Spec:
GGG-W-641b

Used especially on spark plugs to avoid cracking the ceramic or distorting the plug. Necessary for work on deeply recessed nuts. Vital for use where a bolt protrudes away beyond a nut as in the case of U bolts, spring clips, etc., on cars and trucks. Chrome plated and fully polished.

No.	Size	Length	Std. Pkg.	Pkg. Wt.
3016	1/2"	3 1/4"	6	1 3/4 lbs.
3018	9/16"	3 1/4"	6	1 3/4 lbs.
3020	5/8"	3 1/4"	6	1 3/4 lbs.
3022	11/16"	3 1/4"	6	1 3/4 lbs.
3024	3/4"	3 1/4"	6	2 lbs.
3026	13/16"	3 1/4"	6	2 1/2 lbs.
3028	7/8"	3 1/4"	6	2 3/4 lbs.
3030	15/16"	3 1/4"	6	3 lbs.
3032	1"	3 1/4"	6	3 1/4 lbs.
Extra Thin Deep Socket				
★ 3026T	13/16"	3 1/4"	6	2 lbs.

SPARK PLUG HOLDING SOCKET



This special deep socket—13/16" opening—has an oil resistant insert which securely holds and protects 14 mm. spark plugs. The socket may be used with any 1/2" Square Drive fitting—or, if the plug is obstructed, a 13/16" wrench can be applied to the male plug. Made from alloy steel. Fully chrome plated and polished. Length 2 7/16".

NO. 3026HS 13/16" SPARK PLUG HOLDING SOCKET
STD. PKG. 6. PKG. WT. 1 1/2 LBS.
NO. 3026HS-2 . INSERT ONLY
STD. PKG. 6. PKG. WT. 1/8 LBS.

CHROME ALLOY STEEL



Indestro socket sets represent the highest value in quality built tools. Truly regal in appearance they always meet with instantaneous acceptance with their beautiful sparkling chrome plated finish in streamlined metal boxes of colorful Chinese red enamel.

Indestro socket sets always satisfy as the selection of tools in each set is carefully planned to provide the utmost in utility. The professional mechanic who depends on his tools always chooses Indestro Socket Sets for their reputation of standing the strain of constant daily usage and he knows that they will serve him well and tirelessly with unequalled efficiency of quality built tools.

Another very desirable feature of Indestro socket sets are the metal boxes, designed with graceful eye appealing lines of heavy gauge metal and rounded corners, each box spaciouly provides adequate room for additional tools.

SPARK PLUG SOCKET SET




6 piece deep socket set containing the most popular sizes for use in service station or mechanic's kit. Handle furnished as illustrated. Sockets can be used with any 1/2" square drive handle. Available in handy metal box or carton.

CONTENTS

No.	Description
3020	5/8" 12 Pt. Deep Socket
3022	11/16" 12 Pt. Deep Socket
3026	13/16" 12 Pt. Deep Socket
3028	7/8" 12 Pt. Deep Socket
3032	1" 12 Pt. Deep Socket
54-1	6" L Handle

- NO. 7820 6 PC. SPARK PLUG SOCKET SET IN METAL BOX**
STD. PKG. 1. PKG. WT. 4 1/4 LBS.
- NO. 9918L METAL BOX, ONLY—7 3/4" x 3 3/4" x 1 1/2"**
STD. PKG. 1. PKG. WT. 3/4 LB.
- NO. 7821 6 PC. SPARK PLUG SOCKET SET IN CARTON**
STD. PKG. 1. PKG. WT. 2 3/8 LBS.

12 PIECE SET




A general purpose set containing 10 of the more popular sizes of sockets and swing head handle with cross bar. Furnished complete in metal box.

CONTENTS

No.	Description	No.	Description
1214	7/16" 12 Pt. Socket	1226	13/16" 12 Pt. Socket
1216	1/2" 12 Pt. Socket	1228	7/8" 12 Pt. Socket
1218	9/16" 12 Pt. Socket	1230	15/16" 12 Pt. Socket
1220	5/8" 12 Pt. Socket	1232	1" 12 Pt. Socket
1222	11/16" 12 Pt. Socket	3210	9" Cross Bar
1224	3/4" 12 Pt. Socket	3220H	11 1/2" Sw. Hd. Hdle.

- NO. 7803 12 PC. SOCKET SET IN METAL BOX**
STD. PKG. 1. PKG. WT. 5 1/2 LBS.
- NO. 9919L BOX, ONLY—12 1/4" x 2 3/4" x 2"**
STD. PKG. 1. PKG. WT. 1 1/8 LBS.

17 PIECE SET



A dandy set as it contains the basic tools including a reversible ratchet handle required for speedy assembly or disassembly of work. In metal box as shown.

CONTENTS


No.	Description	No.	Description
1214	7/16" 12 Pt. Socket	1230	15/16" 12 Pt. Socket
1216	1/2" 12 Pt. Socket	1232	1" 12 Pt. Socket
1218	9/16" 12 Pt. Socket	1234	1 1/16" 12 Pt. Socket
1219	19/32" 12 Pt. Socket	1236	1 1/8" 12 Pt. Socket
1220	5/8" 12 Pt. Socket	3216	5 1/2" Extension
1222	11/16" 12 Pt. Socket	3222H	15 1/2" Sw. Hd. Hdle.
1224	3/4" 12 Pt. Socket	3210	9" Cross Bar
1226	13/16" 12 Pt. Socket	3275	Reversible Ratchet
1228	7/8" 12 Pt. Socket		

- NO. 7805 17 PC. SOCKET SET IN METAL BOX**
STD. PKG. 1. PKG. WT. 8 3/8 LBS.
- NO. 9926L BOX, ONLY—16 1/4" x 2 3/4" x 2 1/8"**
STD. PKG. 1. PKG. WT. 2 LBS.



CHROME ALLOY STEEL

18 PIECE SET



A favorite set as it contains 18 of the most necessary tools for general work complete in a streamlined metal box. Always has good acceptance as it is compact, neat yet roomy and easy to carry around.

CONTENTS

No.	Description	No.	Description
1214	7/16" 12 Pt. Socket	1230	15/16" 12 Pt. Socket
1216	1/2" 12 Pt. Socket	1232	1" 12 Pt. Socket
1218	9/16" 12 Pt. Socket	1234	1 1/16" 12 Pt. Socket
1219	19/32" 12 Pt. Socket	1236	1 1/8" 12 Pt. Socket
1220	5/8" 12 Pt. Socket	3216	5 1/2" Extension
1222	11/16" 12 Pt. Socket	3211	10" Extension
1224	3/4" 12 Pt. Socket	3226	15 1/2" Sw. Hd. Hdle.
1226	13/16" 12 Pt. Socket	3210	9" Cross Bar
1228	7/8" 12 Pt. Socket	3277	Reversible Ratchet

- NO. 7806G 18 PC. SOCKET SET IN METAL BOX**
STD. PKG. 1. PKG. WT. 11 1/2 LBS.
- NO. 7806** Same as above, except Swing Head Handle and Ratchet have round knurled handles.
- NO. 9922L BOX, ONLY—18 1/4" x 5 7/8" x 3 1/2"**
STD. PKG. 1. PKG. WT. 4 LBS.

21 PIECE SET



A complete basic socket set featuring a complete range of sockets to 1 1/4".


CONTENTS

No.	Description	No.	Description
1214	7/16" 12 Pt. Socket	1232	1" 12 Pt. Socket
1216	1/2" 12 Pt. Socket	1234	1 1/16" 12 Pt. Socket
1218	9/16" 12 Pt. Socket	1236	1 1/8" 12 Pt. Socket
1219	19/32" 12 Pt. Socket	1240	1 1/4" 12 Pt. Socket
1220	5/8" 12 Pt. Socket	3216	5 1/2" Extension
1222	11/16" 12 Pt. Socket	3211	10" Extension
1224	3/4" 12 Pt. Socket	3217	Universal Joint
1225	25/32" 12 Pt. Socket	3223H	18" Sw. Hd. Hdle.
1226	13/16" 12 Pt. Socket	3208	17 5/8" Speeder
1228	7/8" 12 Pt. Socket	3275	Reversible Ratchet
1230	15/16" 12 Pt. Socket		

- NO. 7809 21 PC. SOCKET SET IN METAL BOX**
STD. PKG. 1. PKG. WT. 17 3/4 LBS.
- NO. 9910L BOX, ONLY—19" x 6 3/4" x 6"**
STD. PKG. 1. PKG. WT. 8 5/8 LBS.

30 AND 19 PIECE SETS

A consistently best seller—chosen again and again over all other sets. Contains a wide range of sockets and fittings to satisfy the professional, as well as the home owner. Large, sturdy metal box, with tote tray, allows ample room for additional tools.



CONTENTS

No.	Description	No.	Description
2808	1/4" Square Drive	1219	19/32" 12 Pt. Socket
2809	1/4" 6 Pt. Socket	1220	5/8" 12 Pt. Socket
2810	9/32" 6 Pt. Socket	1222	11/16" 12 Pt. Socket
2811	5/16" 6 Pt. Socket	1224	3/4" 12 Pt. Socket
2812	11/32" 6 Pt. Socket	1225	25/32" 12 Pt. Socket
2812	3/8" 6 Pt. Socket	1226	13/16" 12 Pt. Socket
2814	7/16" 6 Pt. Socket	1228	7/8" 12 Pt. Socket
28085	1/4" 8 Pt. Sq. Skt.	1230	15/16" 12 Pt. Socket
28105	5/16" 8 Pt. Sq. Skt.	1232	1" 12 Pt. Socket
28125	3/8" 8 Pt. Sq. Skt.	1234	1 1/16" 12 Pt. Socket
2850	6" Sw. Hd. Hdle.	1236	1 1/8" 12 Pt. Socket
2855	4" Cross Bar	3216	5 1/2" Extension
1214	1/2" Square Drive	3226	15 1/2" Sw. Hd. Hdle.
1216	7/16" 12 Pt. Socket	3210	9" Cross Bar
1218	1/2" 12 Pt. Socket	3208	17 5/8" Speeder
1218	9/16" 12 Pt. Socket	3277	Reversible Ratchet

- NO. 7811G 30 PC. SOCKET SET IN METAL BOX**
STD. PKG. 1. PKG. WT. 17 3/4 LBS.
- NO. 7811** Same as above, except 1/2" square drive Swing Head Handle and Ratchet have round knurled handles.
- NO. 7807 19 PC. SOCKET SET (LESS 1/4" SQ. DR. SET) IN METAL BOX**
STD. PKG. 1. PKG. WT. 16 3/8 LBS.
- NO. 9910L BOX, ONLY—19" x 6 3/4" x 6"**
STD. PKG. 1. PKG. WT. 8 5/8 LBS.



CHROME ALLOY STEEL

36 AND 25 PIECE SETS

The supreme selection of sockets and fittings has made this set an all time favorite for utility and value.

The brilliant chrome plated tools, scientifically designed for utility, balance and strength will work effortlessly in the most limited spaces.

Roomy metal box of streamlined design complete with tote tray and finished in beautiful Chinese red baked enamel.



CONTENTS


No.	Description	No.	Description
2808	1/4" Square Drive	1224	3/4" 12 Pt. Socket
2809	1/4" 6 Pt. Socket	1225	25/32" 12 Pt. Socket
2810	9/32" 6 Pt. Socket	1226	13/16" 12 Pt. Socket
2811	5/16" 6 Pt. Socket	1228	7/8" 12 Pt. Socket
	11/32" 6 Pt. Socket		
2812	3/8" 6 Pt. Socket	1230	15/16" 12 Pt. Socket
2814	7/16" 6 Pt. Socket	1232	1" 12 Pt. Socket
2808S	1/4" 8 Pt. Sq. Skt.	1234	1 1/16" 12 Pt. Socket
2810S	5/16" 8 Pt. Sq. Skt.	1236	1 1/8" 12 Pt. Socket
2812S	3/8" 8 Pt. Sq. Skt.	1240	1 1/4" 12 Pt. Socket
2850	6" Sw. Hd. Hdle.	1216S	1 1/8" 8 Pt. Sq. Skt.
2855	4" Cross Bar	1218S	9/16" 8 Pt. Sq. Skt.
		1220S	5/8" 8 Pt. Sq. Skt.
		1222S	11/16" 8 Pt. Sq. Skt.
1214	1/2" Square Drive	3216	5 1/2" Extension
1216	7/16" 12 Pt. Socket	3211	10" Extension
1218	1/2" 12 Pt. Socket	3222H	15 1/2" Sw. Hd. Hdle.
1219	9/16" 12 Pt. Socket		
	19/32" 12 Pt. Socket		
1220	5/8" 12 Pt. Socket	3210	9" Cross Bar
1222	11/16" 12 Pt. Socket	3208	17 5/8" Speeder
		3275	Reversible Ratchet

NO. 7813	36 PC. SOCKET SET IN METAL BOX
	STD. PKG. 1. PKG. WT. 19 LBS.
NO. 7810	25 PC. SOCKET SET (LESS 1/4" DRIVE) IN BOX
	STD. PKG. 1. PKG. WT. 18 3/8 LBS.
NO. 9910L	BOX, ONLY—19" x 6 5/8" x 6"
	STD. PKG. 1. PKG. WT. 8 3/8 LBS.

35 PIECE TOOL SET

Super value and super utility are the features of this outstanding set. Not only is it a full socket set but actually a complete tool set.

Exact or troublesome jobs are conveniently and speedily accomplished as each tool was particularly picked to provide the widest combinations of working arrangements. Complete in metal box with tote tray.



CONTENTS

No.	Description	No.	Description	No.	Description
1214	1/2" Square Drive		Select Steel	915	13/16" x 7/8" Box Wrench
1216	7/16" 12 Pt. Socket		Open End Wrenches	916	15/16" x 1" Box Wrench
1218	9/16" 12 Pt. Socket	P721	5/16" x 3/8" End Wrench		
1220	5/8" 12 Pt. Socket	P725	7/16" x 1/2" End Wrench		
		P727	9/16" x 5/8" End Wrench		
		P29C	11/16" x 13/16" End Wrench		
1222	1 1/16" 12 Pt. Socket	P731A	3/4" x 7/8" End Wrench		
1224	3/4" 12 Pt. Socket	P33C	15/16" x 1" End Wrench		
1226	13/16" 12 Pt. Socket				
1228	7/8" 12 Pt. Socket				
1230	15/16" 12 Pt. Socket		Select Steel		
1232	1" 12 Pt. Socket		Long 45° Box End Wrenches		
3216	5 1/2" Extension	911	3/8" x 7/16" Box Wrench		
3222H	15 1/2" Sw. Hd. Hdle.	912	1/2" x 9/16" Box Wrench		
		913	5/8" x 11/16" Box Wrench		
3275	Reversible Ratchet	914	3/4" x 25/32" Box Wrench		
				980-8	8 oz. Ball Pein Hammer
				1901	1/2" x 5 3/4" Cold Chisel
				1950	3/32" x 4 1/2" Taper Punch
				1970	4" Center Punch
				9031	Hacksaw
				3403	Water Pump Plier

NO. 7815 35 PC. TOOL SET IN METAL BOX
NO. 9910L BOX, ONLY—19" x 6 5/8" x 6"

STD. PKG. 1. PKG. WT. 21 1/2 LBS.
STD. PKG. 1. PKG. WT. 8 3/8 LBS.



CHROME ALLOY STEEL

62 PIECE TOOL SET



A distinctive tool set that immediately creates a desire for ownership wherever displayed. Unreservedly recommended for the mechanic who depends on his tools for a living. A custom selection of tools chosen so that any light or heavy job is approached with the complete confidence of having the correct tools to do the work rapidly and with convenience.

The sparkling array of chrome plated tools is neatly arranged by full size partitions in a sturdy metal box of streamlined design with liberal roominess to conveniently add other tools. Complete with balanced tote tray and finished in vivid Chinese red color.

A professional mechanic's tool set at an unbelievable value.

CONTENTS

No.	Description	No.	Description	No.	Description
	¼" Square Drive		9" Sw. Hd. Hdle.	P725	7 ¹⁶ / ₁₆ " x 1 ¹ / ₂ " End Wrench
2808	1 ¹ / ₄ " 6 Pt. Socket	2781		P727	9 ¹⁶ / ₁₆ " x 5 ¹ / ₈ " End Wrench
2809	9 ³² / ₃₂ " 6 Pt. Socket	2775	Reversible Ratchet	P29C	11 ¹ / ₁₆ " x 1 ¹ / ₂ " End Wrench
2810	5 ⁷ / ₁₆ " 6 Pt. Socket		½" Square Drive	P731A	3 ¹ / ₄ " x 7 ¹ / ₈ " End Wrench
2811	11 ³² / ₃₂ " 6 Pt. Socket	1214	7 ¹⁶ / ₁₆ " 12 Pt. Socket	P33C	15 ³ / ₁₆ " x 1" End Wrench
		1216	1 ¹ / ₂ " 12 Pt. Socket		
2812	3 ⁸ / ₁₆ " 6 Pt. Socket	1218	9 ¹⁶ / ₁₆ " 12 Pt. Socket		
2814	7 ¹⁶ / ₁₆ " 6 Pt. Socket	1220	5 ⁸ / ₈ " 12 Pt. Socket		
2808S	1 ¹ / ₄ " 8 Pt. Sq. Socket				Select Steel
2810S	5 ¹⁶ / ₁₆ " 8 Pt. Sq. Socket	1222	11 ¹⁶ / ₁₆ " 12 Pt. Socket	911	3 ⁸ / ₈ " x 7 ¹⁶ / ₁₆ " Box Wrench
2812S	3 ⁸ / ₈ " 8 Pt. Sq. Socket	1224	3 ⁴ / ₄ " 12 Pt. Socket	912	1 ¹ / ₂ " x 9 ¹⁶ / ₁₆ " Box Wrench
		1226	13 ¹⁶ / ₁₆ " 12 Pt. Socket	913	5 ⁸ / ₈ " x 11 ¹⁶ / ₁₆ " Box Wrench
2850	6" Sw. Hd. Hdle.	1228	7 ⁸ / ₈ " 12 Pt. Socket	914	3 ⁴ / ₄ " x 25 ¹⁶ / ₁₆ " Box Wrench
2855	4" Cross Bar			915	13 ¹⁶ / ₁₆ " x 7 ⁸ / ₈ " Box Wrench
2832	3" Extension	1230	15 ¹⁶ / ₁₆ " 12 Pt. Socket		
		1232	1" 12 Pt. Socket		Screw Drivers
	¾" Square Drive	1234	11 ¹⁶ / ₁₆ " 12 Pt. Socket	3714	3 ¹⁶ / ₁₆ " x 4" Square Blade
2712	3 ⁸ / ₈ " 6 Pt. Socket	1236	11 ⁸ / ₈ " 12 Pt. Socket	3726	1 ¹ / ₄ " x 6" Square Blade
2714	7 ¹⁶ / ₁₆ " 12 Pt. Socket	1240	11 ¹ / ₄ " 12 Pt. Socket	3721	1 ¹ / ₄ " x 1 ¹ / ₄ " Stubby
2716	1 ¹ / ₂ " 12 Pt. Socket				
2718	9 ¹⁶ / ₁₆ " 12 Pt. Socket	3216	51 ¹ / ₂ " Extension		Miscellaneous Tools
		3211	10" Extension	1902	5 ⁸ / ₈ " x 6" Cold Chisel
2720	5 ⁸ / ₈ " 12 Pt. Socket	3222H	151 ¹ / ₂ " Sw. Hd. Hdle.	1951	1 ⁸ / ₈ " x 61 ¹ / ₂ " Taper Punch
2722	11 ¹⁶ / ₁₆ " 12 Pt. Socket			1940	3 ³² / ₃₂ " x 41 ¹ / ₂ " Pin Punch
2724	3 ⁴ / ₄ " 12 Pt. Socket	3208	175 ⁸ / ₈ " Speeder	1971	5" Center Punch
2726	13 ¹⁶ / ₁₆ " 12 Pt. Socket	3275	Reversible Ratchet		
2728	7 ⁸ / ₈ " 12 Pt. Socket				
			Select Steel	980-16	1 lb. Ball Pein Hammer
2730	3" Extension		Open End Wrenches	3403	Water Pump Plier
2733	6" Extension	P721	5 ¹⁶ / ₁₆ " x 3 ⁸ / ₈ " End Wrench	3587	8" Adjustable Wrench

NO. 7817 62 PC. TOOL SET IN METAL BOX
NO. 9914L BOX, ONLY—19" x 7³/₁₆" x 7⁷/₈"


STD. PKG. 1. PKG. WT. 28 $\frac{3}{4}$ LBS.
STD. PKG. 1. PKG. WT. 9 $\frac{1}{8}$ LBS.



100 PIECE SET

This 100 piece tool set is an *outstanding value*. Each tool has been expertly chosen to handle the thousand-and-one jobs that occur in the home, farm, automotive, aircraft and electrical industries. Every tool is made to Indestro's rigid specifications and *fully guaranteed*.

Complete with the newest, most compact portable chest on the market. Has carrying handle on top, plus full length tote tray and 2 full width drawers. Drawers have easy acting compound slides with positive stops. Locking bar automatically secures drawers when cover is closed.



CONTENTS

No.	Description	No.	Description
Open End Wrenches			
P720	5/16" x 1 1/2" Open End Wrench	136	1/8" x 1 7/8" Screw Driver
P723	3/8" x 1 1/4" Open End Wrench	168	Feeler Gauge
P725B	1 1/2" x 9/16" Open End Wrench	174	Ignition File
P27	1 1/2" x 1 1/4" Open End Wrench	892	13/64" x 15/64" Ignition Wrench
P729	5/8" x 3/4" Open End Wrench	894	7/32" x 1/4" Ignition Wrench
P731B	13/16" x 7/8" Open End Wrench	896	5/16" x 9/32" Ignition Wrench
Screwdrivers			
3703	1/8" x 3" Square Blade	897	11/32" x 3/8" Ignition Wrench
3714	3/16" x 4" Square Blade	3411	Ignition Plier
3716	3/16" x 6" Square Blade	Miscellaneous Tools	
3721	1/4" x 1 1/4" Stubby	166	Thickness Gauge
4682	Phillips No. 2 Point	196	10 Pc. Set Screw Wrench Set
Punches and Chisels			
1844	3/16" x 6" Pin Punch	3403	Water Pump Plier
1851	1/8" x 4 3/4" Taper Punch	3436	6" Slip Joint Plier
1861	1 1/2" x 6" Cold Chisel	1/4" Square Drive	
1871	5" Center Punch	2808	1/4" 6 Point Socket
		2809	3/8" 6 Point Socket
		2810	5/16" 6 Point Socket
		2811	11/32" 6 Point Socket

NO. 7818 100 PC. TOOL SET IN METAL CHEST

STD. PKG. 1 PKG. WT. 42 1/2 LBS.

NO. 9958 CHEST, ONLY 20" x 9 1/2" x 8 3/8"

STD. PKG. 1 PKG. WT. 20 LBS.

No.	Description
2812	3/8" 6 Point Socket
2814	7/16" 6 Point Socket
2808S	1/4" 8 Point Socket
2810S	5/16" 8 Point Socket
2812S	3/8" 8 Point Socket
2850	6" Swing Head Handle
2855	4" Cross Bar
3/8" Square Drive	
2712	3/8" 6 Point Socket
2714	7/16" 12 Point Socket
2716	1 1/2" 12 Point Socket
2718	9/16" 12 Point Socket
2720	5/8" 12 Point Socket
2722	11/16" 12 Point Socket
2724	3/4" 12 Point Socket
2742	7/16" 12 Point Deep Socket
2743	1 1/2" 12 Point Deep Socket
2744	9/16" 12 Point Deep Socket
492	1 1/2" Female, 3/8" Male Adpt.
2763	8" Slide T Handle
2730	3" Extension
2733	6" Extension
1/2" Square Drive	
1214	7/16" 12 Point Socket
1216	1 1/2" 12 Point Socket
1218	9/16" 12 Point Socket
1219	19/32" 12 Point Socket
1220	5/8" 12 Point Socket
1221	21/32" 12 Point Socket
1222	11/16" 12 Point Socket
1224	3/4" 12 Point Socket
1225	25/32" 12 Point Socket
1226	13/16" 12 Point Socket
1228	7/8" 12 Point Socket
1230	15/16" 12 Point Socket
1232	1" 12 Point Socket
1234	1 1/16" 12 Point Socket
1236	1 1/8" 12 Point Socket
1240	1 1/4" 12 Point Socket
3020	5/8" 12 Point Deep Socket
3022	11/16" 12 Point Deep Socket
3024	3/4" 12 Point Deep Socket
3026	13/16" 12 Point Deep Socket
3216	5 1/2" Extension
3208	17 5/8" Speeder
3224	15" Swing Head Handle
646	L-T Handle
3239	Reversible Ratchet
Long 45° Box End Wrenches	
911	3/8" x 7/16" Box Wrench
912	1/2" x 9/16" Box Wrench
913	5/8" x 11/16" Box Wrench
914	3/4" x 25/32" Box Wrench
915	13/16" x 7/8" Box Wrench





CHROME ALLOY STEEL

A complete super deluxe tool set. Contains a wide range of sockets and fittings in 1/4", 3/8", 1/2", 3/4" square drive. Only the most popular open end wrenches, box end wrenches, and screwdrivers are presented, plus an excellent selection of punches, chisels, ignition tools and certain miscellaneous tools.

CONTENTS

No.	Description	No.	Description
	1/4" Square Drive		
2808	1/4" 6 Pt. Socket	3022	1 1/16" 12 Pt. Dp. Skt.
2809	9/32" 6 Pt. Socket	3026	1 3/16" 12 Pt. Dp. Skt.
2810	5/16" 6 Pt. Socket	3028	7/8" 12 Pt. Dp. Skt.
2811	11/32" 6 Pt. Socket	3032	1" 12 Pt. Dp. Skt.
2812	3/8" 6 Pt. Socket	3216	5 1/2" Extension
2814	7/16" 6 Pt. Socket	3211	10" Extension
2808S	1/4" 8 Pt. Socket	3217	Universal Joint
2810S	5/16" 8 Pt. Socket	3223H	18" Sw. Hd. Hdle.
2812S	3/8" 8 Pt. Socket	3208	17 5/8" Speeder
2832	3" Extension	3275	Reversible Ratchet
2850	6" Sw. Hd. Hdle.		
2855	4" Cross Bar		
	3/8" Square Drive		
2712	3/8" 6 Pt. Socket	2234	1 1/16" 12 Pt. Socket
2714	7/16" 12 Pt. Socket	2236	1 1/8" 12 Pt. Socket
2716	1/2" 12 Pt. Socket	2240	1 1/4" 12 Pt. Socket
2718	9/16" 12 Pt. Socket	2242	1 5/16" 12 Pt. Socket
2720	5/8" 12 Pt. Socket	2244	1 3/8" 12 Pt. Socket
2722	11/16" 12 Pt. Socket	2246	1 7/16" 12 Pt. Socket
2724	3/4" 12 Pt. Socket	2248	1 1/2" 12 Pt. Socket
2726	13/16" 12 Pt. Socket	2252	1 5/8" 12 Pt. Socket
2728	7/8" 12 Pt. Socket	2256	1 3/4" 12 Pt. Socket
2712S	3/8" 8 Pt. Socket	2260	1 7/8" 12 Pt. Socket
2714S	7/16" 8 Pt. Socket	2363	18" Slide T Hdle.
2716S	1/2" 8 Pt. Socket	2364	8" Extension
2742	7/16" 12 Pt. Dp. Skt.		Open End Wrenches
2743	1/2" 12 Pt. Dp. Skt.	1721	5/16" x 3/8"
2744	9/16" 12 Pt. Dp. Skt.	1725	7/16" x 1/2"
2745	5/8" 12 Pt. Dp. Skt.	1727	9/16" x 5/8"
		1029C	1 1/16" x 1 3/16"
2746	1 1/16" 12 Pt. Dp. Skt.	1731A	3/4" x 7/8"
2747	3/4" 12 Pt. Dp. Skt.	1033C	1 5/16" x 1"
2748	1 3/16" 12 Pt. Dp. Skt.		
2730	3" Extension		Long 45° Box End Wrenches
		730A	7/16" x 1 1/2"
2733	6" Extension	731A	9/16" x 5/8"
2797	Universal Joint	732C	1 1/16" x 1 3/16"
2781	9" Sw. Hd. Hdle.	733A	3/4" x 7/8"
2785	16" Speeder		
		735	1 5/16" x 1"
2775	Reversible Ratchet		
	1/2" Square Drive		
1214	7/16" 12 Pt. Socket		Screw Drivers
1216	1/2" 12 Pt. Socket	3703	1/8" x 3" Sq. Blade
1218	9/16" 12 Pt. Socket	3714	3/16" x 4" Sq. Blade
1219	19/32" 12 Pt. Socket	3726	1/4" x 6" Sq. Blade
		3748	3/8" x 8" Sq. Blade
1220	5/8" 12 Pt. Socket		
1222	11/16" 12 Pt. Socket	3721	1/4" x 1 1/4" Stubby
1224	3/4" 12 Pt. Socket	4681	Phillips No. 1 Point
1225	25/32" 12 Pt. Socket	4682	Phillips No. 2 Point
1226	13/16" 12 Pt. Socket		Punches and Chisels
1228	7/8" 12 Pt. Socket	1902	5/8" x 6" Cold Chisel
1230	15/16" 12 Pt. Socket	1903	3/4" x 7" Cold Chisel
1232	1" 12 Pt. Socket	1941	3/8" Pin Punch
		1951	1/8" Taper Punch
1234	1 1/16" 12 Pt. Socket		
1236	1 1/8" 12 Pt. Socket	1970	4" Center Punch
1240	1 1/4" 12 Pt. Socket		
3020	5/8" 12 Pt. Dp. Skt.		Miscellaneous Tools
		980-16	Ball Pein Hammer
		3400	Water Pump Plier
		3416	Battery Plier

109 PIECE TOOL SET

The 1/4" square drive sockets and fittings and ignition set are individually boxed.

Built for lifetime service, the master chest is of heavy gauge steel-chrome plated hardware-baked enamel finish. Drawers operating on compound slides can be removed when desired, but cannot be spilled.



No.	Description
	Ignition Set in Metal Box
136	1/8" x 1 7/8" Midget Screwdriver
168	6 Blade Feeler Gauge
174	Ignition Files
892	1 3/64" x 1 5/64" Ignition Wrench
894	7/32" x 1/4" Ignition Wrench
896	5/16" x 9/32" Ignition Wrench
897	11/32" x 3/8" Ignition Wrench
3411	Ignition Plier

NO. 7911A 109 PC. TOOL SET IN METAL CHEST

STD. PKG. 1 PKG. WT. 89 LBS.

NO. 7912A 97 PC. TOOL SET (LESS 3/4" SQUARE DRIVE)

STD. PKG. 1 PKG. WT. 73 LBS.

NO. 9908 CHEST ONLY—21 3/4" x 12" x 12"

STD. PKG. 1 PKG. WT. 44 LBS.



CHROME ALLOY STEEL

The superior features of Indestro 3/4" square drive sockets and fittings is the reason that experienced mechanics will not accept substitutes. They know that the distinctive modern design enables them to handle all the tough jobs with less effort and energy. The giant size nuts and bolts on busses, trucks, tractors, road equipment and industrial heavy machinery require the extra strength and superb utility provided in Indestro sockets and fittings. Many are the reasons Indestro sockets and fittings are always the first choice of professional mechanics.

Sockets are extra strong—precision made to exact size from quality chrome alloy steel and scientifically heat treated for long, heavy usage. A retaining groove in each of the four walls at the drive end of the sockets locks them to handles with speed and convenience.

The complete choice of fittings are of supreme strength to move even the most heavily rusted nuts and bolts. Neat, streamlined design provides maximum utility and eliminates excessive weight.


Indestro sockets and fittings sparkle with their bright polish and deep rich chrome finish.



This powerfully built heavy duty ratchet was designed to withstand the severest usage.

Individually forged, it is balanced to lessen handling fatigue. Ratcheting head construction provides finger tip reversing action and quick and easy maintenance. Length 17 1/2".


NO. 2339 17 1/2" HEAVY DUTY REVERSIBLE RATCHET
STD. PKG. 1. PKG. WT. 3 1/2 LBS.



Federal Spec: GGG-W-641b

The handiest tool for breaking loose stubborn or rusted nuts and bolts. 19" long for good leverage. Forged for extra strength. Ball and spring hold swing head at any selected angle. Cross drilled for use as T handle.

NO. 2366 19" SWING HEAD HANDLE
STD. PKG. 1. PKG. WT. 3 3/8 LBS.



Federal Spec: GGG-W-641b

Used principally with extensions to spin nuts either on or off. Ball and spring holds sliding head at any desired position. 18" long for good leverage.


NO. 2363 18" SLIDE "T" HANDLE
STD. PKG. 1. PKG. WT. 3 3/4 LBS.



Federal Spec: GGG-W-641b

Required for use around obstructions. Friction spring holds drive at any desired position. Extra strong and smooth operating. 3 1/16" long.

NO. 2396 UNIVERSAL JOINT
STD. PKG. 1. PKG. WT. 1 1/8 LBS.



Federal Spec: GGG-W-641b

To interchange all 1/2" square drive sockets with any 3/4" square drive fitting. 2" long.

NO. 493 3/4" FEMALE, 1/2" MALE ADAPTOR
STD. PKG. 4. PKG. WT. 1 1/4 LBS.



Federal Spec: GGG-W-641b

Available in all popular lengths, these extensions are forged in one piece for extra strength and durability.

NO. 2362 4" EXTENSION STD. PKG. 2. PKG. WT. 1 1/8 LBS.
NO. 2364 8" EXTENSION STD. PKG. 2. PKG. WT. 2 3/8 LBS.
NO. 2365 16" EXTENSION STD. PKG. 2. PKG. WT. 4 1/2 LBS.



Torque indicating wrench has range of 300 foot pounds graduated in 5 ft. lb. units. For heavy duty machines. Sturdy construction, direct reading, with no "mechanism" to get out of order.

NO. 8099 3/4" SQ. DR. TORQUE WRENCH
STD. PKG. 1. PKG. WT. 5 1/2 LBS.



Federal Spec:
GGG-W-641b

12 POINT SOCKETS

No.	Size	Length	Std. Pkg.	Pkg. Wt.
2228	7/8"	1 13/16"	2	3/4 lb.
2230	1 5/16"	1 13/16"	2	3/4 lb.
2232	1"	1 13/16"	2	1 lb.
2234	1 1/16"	1 15/16"	2	1 1/8 lbs.
2236	1 1/8"	2"	2	1 1/4 lbs.
2238	1 3/16"	2"	2	1 1/4 lbs.
2240	1 1/4"	2 1/16"	2	1 1/2 lbs.
2242	1 5/16"	2 1/8"	2	1 3/4 lbs.
2244	1 3/8"	2 3/16"	2	2 lbs.
2246	1 1/2"	2 1/4"	2	2 1/4 lbs.
2248	1 1/2"	2 5/16"	2	2 1/2 lbs.
2252	1 5/8"	2 7/16"	2	3 1/2 lbs.
2254	1 11/16"	2 1/2"	2	3 1/2 lbs.
2256	1 3/4"	2 9/16"	2	3 3/8 lbs.
2258	1 13/16"	2 5/8"	2	4 1/4 lbs.
2260	1 7/8"	2 11/16"	2	4 3/4 lbs.
2264	2"	2 13/16"	2	6 1/4 lbs.
2268	2 1/8"	2 15/16"	2	6 1/2 lbs.
2270	2 3/16"	3"	2	7 1/4 lbs.



CHROME ALLOY STEEL

You can always depend on Indestro socket sets for utility . . . safety . . . beauty . . . dependability. They are made right, priced right and are as good as they look. Each set a treasure of quality tools, shop tested by professional mechanics for the most needed tools. Made of chrome alloy steel and scientifically heat treated.

Indestro tools are built for dependable service and long life. The heavy chrome plated finish sparkles with a deep rich luster.

The sets illustrated below are standard equipment with experienced mechanics for work on bus, tractor, truck, farm, road and all heavy machinery.

11 PIECE SET

For those really tough jobs requiring the use of heavy duty tools, this set insures easier and faster work. Thin nose sockets are hot broached for extra strength.

Metal box is partitioned to hold sockets. Finished in Chinese red baked enamel.



CONTENTS

No.	Description
2234	1 1/16" 12 Pt. Socket
2236	1 1/8" 12 Pt. Socket
2240	1 1/4" 12 Pt. Socket
2242	1 5/16" 12 Pt. Socket
2244	1 3/8" 12 Pt. Socket
2246	1 7/16" 12 Pt. Socket
2248	1 1/2" 12 Pt. Socket
2252	1 5/8" 12 Pt. Socket
2364	8" Extension
2365	16" Extension
2363	18" Slide T Handle

NO. 7908 11 PC. SOCKET SET IN METAL BOX
STD. PKG. 1. PKG. WT. 17 LBS.
NO. 9952 BOX ONLY—18 7/16" x 4 3/4" x 2 1/16"
STD. PKG. 1. PKG. WT. 3 3/8 LBS.

24 PIECE SET

A complete heavy duty socket set that has all the sockets and fittings necessary to handle speedily and conveniently the difficult applications around trucks, busses, tractors and all other heavy duty units and machinery.

The thin nose sockets and trim fittings provide all the utility required to work in tight corners.

Metal box is furnished in durable Chinese red and of heavy gauge steel, partitioned for sockets.



CONTENTS

No.	Description
2228	7/8" 12 Pt. Socket
2230	15/16" 12 Pt. Socket
2232	1" 12 Pt. Socket
2234	1 1/16" 12 Pt. Socket
2236	1 1/8" 12 Pt. Socket
2240	1 1/4" 12 Pt. Socket
2242	1 5/16" 12 Pt. Socket
2244	1 3/8" 12 Pt. Socket
2246	1 7/16" 12 Pt. Socket
2248	1 1/2" 12 Pt. Socket
2252	1 5/8" 12 Pt. Socket
2254	1 11/16" 12 Pt. Socket
2256	1 3/4" 12 Pt. Socket
2258	1 13/16" 12 Pt. Socket
2260	1 7/8" 12 Pt. Socket
2264	2" 12 Pt. Socket
2268	2 1/8" 12 Pt. Socket
2270	2 3/16" 12 Pt. Socket
2362	4" Extension
2364	8" Extension
2365	16" Extension
2366	19" Swing Head Handle
2396	Universal Joint
2339	17 1/2" Reversible Ratchet

NO. 7910A 24 PC. SOCKET SET IN METAL BOX
STD. PKG. 1. PKG. WT. 49 1/2 LBS.
NO. 9932L BOX, ONLY—22 1/2" x 6 1/4" x 3 1/2"
STD. PKG. 1. PKG. WT. 11 1/4 LBS.



CHROME ALLOY STEEL

112 PIECE MECHANICS "STEP-SAVER" TOOL SET

A complete set of the finest tools that challenges any similar unit in *Quality, Utility* and *Value*.

EACH TOOL A "NATURAL" FOR THE JOB

You can be ready to service any job as it contains every tool you'll need to make an astounding variety of combinations. Made of quality selected steel for extra strength and lightweight. Modern Design for extra utility—Sparkling Chrome Finish—an unbeatable combination that you will be proud to own.

THE "STEP-SAVER" 6 DRAWER CHEST

An impressive Super-Streamlined Chest made of Extra Heavy 19 Gauge Steel. Welded for rugged lifetime service. Eye Appealing Chinese Red baked enamel finish and chrome plated handles and lock. A convenient and roomy space for orderly keeping of small and large tools is provided in the 6 big Spill Proof—Tilt Proof—Easy Working drawers running on extra strong compound slides. Drawers easily removed when desired for cleaning, etc.—a feature not found in other chests. Easy working check keeps the chest cover in place when open. Also equipped with a sturdy built-in lock. A handy partitioned carrying tray that lifts out of the top compartment of the chest is provided. The 6 drawer chest can be used individually or placed on top of the “Step-Saver” Rollaway.

"STEP-SAVER" TOOL ROLLAWAY

Build as a companion to the "Step-Saver" 6 drawer chest. Top of Rollaway is flat with flanged edge on ends and back to keep chest in place or to keep tools from rolling off when used individually. Effortless gliding over smooth or rough floors enables you to take your tools right to the job and place them at your fingertips for step and time saving. Modern design with rounded corners all welded and reinforced. Extra strong 19 gauge steel, finished in rich Chinese Red baked enamel with glistening chrome plated handles. Has two ball bearing swivel casters and two fixed casters for easy steering and a brake for parking at your work. Three large drawers for additional storage and tool separation are provided. Large or bulky tools are readily stored and quickly accessible in the open compartment. Separate locks are provided for each chest.

NO. 9906 "STEP-SAVER" 6 DRAWER CHEST

DIMENSIONS:

Chest— $26\frac{1}{4}$ " long, $12\frac{1}{8}$ " wide, $14\frac{5}{8}$ " high.

Drawers—Top Row—(2) $10\frac{3}{4}$ " deep, $4\frac{1}{2}$ " wide, $1\frac{7}{8}$ " high.

(1) $10\frac{3}{4}$ " deep, $11\frac{3}{4}$ " wide, $17\frac{7}{8}$ " high.

2nd Row—(1) 10 $\frac{3}{4}$ " deep, 23" wide, 1 $\frac{7}{8}$ " high.

3rd Row—(1) 10 $\frac{3}{4}$ " deep, 23" wide, 1 $\frac{1}{8}$ " high.
4th Row—(1) 10 $\frac{3}{4}$ " deep, 23" wide, 3" high.

4th Row—(1) $10\frac{3}{4}$ " deep, 23" wide, 3" high

NO. 9907A "STEP SAVER" TOOL ROLLAWAY

DIMENSIONS:

Overall height with casters 32 $\frac{1}{4}$ ", 27 $\frac{1}{2}$ " wide, 18" deep.
3 Large drawers—inside dimensions—21" wide, 16 $\frac{1}{4}$ " deep,
3 $\frac{1}{2}$ " high.

CONTENTS

No.	Description	No.	Description	No.	Description	No.	Description
	¼" Square Drive		½" Square Drive				
2808	¾ 6 Pt. Socket	1214	7 16 12 Pt. Socket	2246	1 16 12 Pt. Socket	1910	7 32 x 5" Cape Chisel
2809	9 32 6 Pt. Socket	1216	7 32 12 Pt. Socket	2248	1 32 12 Pt. Socket	1941	7 8 x 4 1 2 Pin Punch
2810	5 16 6 Pt. Socket	1218	9 16 12 Pt. Socket	2252	1 8 12 Pt. Socket	1944	7 16 x 6 1 2 Pin Punch
2811	11 32 6 Pt. Socket	1219	9 16 12 Pt. Socket	2364	8" Extension	1951	7 8 x 6 1 2 Taper Punch
2812	7 8 6 Pt. Socket	1220	9 8 12 Pt. Socket	2363	18" Slide "T" Handle	1952	7 16 x 7" Taper Punch
2814	7 16 6 Pt. Socket	1222	5 8 12 Pt. Socket	483	½" Fem., ¾" Male Adp'r	1954	7 8 x 8" Taper Punch
2808S	¾ 8 Pt. Socket	1224	9 4 12 Pt. Socket		Alloy Open End Wrenches	1971	5" Center Punch
2810S	5 16 8 Pt. Socket	1225	12 16 12 Pt. Socket	1721	5 16 x 3 8 End Wrench		Screw Drivers
2812S	9 8 8 Pt. Socket	1226	12 16 12 Pt. Socket	1725	7 16 x 3 8 End Wrench	3703	1 8 x 3" Square Blade
2850	6" Sw. Hd. Handle	1228	7 8 12 Pt. Socket	1727	7 8 x 3 8 End Wrench	3714	1 8 x 4" Square Blade
2855	4" Cross Bar	1230	15 16 12 Pt. Socket	1029C	15 16 x 15 16 End Wrench	3726	3 4 x 6" Square Blade
		1232	1" 12 Pt. Socket	1731A	3 4 x 7 8 End Wrench	3748	3 4 x 8" Square Blade
		1234	1 1 16 12 Pt. Socket	1033C	15 16 x 1" End Wrench	3721	3 4 x 1 1 2 Stubby
		1236	1 3 8 12 Pt. Socket			4772	Offset Screw Driver
		1240	1 3 4 12 Pt. Socket			4656-23	Phillips Nos. 2-3 Point Double Offset
	¾" Square Drive	3020	7 8 12 Pt. Deep Socket				
2712	3 8 6 Pt. Socket	3022	15 16 12 Pt. Deep Socket	751	Short 15° Alloy Box End Wrenches		
2714	7 16 12 Pt. Socket	3026	7 8 12 Pt. Deep Socket	752	3 8 x 1 16 Box Wrench		Miscellaneous Tools
2716	9 32 12 Pt. Socket	3028	7 8 12 Pt. Deep Socket	753	5 8 x 1 16 Box Wrench	980-8	½ lb. Ball Pein Hammer
2718	5 16 12 Pt. Socket	3300	27 16 Extension			980-16	1 lb. Ball Pein Hammer
2720	11 32 12 Pt. Socket	3216	5 16 Extension			3403	Water Pump Plier
2722	7 8 12 Pt. Socket	3211	10" Extension			5510	10" Circle Snip
2724	15 16 12 Pt. Socket	3217	Universal Joint	730	Long 45° Alloy Box End Wrenches	9031	Hacksaw
2726	9 8 12 Pt. Socket	3222H	15 1 2 Sw. Hd. Handle	731	3 8 x 1 16 Box Wrench		Hobbyist and Ignition Set
2728	7 8 12 Pt. Socket	3208	17 8 Speeder	731A	5 8 x 5 8 Box Wrench	136	½ x 17 8 Screw Driver
2712S	8 Pt. Socket	3275	Reversible Ratchet	732C	11 16 x 13 16 Box Wrench	168	6 Blade Feeler Gauge
2714S	7 16 8 Pt. Socket			733A	3 4 x 7 8 Box Wrench	174	Ignition File
2716S	1 2 8 Pt. Socket			735	15 16 x 1" Box Wrench	892	15 16 x 15 16 Ignition Wrench
2730	3" Extension					894	7 8 x 7 4 Ignition Wrench
2733	6" Extension	2234	1 1 16 12 Pt. Socket	1901	1 2 x 5 3 4 Cold Chisel	896	5 16 x 5 8 Ignition Wrench
2797	Universal Joint	2236	1 4 12 Pt. Socket	1903	3 4 x 7" Cold Chisel	897	11 32 x 3 8 Ignition Wrench
2781	9" Sw. Hd. Handle	2240	1 4 12 Pt. Socket	1905	1" x 9" Cold Chisel	3411	Ignition Plier
2785	16" Speeder	2242	15 16 12 Pt. Socket				
2775	Reversible Ratchet	2244	1 8 12 Pt. Socket				
491	¼" Male, 3 8" Fem., Adp'r						

NO. 7900A 112 PC. TOOL SET, CHEST AND ROLLAWAY AS ILLUSTRATED ON OPPOSITE PAGE AND LISTED ABOVE

STD. PKG. 1. PKG. WT. 207 LBS.

NO. 7901A 101 PC. TOOL SET, LISTED ABOVE (LESS 3/4" SQUARE DRIVE) WITH CHEST AND ROLLAWAY

STD. PKG. 1. PKG. WT. 195 LBS.

NO. 7902A 112 PC. TOOL SET ONLY, IN FIBRE CARTON

STD. PKG. 1. PKG. WT. 45 LBS.

NO. 7903A 101 PC. TOOL SET (LESS 3/4" SQUARE DRIVE) IN FIBRE CARTON

STD. PKG. 1. PKG. WT. 33 LBS.

NO. 9906 "STEP-SAVER" SIX DRAWER CHEST, ONLY

STD. PKG. 1. PKG. WT. 68 LBS.

NO. 9907A "STEP-SAVER" ROLLAWAY, ONLY

STD. PKG. 1. PKG. WT. 94 LBS.



THE "STEP-SAVER" TOOL SET




"STEP-SAVER"
6 Drawer Chest

**CLOSED
VIEW**



"STEP-SAVER"
Tool Rollaway





CHROME ALLOY STEEL

INDESTRO SUPER OPEN END WRENCHES




Federal Spec: GGG-W-636a Type IV

You will like the "feel" and balance of these streamline wrenches. Accurately broached openings fit nuts perfectly and are set for maximum clearance at a 15° angle to the head, permitting turning of nuts with a swing of only 30°. Forged from the finest alloy steel, heat treated, with mirror polished heads and satin finish handles. Completely chrome plated.

No.	Size	Length	Head Thick.	Std. Pkg.	Pkg. Wt.
1020	1/4" x 5/16"	3 7/8"	5/32"	6	1/4 lb.
1720	5/16" x 11/32"	4 13/16"	3/16"	6	1/4 lb.
1721	5/16" x 3/8"				
1021	5/16" x 13/32"				
1021A	11/32" x 13/32"	5"	3/16"	6	1/2 lb.
1723	3/8" x 1/16"				
1023	13/32" x 1/2"	5 5/8"	13/64"	6	3/4 lb.
1725	7/16" x 1/2"	5 15/16"	15/64"	6	3/4 lb.
1725B	1/2" x 9/16"	6 1/4"	15/64"	6	7/8 lb.
1025	1/2" x 19/32"				
1727	9/16" x 5/8"	6 3/4"	1/4"	6	1 1/4 lbs.
1027C	9/16" x 11/16"				
1027	19/32" x 11/16"	7"	19/64"	6	1 1/2 lbs.
1028	19/32" x 25/32"	8"	19/64"	6	1 3/4 lbs.
1729	5/8" x 3/4"				
1029	11/16" x 25/32"	8 1/2"	21/64"	6	2 lbs.
1029C	11/16" x 13/16"				
1028X	25/32" x 13/16"				
1731	3/4" x 13/16"	9 3/16"	11/32"	6	3 lbs.
1731A	3/4" x 7/8"				
1731B	13/16" x 7/8"				
1033A	7/8" x 15/16"	10 5/8"	25/64"	6	4 lbs.
1733	7/8" x 1"				
1033C	15/16" x 1"				
1735	1" x 1 1/8"	12 1/2"	29/64"	3	3 1/4 lbs.
1036B	1 1/16" x 1 1/8"				
1037	1 1/16" x 1 1/4"				

See Page 30 for additional open end wrenches.

"KLIP-TITE" OPEN END WRENCH SETS



Popular Klip-Tite set—no duplication of sizes.


CONTENTS

No.	Size	No.	Size
1721	5/16" x 3/8"	1029C	11/16" x 13/16"
1725	7/16" x 1/2"	1731A	3/4" x 7/8"
1727	9/16" x 5/8"		
NO. 10001	5 PC. WRENCH SET—RANGE 5/16" to 7/8"		
	STD. PKG. 1 PKG. WT. 1 3/8 LBS.		
NO. 10002	6 PC. WRENCH SET—RANGE 5/16" to 1"		
	STD. PKG. 1 PKG. WT. 2 LBS.		

For those who desire professional quality wrench sets packaged in attractive plastic kits, Indestro provides a popular selection. Wrench sizes in 1/16" steps without duplication.




5
PIECE
SET



6
PIECE
SET

No.	Size	No.	Size
1721	5/16" x 3/8"	1721	5/16" x 3/8"
1725	7/16" x 1/2"	1725	7/16" x 1/2"
1727	9/16" x 5/8"	1727	9/16" x 5/8"
1029C	11/16" x 13/16"	1029C	11/16" x 13/16"
1731A	3/4" x 7/8"	1731A	3/4" x 7/8"
		1033C	15/16" x 1"
NO. 10003A	5 PC. SET	NO. 10004A	6 PC. SET
STD. PKG. 1.		STD. PKG. 1.	
PKG. WT. 1 3/8 LBS.		PKG. WT. 2 1/8 LBS.	
NO. K130	KIT ONLY	NO. 131	KIT ONLY

8
PIECE
SET



CONTENTS

No.	Size	No.	Size
1020	1/4" x 5/16"	1029C	11/16" x 13/16"
1723	3/8" x 1/2"	1033A	7/8" x 15/16"
1725B	1/2" x 9/16"	1735	1" x 1 1/8"
1729	5/8" x 3/4"	1037	1 1/16" x 1 1/4"
NO. 10005A	8 PC. SET		
		STD. PKG. 1. PKG. WT. 4 1/8 LBS.	
NO. K132	KIT ONLY		



6
PIECE
SET


CONTENTS

No.	Size	No.	Size
1721	5/16" x 3/8"	1029C	11/16" x 13/16"
1725	7/16" x 1/2"	1731A	3/4" x 7/8"
1727	9/16" x 5/8"	1033C	15/16" x 1"
NO. 10006PK	6 PC. OPEN END WRENCH SET		
		STD. PKG. 1. PKG. WT. 2 LBS.	
NO. K119	POUCH ONLY		



CHROME ALLOY STEEL

TAPPET WRENCHES



Federal Spec: GGG-W-636a, Type X, Class I

Thin pattern heads are accurately broached to size for perfect fit with openings at 15°. Handles are rounded and finished in satin chrome for a secure and comfortable grip. Forged from chrome alloy steel. Mirror polished heads. Fully chrome plated.

No.	Size	Length	Head Thick.	Std. Pkg.	Pkg. Wt.
T1	7/16" x 17/32"	7 1/4"	5/32"	6	3/4 lb.
T1A	7/16" x 1/2"	7 1/4"	5/32"	6	3/4 lb.
T2	1/2" x 9/16"	7 7/8"	11/64"	6	7/8 lb.
T2A	9/16" x 5/8"	7 7/8"	11/64"	6	7/8 lb.
T3	5/8" x 11/16"	8 3/8"	3/16"	6	1 1/2 lbs.
T4	3/4" x 7/8"	8 3/4"	7/32"	6	1 3/4 lbs.
T4A	3/4" x 13/16"	8 3/4"	7/32"	6	1 3/4 lbs.

OBSTRUCTION END WRENCHES



Especially designed for use around obstructions, this wrench features one head at a 45° angle and the other at 90°—same size openings at both ends. Forged chrome alloy steel with satin finished handles and highly polished heads. Completely chrome plated.

No.	Size	Length	Head Thick.	Std. Pkg.	Pkg. Wt.
1821	3/8" x 3/8"	5 1/2"	11/64"	6	1/2 lb.
1823	7/16" x 7/16"	5 1/2"	11/64"	6	1/2 lb.
1825	1/2" x 1/2"	6 1/2"	13/64"	6	1 lb.
1827	9/16" x 9/16"	6 1/2"	13/64"	6	1 lb.
1829	5/8" x 5/8"	7 1/2"	15/64"	6	1 1/4 lbs.
1830	11/16" x 11/16"	7 1/2"	1/4"	6	1 1/4 lbs.
1831	3/4" x 3/4"	7 1/2"	1/4"	6	1 3/4 lbs.

NO. 1807F 7 PC. SET IN CARTON

STD. PKG. 1. PKG. WT. 1 1/4 LBS.

DROP FORGED IGNITION TYPE WRENCHES 15° AND 60° OPENINGS




Federal Spec: GGG-W-636a, Type VI, Style A

Excellent for use on small size nuts in close quarters. A necessity when working on ignition and electrical systems, radio and TV, carburetors and other small devices. Brightly chrome plated with polished heads.

No.	Openings		Length	Std. Pkg.	Pkg. Wt.
	15°	60°			
891	13/64"	15/64"	3"	6	1/8 lb.
892	15/64"	13/64"	3"	6	1/8 lb.
892A	1/4"	3/16"	3"	6	1/8 lb.
893	7/32"	1/4"	3"	6	1/8 lb.
894	1/4"	7/32"	3"	6	1/8 lb.
895	9/32"	5/16"	3 1/2"	6	1/4 lb.
896	5/16"	9/32"	3 1/2"	6	1/4 lb.
897	11/32"	3/8"	4"	6	1/4 lb.
898	3/8"	11/32"	4"	6	1/4 lb.
899	7/16"	1/2"	4 1/2"	6	1/2 lb.

See Pages 63 and 64 for additional ignition tools and sets.

4 PC. TAPPET WRENCH SET



This four piece set, in its handy plastic pouch, will service practically all makes of cars.

CONTENTS

Quan.	No.	Size
2	T2	1/2" x 9/16"
2	T3	5/8" x 11/16"

NO. T59 4 PC. TAPPET WRENCH SET

STD. PKG. 1. PKG. WT. 7/8 LB.

NO. K123 KIT ONLY

4 PIECE TAPPET WRENCH SET



A 4 piece set in Klip-Tite holder. Extremely popular as it contains the most used sizes.

CONTENTS

Quan.	No.	Size
2	T2	1/2" x 9/16"
2	T3	5/8" x 11/16"

NO. T55 4 PC. TAPPET WRENCH SET

STD. PKG. 1. PKG. WT. 7/8 LB.

6 PC. OBSTRUCTION WRENCH SET



This unusually handy set of wrenches is desired by every mechanic. Wrench heads are offset at 45° and 90° for close quarter work. Forged chrome alloy steel. Chrome plated with polished heads.

CONTENTS

No.	Size	No.	Size
1821	3/8" x 3/8"	1827	9/16" x 9/16"
1823	7/16" x 7/16"	1829	5/8" x 5/8"
1825	1/2" x 1/2"	1830	11/16" x 11/16"

NO. 1806PK 6 PC. OBSTRUCTION WRENCH SET

STD. PKG. 1. PKG. WT. 1 1/4 LBS.

NO. K122 KIT ONLY



LONG 45° TYPE DEEP DOUBLE OFFSET STYLE



Indestro box wrenches are designed to offer the user greater utility—notice the angle at which the handle joins the head. The deep offset enables use on recessed nuts and in obstructed places ordinarily requiring the use of a socket. Openings are accurately broached with bevel for easy engagement. All openings 12 point, except No. 730 which is 6 point.

Forged from chrome alloy steel and heat treated for extra strength. Heads and panel are highly polished. Completely chrome plated.

No.	Size	Length	Std. Pkg.	Pkg. Wt.
730*	3/8" x 7/16"	7 7/8"	6	1 lb.
730A	7/16" x 1/2"	8 3/16"	6	1 1/2 lbs.
731	1/2" x 9/16"	8 13/16"	6	1 1/2 lbs.
731A	9/16" x 5/8"	9 3/8"	6	1 1/2 lbs.
732	5/8" x 11/16"	10"	6	2 1/4 lbs.
732B	5/8" x 3/4"	10 1/16"	6	2 1/4 lbs.
732C	11/16" x 13/16"	10 1/2"	6	2 1/4 lbs.
733	3/4" x 25/32"	11 3/8"	6	3 lbs.
733A	3/4" x 7/8"	11 5/16"	6	3 1/4 lbs.
734	13/16" x 7/8"	12 1/16"	6	4 lbs.
735	15/16" x 1"	14 5/16"	6	5 3/4 lbs.

*INDICATES 6 POINT

EXTRA LONG PATTERN

757	1 1/16" x 1 1/8"	16 1/4"	3	3 1/2 lbs.
758C	1 1/16" x 1 1/4"	17 7/8"	3	4 3/4 lbs.
758B	1 1/8" x 1 1/4"	17 7/8"	3	5 1/2 lbs.
758A	1 3/16" x 1 1/4"	18 1/4"	3	5 1/4 lbs.
759A	1 5/16" x 1 3/8"	20 3/16"	3	6 1/2 lbs.
759B	1 7/16" x 1 1/2"	22 3/4"	3	9 lbs.

NO. 740-5F 5 PC. SET IN CARTON—7/16" to 1" inclusive, ten sizes on five wrenches—Nos. 730A, 731A, 732C, 733A, 735.

STD. PKG. 1. PKG. WT. 2 1/2 LBS.

6 PC. BOX WRENCH SET

A popular series of long 45° type chrome alloy steel box wrenches packed in an attractive three color plastic pouch. Range 3/8" to 1".



Contents

No.	Size
730	3/8" x 7/16"
731	1/2" x 9/16"
731A	9/16" x 5/8"
732C	1 1/16" x 13/16"
733A	3/4" x 7/8"
735	15/16" x 1"

NO. 740-6PK 6 PC. SET
STD. PKG. 1. WT. 3 LBS.

NO. K121 POUCH ONLY

CHROME ALLOY STEEL

SHORT 45° TYPE DEEP DOUBLE OFFSET STYLE



Short pattern wrenches are necessary in areas of limited clearance. Accurately broached openings are beveled for quick positioning on nut or bolt. Openings are 12 point except No. 741 which is 6 point.

Heat treated and forged from chrome alloy steel. Handles have satin finish. Highly polished heads and panel. Fully chrome plated.

No.	Size	Length	Std. Pkg.	Pkg. Wt.
741*	3/8" x 7/16"	4 3/4"	6	1 1/2 lb.
742	1/2" x 9/16"	5 1/2"	6	1 lb.
743	5/8" x 11/16"	6 3/8"	6	1 1/2 lbs.

*INDICATES 6 POINT

LONG 15° BOX WRENCHES



Federal Spec: GGG-W-636a, Type I, Class 1, Style A

Long 15° pattern wrenches are so designed to allow for maximum hand clearance. Beveled, accurately broached openings insure easy, positive positioning. Openings are 12 point with the exception of No. 711 which is 6 point for better engagement of these smaller sizes.

Forged from chrome alloy steel and heat treated. Highly polished panels and heads with contrasting satin finish handles. Fully chrome plated.


No.	Size	Length	Std. Pkg.	Pkg. Wt.
711*	3/8" x 7/16"	6 3/4"	6	7/8 lb.
711A	7/16" x 1/2"	7 5/8"	6	1 lb.
712	1/2" x 9/16"	8 5/8"	6	1 1/4 lbs.
713	9/16" x 5/8"	9 9/16"	6	1 3/4 lbs.
713A	5/8" x 11/16"	10 5/8"	6	2 lbs.
713B	5/8" x 3/4"	10 5/8"	6	2 lbs.
714	1 1/16" x 25/32"	12"	6	3 1/4 lbs.
714B	1 1/16" x 13/16"	11 7/8"	6	3 1/4 lbs.
715	3/4" x 7/8"	13 1/4"	6	3 1/2 lbs.
716	15/16" x 1"	16 1/8"	6	5 1/2 lbs.

*INDICATES 6 POINT

EXTRA LONG PATTERN

717	1 1/16" x 1 1/8"	17 3/4"	3	4 lbs.
717A	1 1/16" x 1 1/4"	17 3/4"	3	4 lbs.
718E	1 1/4" x 1 3/8"	18 1/4"	3	4 3/4 lbs.

SHORT 15° BOX WRENCHES



Federal Spec: GGG-W-636a, Type I, Class 1, Style B

The best choice for fast efficient work where there is little working room. Broached accurately and perfectly centered for exact size. Forged chrome alloy steel, scientifically heat treated. Heads and panels polished to a mirrorlike reflection and plated in a rich deep chrome. Popular 12 point opening except No. 751 which is 6 point.

No.	Size	Length	Std. Pkg.	Pkg. Wt.
751*	3/8" x 7/16"	4 1/8"	6	1/2 lb.
752	1/2" x 9/16"	4 3/4"	6	1/2 lb.
753	5/8" x 11/16"	5 1/8"	6	1 lb.

*INDICATES 6 POINT



CHROME ALLOY STEEL

Combination wrenches combine the best features of the open end and box end types. Both ends of the wrench have identical sizes. The box end fits hexagonal nuts and bolts, and the open end fits both hexagonal and squares. The box end is offset 10° for ample hand clearance—the open end is at a 15° angle for positive nut turning in a restricted space.

SHORT HANDLE SERIES



Federal Spec.: GGG-W-636a, Type III

No.	Size	Length	Open end Head Thick.	Std. Pkg.	Pkg. Wt.
767S*	1/4"	3 3/4"	5/32"	6	1/4 lb.
768S*	5/16"	4 1/4"	11/64"	6	3/8 lb.
771S*	3/8"	4 3/4"	13/64"	6	1/2 lb.
772S	7/16"	5 3/16"	7/32"	6	3/4 lb.
773S	1/2"	5 3/4"	15/64"	6	7/8 lb.
774S	9/16"	6 3/8"	1/4"	6	1 1/8 lbs.
775S	5/8"	7 1/16"	9/32"	6	1 1/2 lbs.
776S	11/16"	7 1/16"	19/64"	6	1 7/8 lbs.
777S	3/4"	8 1/4"	5/16"	6	2 1/8 lbs.

*INDICATES 6 POINT.

LONG HANDLE SERIES

No.	Size	Length	Open End Head Thick.	Std. Pkg.	Pkg. Wt.
771*	3/8"	7"	3/16"	6	5/8 lb.
772	7/16"	7 3/16"	13/64"	6	7/8 lb.
773	1/2"	7 11/16"	7/32"	6	1 1/8 lbs.
774	9/16"	8 1/4"	15/64"	6	1 1/2 lbs.
775	5/8"	8 7/8"	1/4"	6	1 3/4 lbs.
776	11/16"	9 3/8"	9/32"	6	1 7/8 lbs.
777	3/4"	10 1/8"	19/64"	6	2 1/2 lbs.
777B	13/16"	10 1/2"	11/32"	6	2 3/4 lbs.
778	7/8"	11 3/8"	23/64"	6	3 3/8 lbs.
779	15/16"	12 5/16"	5/8"	6	3 3/4 lbs.
780	1"	13 5/16"	25/64"	6	5 7/8 lbs.
781	1 1/16"	14 1/4"	13/32"	3	3 lbs.
782	1 1/8"	15 1/4"	7/16"	3	4 lbs.
783	1 1/4"	16 1/4"	29/64"	3	4 1/2 lbs.

*INDICATES 6 POINT.

NO. 770-6F 6 PC. SET IN CARTON—3/8" TO 1 1/16" inclusive. STD. PKG. 1. PKG. WT. 2 LBS.

6 PC. COMBINATION WRENCH SET

LONG HANDLE TYPE

Featuring a most popular range of chrome alloy steel wrenches. This set is packed in a durable plastic pouch.




Contents

No.	Size
772	7/16"
773	1/2"
774	9/16"
775	5/8"
776	11/16"
777	3/4"

NO. 770-6PK 6 PC. COMBINATION WRENCH SET
NO. K120 KIT ONLY STD. PKG. 1. PKG. WT. 1 1/4 LBS.

Combination wrenches are available in the short handle type for close quarter work; also, in a long handle pattern for extra leverage.

Forged from chrome alloy steel with highly polished heads and satin finished handles. Completely chrome plated. All box ends are 12 point except Nos. 767S, 768S, and 771S which are 6 point.



6 PIECE SET

Contents

No.	Size
772S	7/16"
773S	1/2"
774S	9/16"
775S	5/8"
776S	11/16"
777S	3/4"

A highly popular set. Packaged in attractive two color plastic tool roll.

NO. 770-6 6 PC. SET—RANGE 7/16" TO 3/4" INCLUSIVE
STD. PKG. 1. PKG. WT. 1 1/4 LBS.

NO. K133 KIT ONLY

5 PIECE SET

A popular intermediate range set packaged in colorful plastic tool roll. Each wrench in individual pocket. Wrench lengths graduated from short to long handle type. Set contains following sizes—1/4", 5/16", 3/8", 7/16", and 1/2".


NO. 770-5 5 PC. SET—RANGE 1/4" TO 1/2" INCLUSIVE
STD. PKG. 1. PKG. WT. 3/8 LB.

NO. K134 KIT ONLY

11 PIECE SET

Contents

No.	Size
771S	3/8"
772S	7/16"
773S	1/2"
774S	9/16"
775S	5/8"
776S	11/16"
777S	3/4"
777B	13/16"
778	7/8"
779	15/16"
780	1"




A general utility set covering wide range of the most used sizes.

NO. 770-11 11 PC. SET—RANGE 3/8" TO 1" INCLUSIVE
STD. PKG. 1. PKG. WT. 4 1/4 LBS.

NO. K135 KIT ONLY

14 PIECE SET



A complete master set. Range 3/8" to 1 1/4" inclusive.

NO. 770-A14 14 PC. COMBINATION SET
STD. PKG. 1. PKG. WT. 8 1/4 LBS.

NO. K136 KIT ONLY

ALSO AVAILABLE

NO. 770-B14 14 PC. SET—RANGE 1/4" TO 1 1/16" INCLUSIVE
STD. PKG. 1. PKG. WT. 5 1/2 LBS.

NO. K137 KIT ONLY



ADJUSTABLE WRENCHES

CHROME ALLOY STEEL



Federal Spec: GGG-W-631a, Type I

CHROME PLATED

Right down the line Indestro quality adjustable wrenches is the brand most mechanics, car owners, home owners and craftsmen always ask for.

Each is a masterpiece of quality and workmanship and anyone can do a better job faster with them.

Latest modern design balanced for convenient easy working, and built to withstand the rigors of constant usage. Tapered

thin jaws that work freely and fit into limited spaces.

The supreme strength and light weight is accomplished by forging from chrome alloy steel and controlled scientific heat treatment.

Plated in a rich deep chrome, Indestro adjustable wrenches sparkle with fine quality.


NO. 3585	4" ADJUSTABLE WRENCH—MAX. OPENING 1/2"	STD. PKG. 1.	PKG. WT. 1/8 LB.
NO. 3586	6" ADJUSTABLE WRENCH—MAX. OPENING 3/4"	STD. PKG. 1.	PKG. WT. 1/4 LB.
NO. 3587	8" ADJUSTABLE WRENCH—MAX. OPENING 1 1/8"	STD. PKG. 1.	PKG. WT. 1/2 LB.
NO. 3588	10" ADJUSTABLE WRENCH—MAX. OPENING 1 1/4"	STD. PKG. 1.	PKG. WT. 1 LB.
NO. 3589	12" ADJUSTABLE WRENCH—MAX. OPENING 1 5/8"	STD. PKG. 1.	PKG. WT. 2 1/2 LBS.
NO. 3590	15" ADJUSTABLE WRENCH—MAX. OPENING 1 3/4"	STD. PKG. 1.	PKG. WT. 3 1/2 LBS.

REPLACEMENT PARTS

For No.	Jaw	Screw	Worm	Spring
3585	3585-2	3585-3	3585-4	3585-5
3586	3586-2	3586-3	3586-4	3586-5
3587	3587-2	3587-3	3587-4	3587-5
3588	3588-2	3588-3	3588-4	3588-5
3589	3589-2	3589-3	3589-4	3589-5
3590	3590-2	3590-3	3590-4	3590-5

PIPE WRENCHES

NORMAL DUTY



Federal Spec: GGG-W-651b, Type I, Class A

STILLSON PATTERN

The popular pattern of these normal duty all steel wrenches meet all requirements for use on the farm, in the home, and light industrial applications.

Handles and heads are of special analysis steel, heat treated. Drop forged handles have the I beam, or recessed panel design for greater strength and less weight.

Jaw teeth are deep milled, uniformly spaced, and induction hardened locally—an exclusive feature. Head has attractive machine ground finish.

NO.	SIZE	PIPE CAPACITY	STD. PKG.	PKG. WT.
3508	8"	1/8" to 3/4"	6	4 1/4 Lbs.
3510	10"	1/8" to 1"	6	8 Lbs.
3514	14"	1/4" to 1 1/2"	6	16 1/4 Lbs.
3518	18"	1/4" to 2"	6	26 1/2 Lbs.
3524	24"	1/4" to 2 1/2"	1	7 3/4 Lbs.

CHROME ALLOY STEEL


Manufacturers of cars and other mechanical equipment have determined by experience that better performance and longer life can be obtained from machines by tightening certain bolts or groups of bolts to a uniform degree of tightness. Even an experienced mechanic cannot tighten a group of bolts, such as cylinder head bolts, evenly; but with an Indestro Super Torque Indicating Wrench, an unskilled apprentice can quickly and accurately tighten bolts uniformly to manufacturers' recommendation.

Torque is twist and is usually measured in foot pounds. For example: Imagine yourself pulling with a force of ten pounds at right angle to the handle of a wrench and at a distance of $1\frac{1}{2}$ feet from a bolt being tightened. The torque or twist exerted would be ten pounds multiplied by $1\frac{1}{2}$ feet or 15 foot pounds. Changing the distance of grip on the wrench, or changing the strength of pull, or changing the angle of pull, will change the torque applied.

The Indestro Super Torque Indicating Wrench instantly makes all of the calculations for you. Its simplified rugged construction uses a centerless ground alloy steel beam which accurately indicates on a clearly marked scale without any fragile or complicated mechanisms. The slide marker over the scale can be set to the proper point and after that it is only necessary to watch the pointer and the marker which can easily be done from practically any position.

Every wrench is tested for accuracy before it can be shipped.

NO. 8099 $\frac{1}{4}$ $\frac{1}{4}$ " SQUARE DRIVE TORQUE WRENCH

This wrench has a range of 120 inch pounds (10 foot pounds) and is especially desirable for small delicate work such as measuring the preload drag on bearings, etc.

NO. 8099 $\frac{3}{8}$ $\frac{3}{8}$ " SQUARE DRIVE TORQUE WRENCH

This wrench has a maximum range of 50 foot pounds, which covers many of the tensions recommended for lighter cars as well as various appliances, and for airplane applications. Also necessary for adjusting automatic transmissions.

NO. 8099 $\frac{1}{2}$ $\frac{1}{2}$ " SQUARE DRIVE TORQUE WRENCH

Has range of 100 foot pounds which is ample for recommended tightening of spark plugs, cylinder head bolts, connecting rod bolts and most passenger car main bearing bolts.

NO. 8099 $\frac{1}{2}$ H $\frac{1}{2}$ " SQUARE DRIVE TORQUE WRENCH

For all around purpose this $\frac{1}{2}$ " square drive Torque Wrench, with maximum range of 150 foot pounds will be found most desirable. Manufacturers' recommendations for Spark Plugs, Cylinder Head bolts, Connecting Rod and Main Bearing bolts, and other parts on nearly every car, come within the range of this Wrench. Similar recommendations for popular trucks are also within the range of this Wrench.

NO. 8099 $\frac{3}{4}$ $\frac{3}{4}$ " SQUARE DRIVE TORQUE WRENCH

This Wrench, with a maximum range of 300 foot pounds, is designed for heavy duty work such as Diesel Engines, Tractors, Trucks, Road Machinery and other heavy machines, and should be used where Torque between 150 foot pounds and 300 foot pounds is to be gauged.

Full Instructions and Charts are packed with each Wrench

Number	Size Drive	Max. Range	Graduation	Length	Std. Pkg.	Pkg. Wt.
8099 $\frac{1}{4}$	$\frac{1}{4}$ " Square	120 In. Lbs.	5 In. Lb. Units	9"	1	$\frac{1}{2}$ lb.
8099 $\frac{3}{8}$	$\frac{3}{8}$ " Square	50 Ft. Lbs.	$2\frac{1}{2}$ Ft. Lb. Units	13"	1	$\frac{3}{4}$ lb.
8099 $\frac{1}{2}$	$\frac{1}{2}$ " Square	100 Ft. Lbs.	$2\frac{1}{2}$ Ft. Lb. Units	18"	1	$1\frac{3}{4}$ lbs.
8099 $\frac{1}{2}$ H	$\frac{1}{2}$ " Square	150 Ft. Lbs.	$2\frac{1}{2}$ Ft. Lb. Units	18"	1	2 lbs.
8099 $\frac{3}{4}$	$\frac{3}{4}$ " Square	300 Ft. Lbs.	5 Ft. Lb. Units	30"	1	$5\frac{1}{2}$ lbs.


See pages 2, 4, 8, 18 for proper drive attachments.



CHROME ALLOY STEEL

HEXAGON TYPE

Indispensable wherever hollow head screws are used. A very necessary tool around an automobile, lawnmower, oil burner, refrigerator, appliances, machinery, etc. Made of chrome alloy steel and scientifically hardened for satisfactory service and long life. Accurately made for perfect fit. Brightly plated—easy to find on the job or in a tool box.



REGULAR LENGTH



LONG TYPE

*ORDERING REFERENCE IN BOXES OF 24

No.	Wrench Size	Std. Pkg.	Pkg. Wt.
0202A-24	1/16" — Box of 24	1	1 oz.
0202-24	5/64" — Box of 24	1	2 oz.
0203-24	3/32" — Box of 24	1	2 oz.
0204-24	1/8" — Box of 24	1	4 oz.
0205-24	5/32" — Box of 24	1	8 oz.
0206-24	3/16" — Box of 24	1	12 oz.
0207-24	7/32" — Box of 24	1	1 lb. 2 oz.
0208-24	1/4" — Box of 24	1	1 3/4 lbs.
0210-12	5/16" — Box of 12	1	3 lbs.
0212-12	3/8" — Box of 12	1	4 3/4 lbs.

ORDERING REFERENCE IN BOXES OF 24

No.	Wrench Size	Std. Pkg.	Pkg. Wt.
0202L-24	5/64" — Box of 24	1	2 oz.
0203L-24	3/32" — Box of 24	1	3 oz.
0204L-24	1/8" — Box of 24	1	6 oz.
0205L-24	5/32" — Box of 24	1	12 oz.
0206L-24	3/16" — Box of 24	1	1 lb. 2 oz.
0207L-24	7/32" — Box of 24	1	1 3/4 lbs.
0208L-24	1/4" — Box of 24	1	2 1/2 lbs.
0210L-12	5/16" — Box of 12	1	4 1/4 lbs.
0212L-12	3/8" — Box of 12	1	6 3/4 lbs.

*Ordering Reference Explanation: When ordering 1 No. 202A-24, you receive one box of 24 set screw wrenches, size 1/16".

FOR ECONOMY—BUY IN BOXES OF 100 PIECES

†ORDERING REFERENCE IN BOXES OF 100

No.	Wrench Size	Std. Pkg.	Pkg. Wt.
0202A-100	1/16" — Box of 100	1	4 oz.
0202-100	5/64" — Box of 100	1	5 oz.
0203-100	3/32" — Box of 100	1	8 oz.
0204-100	1/8" — Box of 100	1	1 lb. 2 oz.
0205-100	5/32" — Box of 100	1	2 lbs. 2 oz.
0206-100	3/16" — Box of 100	1	3 lbs. 2 oz.
0207-100	7/32" — Box of 100	1	5 lbs.
0208-100	1/4" — Box of 100	1	7 lbs.
0210-100	5/16" — Box of 100	1	12 1/2 lbs.
0212-100	3/8" — Box of 100	1	22 lbs.


ORDERING REFERENCE IN BOXES OF 100

No.	Wrench Size	Std. Pkg.	Pkg. Wt.
0202L-100	5/64" — Box of 100	1	10 oz.
0203L-100	3/32" — Box of 100	1	14 oz.
0204L-100	1/8" — Box of 100	1	1 3/4 lbs.
0205L-100	5/32" — Box of 100	1	3 lbs.
0206L-100	3/16" — Box of 100	1	5 lbs.
0207L-100	7/32" — Box of 100	1	6 1/4 lbs.
0208L-100	1/4" — Box of 100	1	10 lbs.
0210L-100	5/16" — Box of 100	1	17 3/4 lbs.
0212L-100	3/8" — Box of 100	1	28 1/2 lbs.

†Ordering Reference Explanation: When ordering 1 No. 202A-100, you receive one box of 100 set screw wrenches, size 1/16".

DIMENSIONS OF REGULAR AND LONG TYPE HOLLOW HEAD SET SCREW WRENCHES

Wrench Size	Fits Screw Sizes		Length of Short Arm	Length of Long Arm	
	Set Screws	Cap Screws		Regular Length	Long Type
1/16"	#5 & 6		2 1/32"	1 1/16"	
5/64"	#8		2 1/32"	1 7/8"	3"
3/32"	#10 & 12		2 1/32"	2"	3 3/8"
1/8"	1/4"	#8	3/4"	2 1/4"	3 3/4"
5/32"	5/16"	#10 & 12	27/32"	2 1/2"	4 1/8"
3/16"	3/8"	1/4"	15/16"	2 3/4"	4 1/2"
7/32"	7/16"	5/16"	1 1/2"	3"	4 7/8"
1/4"	1/2 — 9/16"		1 1/8"	3 1/4"	5 1/4"
5/16"	5/8"	3/8 — 7/16"	1 1/4"	3 3/4"	6"
3/8"	3/4"	1/2 — 9/16"	1 3/8"	4 1/4"	6 3/4"



An attractive multi-colored merchandiser for displaying and storing all regular length hollow head set screw wrenches, sizes 1/16" thru 3/8". Ideal for hardware, variety, chain stores, etc.

CONTENTS

Quan.	No.	Size	Quan.	No.	Size
12	202-A	1/16"	12	206	3/16"
12	202	5/64"	12	207	7/32"
12	203	3/32"	12	208	1/4"
12	204	1/8"	6	210	5/16"
12	205	5/32"	6	212	3/8"

NO. 200DM DISPLAY MERCHANDISER

STD. PKG. 1 PKG. WT. 4 1/2 LBS.

CHROME ALLOY STEEL



Hollow Head Set Screw Wrench Sets

The increasing popularity of hollow head set screws makes it desirable and necessary that every mechanic has a selection of these wrenches. Listed below are several selections arranged to satisfy the demand for popular sizes. Wrenches are made of chrome alloy steel, scientifically hardened and brightly plated.

REGULAR LENGTH



7 PIECE SET

Contains seven popular sizes— $\frac{5}{64}$ ", $\frac{3}{32}$ ", $\frac{1}{8}$ ", $\frac{5}{32}$ ", $\frac{3}{16}$ ", $\frac{7}{32}$ ", $\frac{1}{4}$ ". Each wrench has individual pocket in this durable plastic kit.

NO. 199 7 PIECE SET

STD. PKG. 6 PKG. WT. $1\frac{1}{4}$ LBS.

NO. K143 KIT ONLY



COUNTER-WALL MERCHANDISER

Colorful, eye arresting merchandiser that can be either hung or displayed on counter or in window. Contains 24 of the popular 7 piece sets, No. 199, already mounted.

NO. 199DM MERCHANDISER WITH 24 SET SCREW WRENCH SETS

STD. PKG. 1 PKG. WT. 6 LBS.



10 PIECE SET

The complete range of wrenches is offered in this plastic envelope type container. Sizes are: $\frac{1}{16}$ ", $\frac{5}{64}$ ", $\frac{3}{32}$ ", $\frac{1}{8}$ ", $\frac{5}{32}$ ", $\frac{3}{16}$ ", $\frac{7}{32}$ ", $\frac{1}{4}$ ", $\frac{5}{16}$ ", $\frac{3}{8}$ ".

NO. 196 10 PIECE SET

STD. PKG. 6 PKG. WT. $3\frac{1}{2}$ LBS.

NO. K80 ENVELOPE ONLY



8 PIECE SET

The most frequently used wrenches are in this set. Contained in kit for convenience in use. Sizes are: $\frac{1}{16}$ ", $\frac{5}{64}$ ", $\frac{3}{32}$ ", $\frac{1}{8}$ ", $\frac{5}{32}$ ", $\frac{3}{16}$ ", $\frac{7}{32}$ ", $\frac{1}{4}$ ".

NO. D200 8 PIECE SET

STD. PKG. 6 PKG. WT. $1\frac{1}{4}$ LBS.

NO. K51 KIT ONLY



10 PIECE SET


The complete range of wrenches for greatest utility is offered in this handy plastic kit. Individual pockets for each of the sizes. Sizes are: $\frac{1}{16}$ ", $\frac{5}{64}$ ", $\frac{3}{32}$ ", $\frac{1}{8}$ ", $\frac{5}{32}$ ", $\frac{3}{16}$ ", $\frac{7}{32}$ ", $\frac{1}{4}$ ", $\frac{5}{16}$ ", $\frac{3}{8}$ ".

NO. 197 10 PIECE SET

STD. PKG. 6 PKG. WT. $3\frac{1}{4}$ LBS.

NO. K77 KIT ONLY

LONG TYPE




7 PIECE SET

The most frequently used long type wrenches are offered in this popular priced, plastic envelope set. Sizes are: $\frac{5}{64}$ ", $\frac{3}{32}$ ", $\frac{1}{8}$ ", $\frac{5}{32}$ ", $\frac{3}{16}$ ", $\frac{7}{32}$ ", $\frac{1}{4}$ ".

NO. 191 7 PIECE SET—LONG TYPE

STD. PKG. 6 PKG. WT. 2 LBS.

NO. K74 ENVELOPE ONLY



9 PIECE SET

This plastic envelope type container includes the complete range of long type wrenches. Sizes are: $\frac{5}{64}$ ", $\frac{3}{32}$ ", $\frac{1}{8}$ ", $\frac{5}{32}$ ", $\frac{3}{16}$ ", $\frac{7}{32}$ ", $\frac{1}{4}$ ", $\frac{5}{16}$ ", $\frac{3}{8}$ ".

NO. 193 9 PIECE SET—LONG TYPE

STD. PKG. 6 PKG. WT. $4\frac{1}{2}$ LBS.

NO. K75 ENVELOPE ONLY



7 PIECE SET

The seven most frequently used sizes are individually contained in the pockets of this sturdy, plastic kit. Sizes are: $\frac{5}{64}$ ", $\frac{3}{32}$ ", $\frac{1}{8}$ ", $\frac{5}{32}$ ", $\frac{3}{16}$ ", $\frac{7}{32}$ ", $\frac{1}{4}$ ".

NO. 192 7 PIECE SET—LONG TYPE

STD. PKG. 6 PKG. WT. 2 LBS.

NO. K76 KIT ONLY



9 PIECE SET

For full coverage and complete service we offer this 9 piece set in the plastic kit. Individual pockets are provided for each wrench. Sizes are: $\frac{5}{64}$ ", $\frac{3}{32}$ ", $\frac{1}{8}$ ", $\frac{5}{32}$ ", $\frac{3}{16}$ ", $\frac{7}{32}$ ", $\frac{1}{4}$ ", $\frac{5}{16}$ ", $\frac{3}{8}$ ".

NO. 194 9 PIECE SET—LONG TYPE

STD. PKG. 6 PKG. WT. 5 LBS.

NO. K78 KIT ONLY



SELECT STEEL

ENGINEER'S OPEN END WRENCHES

POLISHED HEADS



CHROME PLATED

Here are today's fastest selling wrenches, offered in a complete range of sizes for every requirement. Sturdy, streamlined design for maximum utility. Clean, accurate broaching of sizes with openings at 15° angle to body assures good fit on nuts or bolts and easy, fast work. Drop forged and scien-

tifically heat treated for extra strength. Heads polished to a glistening finish and fully chrome plated. A series of fine wrenches that will be appreciated for their excellent workmanship and outstanding value.

No.	Size	Length	Head Thickness	Std. Pkg.	Pkg. Wt.	No.	Size	Length	Head Thickness	Std. Pkg.	Pkg. Wt.
P20	1/4" x 5/16"	3 1/8"	1/8"	6	1/4 lb.	P731	3/4" x 1 3/16"	8 1/4"	5/16"	6	3 lbs.
P720	5/16" x 11/32"	3 3/4"	5/32"	6	1/4 lb.	P731A	3/4" x 7/8"				
P721	5/16" x 3/8"					P31	25/32" x 7/8"				
P21	5/16" x 13/32"					P731B	13/16" x 7/8"				
P21A	11/32" x 13/32"					P33B	13/16" x 15/16"	9"	3/8"	6	4 1/4 lbs.
P723	3/8" x 7/16"	4 1/2"	3/16"	6	1/2 lb.	P33A	7/8" x 15/16"				
P23	13/32" x 1/2"					P733	7/8" x 1"				
P725	7/16" x 1/2"					P33C	15/16" x 1"				
P725B	1/2" x 9/16"	5 7/16"	15/64"	6	1 lb.	P735	1" x 1 1/8"	10"	7/16"	2	2 1/8 lbs.
P25	1/2" x 19/32"					P36B	1 1/16" x 1 1/8"				
P727	9/16" x 5/8"					P37	1 1/16" x 1 1/4"				
P27	19/32" x 11/16"					P737	1 1/8" x 1 1/4"				
P27A	5/8" x 11/16"	6 7/16"	15/64"	6	1 1/2 lbs.	P37A	1 1/8" x 1 5/16"	11 7/8"	1/2"	2	3 1/8 lbs.
P729	5/8" x 3/4"					P39A	1 5/16" x 1 1/2"				
P29	11/16" x 25/32"					P739B	1 3/8" x 1 1/2"				
P29C	11/16" x 13/16"					P41	1 7/16" x 1 5/8"	15 1/2"	3/4"	2	7 1/4 lbs.

"KLIP-TITE" END WRENCH SETS

POLISHED HEADS



CHROME PLATED

"Klip-Tite" sets are outstandingly popular sellers in chain, variety and hardware stores. Packaged in conventional metal klip, or exclusive new wall bracket hanger.

5 PIECE SET Range 5/16" to 3/4"

CONTENTS

No.	Size	No.	Size
P720	5/16" x 11/32"	P27	19/32" x 11/16"
P723	3/8" x 7/16"	P729	5/8" x 3/4"
P725B	1/2" x 9/16"		

NO. 930-5P 5 PIECE OPEN END WRENCH SET
STD. PKG. 6. PKG. WT. 5 3/4 LBS.

Same as above, except heads unpolished.

NO. 0930-5P 5 PIECE OPEN END WRENCH SET
STD. PKG. 6. PKG. WT. 6 LBS.

5 PIECE SET Range 3/8" to 1/8"

CONTENTS

No.	Size	No.	Size
P723	3/8" x 7/16"	P729	5/8" x 3/4"
P725B	1/2" x 9/16"	P731B	13/16" x 7/8"
P27	19/32" x 11/16"		

NO. 940-5P 5 PIECE OPEN END WRENCH SET
STD. PKG. 6. PKG. WT. 7 3/4 LBS

6 PIECE SET Range 5/16" to 7/8"

CONTENTS

No.	Size	No.	Size
P720	5/16" x 11/32"	P27	19/32" x 11/16"
P723	3/8" x 7/16"	P729	5/8" x 3/4"
P725B	1/2" x 9/16"	P731B	13/16" x 7/8"

NO. 930-6P 6 PIECE OPEN END WRENCH SET
STD. PKG. 6. PKG. WT. 8 3/8 LBS.

Same as above, except heads unpolished.


NO. 0930-6P 6 PIECE OPEN END WRENCH SET
STD. PKG. 6. PKG. WT. 9 1/4 LBS.

6 PIECE SET Range 3/8" to 1 5/16"

CONTENTS

No.	Size	No.	Size
P723	3/8" x 7/16"	P729	5/8" x 3/4"
P725B	1/2" x 9/16"	P31	25/32" x 7/8"
P27	19/32" x 11/16"	P33B	13/16" x 15/16"

NO. 940-6P 6 PIECE OPEN END WRENCH SET
STD. PKG. 6. PKG. WT. 12 1/4 LBS.

SELECT STEEL
POLISHED HEADS
"KLIP-TITE" END WRENCH SETS
CHROME PLATED



6 PIECE SET
Range $\frac{3}{8}$ " to 1"
CONTENTS

No.	Size	No.	Size
P723	$\frac{3}{8}$ " x $\frac{7}{16}$ "	P729	$\frac{5}{8}$ " x $\frac{3}{4}$ "
P725B	$\frac{1}{2}$ " x $\frac{9}{16}$ "	P731B	$\frac{13}{16}$ " x $\frac{7}{8}$ "
P27	$\frac{19}{32}$ " x $\frac{11}{16}$ "	P33C	$\frac{15}{16}$ " x 1"

NO. 939-6P 6 PIECE OPEN END WRENCH SET
STD. PKG. 6. PKG. WT. 12½ LBS.

Same as above, except heads unpolished.

NO. 0930-6P 6 PIECE OPEN END WRENCH SET
STD. PKG. 6. PKG. WT. 13¾ LBS.





7 PIECE SET
Range $\frac{3}{8}$ " to 1½"
CONTENTS

No.	Size	No.	Size
P723	$\frac{3}{8}$ " x $\frac{7}{16}$ "	P731B	$\frac{13}{16}$ " x $\frac{7}{8}$ "
P725B	$\frac{1}{2}$ " x $\frac{9}{16}$ "	P33C	$\frac{15}{16}$ " x 1"
P729	$\frac{5}{8}$ " x $\frac{3}{4}$ "	P36B	$\frac{11}{16}$ " x $\frac{11}{8}$ "
P29	$\frac{11}{16}$ " x $\frac{25}{32}$ "		

NO. 940-07P 7 PIECE OPEN END WRENCH SET
STD. PKG. 1. PKG. WT. 4 LBS.

Same as above, except heads unpolished.

NO. 0940-07P 7 PIECE OPEN END WRENCH SET
STD. PKG. 1. PKG. WT. 4¼ LBS.


WALL BRACKET SETS

NEW UTILITY

The wall bracket is designed so that the wrenches can be hung or removed speedily without fuss or bother. Two holes are provided in the wall bracket for easy and convenient attachment to wall.

CONTENTS

No.	Size	No.	Size
P720	$\frac{5}{16}$ " x $\frac{11}{32}$ "	P27	$\frac{19}{32}$ " x $\frac{11}{16}$ "
P723	$\frac{3}{8}$ " x $\frac{7}{16}$ "	P729	$\frac{5}{8}$ " x $\frac{3}{4}$ "
P725B	$\frac{1}{2}$ " x $\frac{9}{16}$ "		

NO. 930-5W 5 PC. OPEN END WRENCH SET
STD. PKG. 6. PKG. WT. 5½ LBS.

Same as above, except heads unpolished.

NO. 0930-5W 5 PC. OPEN END WRENCH SET
STD. PKG. 6. PKG. WT. 5½ LBS.

CONTENTS

No.	Size	No.	Size
P720	$\frac{5}{16}$ " x $\frac{11}{32}$ "	P27	$\frac{19}{32}$ " x $\frac{11}{16}$ "
P723	$\frac{3}{8}$ " x $\frac{7}{16}$ "	P729	$\frac{5}{8}$ " x $\frac{3}{4}$ "
P725B	$\frac{1}{2}$ " x $\frac{9}{16}$ "	P731B	$\frac{13}{16}$ " x $\frac{7}{8}$ "

NO. 930-6W 6 PC. OPEN END WRENCH SET
STD. PKG. 6. PKG. WT. 8¼ LBS.

Same as above, except heads unpolished.

NO. 0930-6W 6 PC. OPEN END WRENCH SET
STD. PKG. 6. PKG. WT. 8¾ LBS.


WRENCH SETS IN ROLLS

For convenience in carrying in a car, truck, tractor or tool box these two sets of popular size wrenches are offered in tool rolls. The plastic rolls are durable and easy to keep clean. Design and color are attractive and are ideal for counter or showcase display. Each wrench brightly plated with head polished to a mirror-like finish. Scientifically heat treated.

9 PIECE SET
Range $\frac{5}{16}$ " to 1¼"

CONTENTS

No.	Size	No.	Size
P721	$\frac{5}{16}$ " x $\frac{3}{8}$ "	P731A	$\frac{3}{4}$ " x $\frac{7}{8}$ "
P725	$\frac{7}{16}$ " x $\frac{1}{2}$ "	P33B	$\frac{13}{16}$ " x $\frac{15}{16}$ "
P725B	$\frac{1}{2}$ " x $\frac{9}{16}$ "	P735	1" x $\frac{11}{8}$ "
P727	$\frac{9}{16}$ " x $\frac{5}{8}$ "	P37	$\frac{11}{16}$ " x $\frac{11}{4}$ "
P29	$\frac{11}{16}$ " x $\frac{25}{32}$ "		

NO. 940-9 9 PIECE OPEN END WRENCH SET
STD. PKG. 1. PKG. WT. 5 LBS.

NO. K54 KIT ONLY

12 PIECE SET
Range $\frac{5}{16}$ " to 1½"

CONTENTS

No.	Size	No.	Size
P721	$\frac{5}{16}$ " x $\frac{3}{8}$ "	P731A	$\frac{3}{4}$ " x $\frac{7}{8}$ "
P723	$\frac{3}{8}$ " x $\frac{7}{16}$ "	P33B	$\frac{13}{16}$ " x $\frac{15}{16}$ "
P725B	$\frac{1}{2}$ " x $\frac{9}{16}$ "	P735	1" x $\frac{11}{8}$ "
P727	$\frac{9}{16}$ " x $\frac{5}{8}$ "	P37	$\frac{11}{16}$ " x $\frac{11}{4}$ "
P25	$\frac{1}{2}$ " x $\frac{19}{32}$ "	P39A	$\frac{15}{16}$ " x $\frac{11}{2}$ "
P29	$\frac{11}{16}$ " x $\frac{25}{32}$ "	P41	$\frac{17}{16}$ " x $\frac{15}{8}$ "

NO. 940-12 12 PIECE OPEN END WRENCH SET
STD. PKG. 1. PKG. WT. 11¼ LBS.

NO. K53 KIT ONLY



SELECT STEEL

POLISHED HEADS

SHORT 45° TYPE



CHROME PLATED

Short 45° type box end wrenches are unsurpassed for use in close quarters and over obstructions. Drop forged and scientifically heat treated for extra strength. Precision broached in 12 point except sizes $\frac{1}{4}$ " x $\frac{5}{16}$ " and $\frac{3}{8}$ " x $\frac{7}{16}$ " which are 6 point.

No.	Size	Length	Std. Pkg.	Pkg. Wt.	No.	Size	Length	Std. Pkg.	Pkg. Wt.
929*	$\frac{1}{4}$ " x $\frac{5}{16}$ "	4 $\frac{1}{8}$ "	6	$\frac{1}{2}$ lb.	933	$\frac{5}{8}$ " x $\frac{11}{16}$ "	6 $\frac{1}{8}$ "	6	1 $\frac{1}{4}$ lbs.
931*	$\frac{3}{8}$ " x $\frac{7}{16}$ "	4 $\frac{5}{8}$ "	6	$\frac{5}{8}$ lb.	934	$\frac{3}{4}$ " x $\frac{25}{32}$ "	7 $\frac{1}{8}$ "	6	1 $\frac{3}{4}$ lbs.
932	$\frac{1}{2}$ " x $\frac{9}{16}$ "	5 $\frac{1}{4}$ "	6	$\frac{7}{8}$ lb.					

*INDICATES 6 POINT

3 PIECE SET

Range $\frac{3}{8}$ " to $\frac{11}{16}$ "




CONTENTS

No.	Size
931	$\frac{3}{8}$ " x $\frac{7}{16}$ "
932	$\frac{1}{2}$ " x $\frac{9}{16}$ "
933	$\frac{5}{8}$ " x $\frac{11}{16}$ "

NO. 935-3K 3 PIECE BOX END WRENCH SET
STD. PKG. 6. PKG. WT. $3\frac{1}{4}$ LBS.

4 PIECE SET

Range $\frac{3}{8}$ " to $\frac{25}{32}$ "




CONTENTS

No.	Size
931	$\frac{3}{8}$ " x $\frac{7}{16}$ "
932	$\frac{1}{2}$ " x $\frac{9}{16}$ "
933	$\frac{5}{8}$ " x $\frac{11}{16}$ "
934	$\frac{3}{4}$ " x $\frac{25}{32}$ "

NO. 935-4K 4 PIECE BOX END WRENCH SET
STD. PKG. 6. PKG. WT. 5 LBS.

5 PIECE SET

Range $\frac{1}{4}$ " to $\frac{25}{32}$ "



CONTENTS

No.	Size
929	$\frac{1}{4}$ " x $\frac{5}{16}$ "
931	$\frac{3}{8}$ " x $\frac{7}{16}$ "
932	$\frac{1}{2}$ " x $\frac{9}{16}$ "
933	$\frac{5}{8}$ " x $\frac{11}{16}$ "
934	$\frac{3}{4}$ " x $\frac{25}{32}$ "

NO. 935-5K 5 PIECE BOX END WRENCH SET
STD. PKG. 6. PKG. WT. $5\frac{1}{2}$ LBS.

MEDIUM 15° TYPE

POLISHED HEADS



CHROME PLATED

A companion line of wrenches to both the 45° long and 45° short box wrenches. Excellent for use in close quarters and to clear obstructions. A wide range of popular sizes and a choice of Klip-Tite sets to meet every requirement for the


mechanic, motorist, farm maintenance and serviceman, etc. Drop forged and scientifically heat treated for extra strength and long service. Precision broached in 12 point except sizes $\frac{1}{4}$ " x $\frac{5}{16}$ " and $\frac{3}{8}$ " x $\frac{7}{16}$ " which are 6 point.

No.	Size	Length	Std. Pkg.	Pkg. Wt.	No.	Size	Length	Std. Pkg.	Pkg. Wt.
919*	$\frac{1}{4}$ " x $\frac{5}{16}$ "	3 $\frac{5}{8}$ "	6	$\frac{1}{4}$ lb.	923	$\frac{5}{8}$ " x $\frac{11}{16}$ "	6 $\frac{1}{4}$ "	6	1 $\frac{1}{4}$ lbs.
921*	$\frac{3}{8}$ " x $\frac{7}{16}$ "	4 $\frac{1}{2}$ "	6	$\frac{1}{2}$ lb.	924	$\frac{3}{4}$ " x $\frac{25}{32}$ "	7 $\frac{1}{4}$ "	6	1 $\frac{3}{4}$ lbs.
922	$\frac{1}{2}$ " x $\frac{9}{16}$ "	5 $\frac{1}{4}$ "	6	$\frac{3}{4}$ lb.	925	$1\frac{3}{16}$ " x $\frac{7}{8}$ "	8 $\frac{1}{2}$ "	6	2 lbs.

*INDICATES 6 POINT

3 PIECE SET

Range $\frac{3}{8}$ " to $\frac{11}{16}$ "



CONTENTS

No.	Size
921	$\frac{3}{8}$ " x $\frac{7}{16}$ "
922	$\frac{1}{2}$ " x $\frac{9}{16}$ "
923	$\frac{5}{8}$ " x $\frac{11}{16}$ "


NO. 920-3K 3 PIECE BOX END WRENCH SET
STD. PKG. 6. PKG. WT. $2\frac{3}{4}$ LBS.

Same as above, except heads unpolished.

NO. 0920-3K 3 PIECE BOX END WRENCH SET
STD. PKG. 6. PKG. WT. $2\frac{3}{4}$ LBS.

4 PIECE SET

Range $\frac{3}{8}$ " to $\frac{25}{32}$ "



CONTENTS

No.	Size
921	$\frac{3}{8}$ " x $\frac{7}{16}$ "
922	$\frac{1}{2}$ " x $\frac{9}{16}$ "
923	$\frac{5}{8}$ " x $\frac{11}{16}$ "
924	$\frac{3}{4}$ " x $\frac{25}{32}$ "


NO. 920-4K 4 PIECE BOX END WRENCH SET
STD. PKG. 6. PKG. WT. $4\frac{1}{4}$ LBS.

Same as above, except heads unpolished.

NO. 0920-4K 4 PIECE BOX END WRENCH SET
STD. PKG. 6. PKG. WT. $4\frac{1}{4}$ LBS.

5 PIECE SET

Range $\frac{3}{8}$ " to $\frac{7}{8}$ "



CONTENTS

No.	Size
921	$\frac{3}{8}$ " x $\frac{7}{16}$ "
922	$\frac{1}{2}$ " x $\frac{9}{16}$ "
923	$\frac{5}{8}$ " x $\frac{11}{16}$ "
924	$\frac{3}{4}$ " x $\frac{25}{32}$ "
925	$1\frac{3}{16}$ " x $\frac{7}{8}$ "

NO. 920-5K 5 PIECE BOX END WRENCH SET
STD. PKG. 6. PKG. WT. $6\frac{1}{2}$ LBS.

Same as above, except heads unpolished.

NO. 0920-5K 5 PIECE BOX END WRENCH SET
STD. PKG. 6. PKG. WT. $6\frac{1}{2}$ LBS.




SELECT STEEL

POLISHED HEADS

LONG 45° TYPE

CHROME PLATED



DEEP DOUBLE OFFSET STYLE

A complete range of sizes is offered in today's fastest selling box wrenches. Smartly designed to attract customer attention, yet economically priced for heavy volume sales. Highly polished heads and chrome plated. Precision broached in

12 point except $\frac{3}{8}$ " x $\frac{7}{16}$ " which is 6 point. Extra strong thin walls for working in restricted spaces. Drop forged and scientifically heat treated for extra strength and long service.


No.	Size	Length	Std. Pkg.	Pkg. Wt.	No.	Size	Length	Std. Pkg.	Pkg. Wt.
911*	$\frac{3}{8}$ " x $\frac{7}{16}$ "	$7\frac{5}{8}$ "	6	1 lb.	915	$\frac{13}{16}$ " x $\frac{7}{8}$ "	$12\frac{1}{2}$ "	6	3 $\frac{3}{4}$ lbs.
912	$\frac{1}{2}$ " x $\frac{9}{16}$ "	$8\frac{5}{8}$ "	6	1 $\frac{1}{2}$ lbs.	916	$\frac{15}{16}$ " x 1"	$14\frac{1}{4}$ "	6	5 lbs.
913	$\frac{5}{8}$ " x $\frac{11}{16}$ "	$9\frac{3}{4}$ "	6	2 lbs.	917	$1\frac{1}{16}$ " x $1\frac{1}{8}$ "	16"	3	3 $\frac{1}{2}$ lbs.
914	$\frac{3}{4}$ " x $\frac{25}{32}$ "	$11\frac{1}{8}$ "	6	2 $\frac{3}{4}$ lbs.					

*INDICATES 6 POINT

"KLIP-TITE" SETS

Indestro "Klip-Tite" sets are proven high volume sellers. Five separate range combinations are available. All sets, with one exception, are offered with either polished or unpolished heads—No. 0910-03K available with unpolished heads only.

3 PIECE SET

Range $\frac{3}{8}$ " to $\frac{11}{16}$ "


This 3 Piece Set available with unpolished heads only.

SIZES

 $\frac{3}{8}$ " x $\frac{7}{16}$ " $\frac{1}{2}$ " x $\frac{9}{16}$ " $\frac{5}{8}$ " x $\frac{11}{16}$ "

NO. 0910-03K 3 PC. BOX END WRENCH SET
STD. PKG. 6 PKG. WT. 5 $\frac{1}{2}$ LBS.

4 PIECE SET

Range $\frac{3}{8}$ " to $\frac{25}{32}$ "

CONTENTS


911	$\frac{3}{8}$ " x $\frac{7}{16}$ "	913	$\frac{5}{8}$ " x $\frac{11}{16}$ "
912	$\frac{1}{2}$ " x $\frac{9}{16}$ "	914	$\frac{3}{4}$ " x $\frac{25}{32}$ "

NO. 910-4K 4 PC. BOX END WRENCH SET
STD. PKG. 6. PKG. WT. 8 $\frac{1}{2}$ LBS.

Same as above, except heads unpolished.

NO. 0910-4K 4 PC. BOX END WRENCH SET
STD. PKG. 6 PKG. WT. 8 $\frac{3}{4}$ LBS.

5 PIECE SET

Range $\frac{3}{8}$ " to $\frac{1}{8}$ "

CONTENTS


911	$\frac{3}{8}$ " x $\frac{7}{16}$ "	913	$\frac{5}{8}$ " x $\frac{11}{16}$ "	915	$\frac{13}{16}$ " x $\frac{7}{8}$ "
912	$\frac{1}{2}$ " x $\frac{9}{16}$ "	914	$\frac{3}{4}$ " x $\frac{25}{32}$ "		

NO. 910-5K 5 PC. BOX END WRENCH SET
STD. PKG. 6. PKG. WT. 13 LBS.

Same as above, except heads unpolished.

NO. 0910-5K 5 PC. BOX END WRENCH SET
STD. PKG. 6. PKG. WT. 13 $\frac{1}{8}$ LBS.

6 PIECE SET

Range $\frac{3}{8}$ " to 1"

CONTENTS


911	$\frac{3}{8}$ " x $\frac{7}{16}$ "	913	$\frac{5}{8}$ " x $\frac{11}{16}$ "	915	$\frac{13}{16}$ " x $\frac{7}{8}$ "
912	$\frac{1}{2}$ " x $\frac{9}{16}$ "	914	$\frac{3}{4}$ " x $\frac{25}{32}$ "	916	$\frac{15}{16}$ " x 1"

NO. 910-6K 6 PC. BOX END WRENCH SET
STD. PKG. 6. PKG. WT. 17 $\frac{3}{4}$ LBS.

Same as above, except heads unpolished.

NO. 0910-6K 6 PC. BOX END WRENCH SET
STD. PKG. 6. PKG. WT. 18 LBS.

7 PIECE SET

Range $\frac{3}{8}$ " to $1\frac{1}{8}$ "

CONTENTS

911	$\frac{3}{8}$ " x $\frac{7}{16}$ "	914	$\frac{3}{4}$ " x $\frac{25}{32}$ "	917	$1\frac{1}{16}$ " x $1\frac{1}{8}$ "
912	$\frac{1}{2}$ " x $\frac{9}{16}$ "	915	$\frac{13}{16}$ " x $\frac{7}{8}$ "		
913	$\frac{5}{8}$ " x $\frac{11}{16}$ "	916	$\frac{15}{16}$ " x 1"		

NO. 910-7K 7 PC. BOX END WRENCH SET
STD. PKG. 6. PKG. WT. 24 LBS.

Same as above, except heads unpolished.

NO. 0910-7K 7 PC. BOX END WRENCH SET
STD. PKG. 6. PKG. WT. 24 $\frac{1}{2}$ LBS.



SELECT STEEL

POLISHED HEADS



WALL BRACKET SETS


LONG 45° TYPE

Featured in these sets is the new Klip-Tite Double Duty wall bracket. Designed especially to attract the biggest tool sales field, the "Do It Yourself" market.


NEW UTILITY

The wall bracket is designed so that the wrenches can be hung or removed speedily without fuss or bother. Two holes are provided in the wall bracket for easy and convenient attachment to wall.

CHROME PLATED



5 PIECE SET—Range 3/8" to 7/8"



CONTENTS


911	3/8" x 7/16"	913	5/8" x 11/16"	915	1 3/16" x 7/8"
912	1/2" x 9/16"	914	3/4" x 25/32"		

NO. 910-5W 5 PC. BOX END WRENCH SET
STD. PKG. 6. PKG. WT. 13 3/4 LBS.

Same as above, except heads unpolished.

NO. 0910-5W 5 PC. BOX END WRENCH SET
STD. PKG. 6. PKG. WT. 13 1/2 LBS.

6 PIECE SET—Range 3/8" to 1"



CONTENTS

911	3/8" x 7/16"	913	5/8" x 11/16"	915	1 3/16" x 7/8"
912	1/2" x 9/16"	914	3/4" x 25/32"	916	1 5/16" x 1"

NO. 910-6W 6 PC. BOX END WRENCH SET
STD. PKG. 6. PKG. WT. 18 LBS.

Same as above, except heads unpolished.

NO. 0910-6W 6 PC. BOX END WRENCH SET
STD. PKG. 6. PKG. WT. 18 1/8 LBS.

RATCHETING BOX WRENCHES



An ideal tool—the utility of a box wrench with the PLUS features of a ratchet—for speedy work where space is extremely limited. Available in seven popular sizes. The three smallest sizes are especially designed with 6 point openings for a more positive grip where bolts and nuts are undersized or distorted. Brightly plated.

No.	Size	Length	Head Thickness	Std. Pkg.	Wt.
★701*	1/4" x 5/16"	4 5/16"	3/8"	6	3/4 lb.
★702*	3/8" x 7/16"	5 1/2"	3/8"	6	1 1/8 lbs.
★703*	1/2" x 9/16"	6 13/16"	1/2"	6	2 3/4 lbs.
★704	5/8" x 1 1/16"	8"	1/2"	6	3 3/4 lbs.
★705	5/8" x 3/4"	8 1/16"	1/2"	6	3 7/8 lbs.
★706	1 1/16" x 1 3/16"	9 1/4"	1 1/2"	6	4 5/8 lbs.
★707	3/4" x 7/8"	9 1/4"	1 1/2"	6	4 5/8 lbs.

*INDICATES 6 POINT

★Because of their nature, these items are not guaranteed.

5 PIECE SET



Range 1/4" to 1 3/16". This 5 piece set covers the ten most popular sizes without duplication. Beautifully packaged in a 2 color, reinforced, Vinyl plastic kit. Each wrench partition is wrench sized for your convenience.

CONTENTS

No.	Size
701	1/4" x 5/16"
702	3/8" x 7/16"
703	1/2" x 9/16"
705	5/8" x 3/4"
706	1 1/16" x 1 3/16"

NO. 700 5 PC. RATCHET BOX WRENCH SET
STD. PKG. 1. PKG. WT. 2 3/4 LBS.

NO. K114 KIT ONLY

SELECT STEEL

POLISHED HEADS



These forged wrenches combine best features of open end and box end wrenches. Both ends of each wrench have identical size openings. The box end is offset 15° for greater clearance, while the open end has a 15° angle opening for work in tight places. Box end fits hexagon nuts or bolts while the open end will take care of both hexagon and squares.

Each wrench is chrome plated with polished heads and has a satin finished handle for firm gripping.

Use the box end for tight nuts—the open end for speed. Popular with the car owner, industrial and professional mechanics and for farm machinery maintenance. Box ends of Nos. 1069, 1070, and 1071 are 6 point. All other numbers are 12 point.


No.	Size	Length	Open Head Thickness	Std. Pkg.	Pkg. Wt.
1069*	1/4"	3 11/16"	1 1/64"	6	1/4 lb.
1070*	5/16"	4 1/16"	1 3/64"	6	1/4 lb.
1071*	3/8"	4 5/8"	1 7/32"	6	1/2 lb.
1072	7/16"	5 1/8"	1 15/64"	6	3/4 lb.
1073	1/2"	5 3/16"	1 1/4"	6	7/8 lb.
1074	9/16"	6 1/2"	1 17/64"	6	1 1/4 lbs.
1075	5/8"	7 7/16"	1 9/32"	6	1 1/2 lbs.
1076	1 1/16"	8 3/16"	1 19/64"	6	2 lbs.
1077	3/4"	9 1/8"	2 1/64"	6	2 1/2 lbs.
1078	13/16"	10 3/16"	2 11/32"	6	3 lbs.
1079	7/8"	11 5/16"	2 23/64"	6	4 1/4 lbs.
1080	1 5/16"	11 7/8"	3 3/8"	6	4 1/2 lbs.
1081	1"	12 1/2"	3 25/64"	6	5 lbs.
1082	1 1/16"	13 1/8"	3 13/32"	3	3 1/4 lbs.
1083	1 1/8"	13 13/16"	3 7/16"	3	3 3/4 lbs.
1084	1 1/4"	15 1/2"	3 29/64"	3	4 1/2 lbs.
1085	1 5/16"	18"	3 33/64"	3	6 lbs.
1086	1 3/8"	19"	3 17/32"	3	7 1/2 lbs.
1087	1 7/16"	20"	3 37/64"	3	9 lbs.
1088	1 1/2"	21"	3 5/8"	3	12 lbs.
1089	1 5/8"	22 1/8"	4 45/64"	3	12 1/2 lbs.

*INDICATES 6 POINT.

"KLIP-TITE"

COMBINATION WRENCH SETS

3 PIECE SET



3 Piece Set—Range 7/16" to 9/16"

The three most commonly used sizes—7/16", 1/2" and 9/16" make up this plated but unpolished set.

NO. 01070-3K 3 PC. SET
STD. PKG. 6. PKG. WT. 3 1/4 LBS.


COMBINATION WRENCHES



COMBINATION WRENCHES

CHROME PLATED

5 PIECE SETS



5 Piece Set—Range 1/4" to 1/2"

CONTENTS

1069	1/4"	1071	3/8"	1073	1/2"
1070	5/16"	1072	7/16"		

NO. 1070-5K 5 PC. SET—Range 1/4" to 1/2"
STD. PKG. 6. PKG. WT. 3 LBS.

Same as above, except heads unpolished.

NO. 01070-5K 5 PC. SET—Range 1/4" to 1/2"
STD. PKG. 6. PKG. WT. 3 3/8 LBS.

5 Piece Set—Range 7/16" to 1 1/16"

CONTENTS


1072	7/16"	1074	9/16"	1076	1 1/16"
1073	1/2"	1075	5/8"		

NO. 1070-05K 5 PC. SET—Range 7/16" to 1 1/16"
STD. PKG. 6. PKG. WT. 7 LBS.

Same as above, except heads unpolished.

NO. 01070-05K 5 PC. SET—Range 7/16" to 1 1/16"
STD. PKG. 6. PKG. WT. 7 1/4 LBS.

6 PIECE SETS



6 Piece Set—Range 3/8" to 1 1/16"

CONTENTS

1071	3/8"	1073	1/2"	1075	5/8"
1072	7/16"	1074	9/16"	1076	1 1/16"

NO. 1070-06K 6 PC. SET—Range 3/8" to 1 1/16"
STD. PKG. 6. PKG. WT. 7 1/2 LBS.

Same as above, except heads unpolished.

NO. 01070-06K 6 PC. SET—Range 3/8" to 1 1/16"
STD. PKG. 6. PKG. WT. 7 3/4 LBS.

6 Piece Set—Range 7/16" to 3/4"

CONTENTS

1072	7/16"	1074	9/16"	1076	1 1/16"
1073	1/2"	1075	5/8"	1077	3/4"

NO. 1070-6K 6 PC. SET—Range 7/16" to 3/4"
STD. PKG. 6. PKG. WT. 10 1/4 LBS.

Same as above, except heads unpolished.

NO. 01070-6K 6 PC. SET—Range 7/16" to 3/4"
STD. PKG. 6. PKG. WT. 10 1/2 LBS.



SELECT STEEL

CHROME PLATED

POLISHED HEADS

WALL BRACKET SETS

5 PIECE SETS



Featured in these sets is a striking new and exclusive Indestro innovation in the merchandising of wrenches—the New Double Duty Wall Bracket.

NEW UTILITY

The wall bracket is designed so that the wrenches can be hung or removed speedily without fuss or bother. Two holes are provided in the wall bracket for easy and convenient attachment to wall.

5 PIECE SET—Range $\frac{7}{16}$ " to $\frac{11}{16}$ "

CONTENTS

1072	$\frac{7}{16}$ "	1074	$\frac{9}{16}$ "	1076	$\frac{11}{16}$ "
1073	$\frac{1}{2}$ "	1075	$\frac{5}{8}$ "		


NO. 1070-05W 5 PC. SET—Range $\frac{7}{16}$ " to $\frac{11}{16}$ "
STD. PKG. 6. PKG. WT. $7\frac{1}{2}$ LBS.

Same as above, except heads unpolished.

NO. 01070-05W 5 PC. SET—Range $\frac{7}{16}$ " to $\frac{11}{16}$ "
STD. PKG. 6. PKG. WT. $7\frac{5}{8}$ LBS.



6 PIECE SETS



6 PIECE SET—Range $\frac{3}{8}$ " to $\frac{11}{16}$ "

CONTENTS

1071	$\frac{3}{8}$ "	1073	$\frac{1}{2}$ "	1075	$\frac{5}{8}$ "
1072	$\frac{7}{16}$ "	1074	$\frac{9}{16}$ "	1076	$\frac{11}{16}$ "

NO. 1070-06W 6 PC. SET—Range $\frac{3}{8}$ " to $\frac{11}{16}$ "
STD. PKG. 6. PKG. WT. $8\frac{1}{8}$ LBS.

Same as above, except heads unpolished.

NO. 01070-06W 6 PC. SET—Range $\frac{3}{8}$ " to $\frac{11}{16}$ "
STD. PKG. 6. PKG. WT. $8\frac{3}{4}$ LBS.

6 PIECE SET—Range $\frac{1}{16}$ " to $\frac{3}{4}$ "

CONTENTS

1072	$\frac{1}{16}$ "	1074	$\frac{9}{16}$ "	1076	$\frac{11}{16}$ "
1073	$\frac{1}{2}$ "	1075	$\frac{5}{8}$ "	1077	$\frac{3}{4}$ "


NO. 1070-6W 6 PC. SET—Range $\frac{1}{16}$ " to $\frac{3}{4}$ "
STD. PKG. 6. PKG. WT. $10\frac{1}{2}$ LBS.

Same as above, except heads unpolished.

NO. 01070-6W 6 PC. SET—Range $\frac{1}{16}$ " to $\frac{3}{4}$ "
STD. PKG. 6. PKG. WT. $10\frac{3}{4}$ LBS.

Combination Wrench Sets in Rolls

Attractively packaged in reinforced vinyl plastic tool rolls with clear plastic pockets, these sets are proven top sellers. Each pocket is wrench sized for added convenience.



7 PIECE SET

Range $\frac{3}{8}$ " to $\frac{3}{4}$ "

A most popular set containing the following sizes— $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ".

NO. 1064

7 PIECE SET

STD. PKG. 1. PKG. WT. $1\frac{1}{8}$ LBS.

NO. K64 KIT ONLY



8 PIECE SET

Range $\frac{3}{8}$ " to $\frac{3}{4}$ " and $\frac{7}{8}$ "


An intermediate range set containing the following sizes— $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{7}{8}$ ".

NO. 1065

8 PIECE SET

STD. PKG. 1. PKG. WT. $2\frac{5}{8}$ LBS.

NO. K15A KIT ONLY



11 PIECE SET

Range $\frac{1}{4}$ " to $\frac{7}{8}$ "

A general utility set containing the following sizes— $\frac{1}{4}$ ", $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ".

NO. 1060

11 PIECE SET

STD. PKG. 1. PKG. WT. $3\frac{3}{4}$ LBS.

NO. K60 KIT ONLY

SELECT STEEL
POLISHED HEADS
CHROME PLATED
14 PIECE COMBINATION WRENCH SETS


Master sets are available with either polished or unpolished heads. Both types completely chrome plated.

NO. 1067

Set contains the following sizes— $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", $\frac{15}{16}$ ", 1 ", $1\frac{1}{16}$ ", $1\frac{1}{8}$ ", $1\frac{1}{4}$ ".

NO. 1067 14 PIECE SET

STD. PKG. 1. PKG. WT. $8\frac{3}{4}$ LBS.

NO. K87A Kit Only

Same as above, except heads unpolished.

NO. 01067 14 PIECE SET

STD. PKG. 1. PKG. WT. 9 LBS.

NO. K87C Kit Only
NO. 1068

Set contains the following sizes— $\frac{1}{4}$ ", $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", $\frac{15}{16}$ ", 1 ", $1\frac{1}{16}$ ".

NO. 1068 14 PIECE SET

STD. PKG. 1. PKG. WT. $6\frac{1}{4}$ LBS.

NO. K87B Kit Only

Same as above, except heads unpolished.

NO. 01068 14 PIECE SET

STD. PKG. 1. PKG. WT. $6\frac{3}{8}$ LBS.

NO. K87D Kit Only
DROP FORGED OPEN-BOX END WRENCH SETS
POLISHED HEADS
CHROME PLATED


A selected fast selling group of sets for the hardware or automotive trade. The open ends are at a 15° angle. Box ends are accurately broached in the popular 12 point opening. Wrenches are heat treated, chrome plated with highly polished heads. Compactly held together with screw and wing nut.

4 PIECE SET

Range $\frac{1}{4}$ " to $\frac{1}{2}$ "

Size		Length
Box End	Open End	
$\frac{1}{4}$ " 8 Pt.	$\frac{5}{16}$ "	$3\frac{5}{8}$ "
$\frac{5}{16}$ " 12 Pt.	$\frac{3}{8}$ "	$3\frac{25}{32}$ "
$\frac{3}{8}$ " 12 Pt.	$\frac{7}{16}$ "	$4\frac{3}{32}$ "
$\frac{7}{16}$ " 12 Pt.	$\frac{1}{2}$ "	$4\frac{1}{2}$ "

NO. 900-4C 4 PC. SET

STD. PKG. 6. PKG. WT. $1\frac{1}{8}$ LBS.


Same as above, except heads unpolished.

NO. 0900-4C 4 PC. SET


STD. PKG. 6. PKG. WT. $1\frac{1}{8}$ LBS.

5 PIECE SET

Range $\frac{3}{8}$ " to $\frac{3}{4}$ "


6 PIECE SET

Range $\frac{3}{8}$ " to $\frac{7}{8}$ "


4 PIECE SET

Range $\frac{5}{16}$ " to $\frac{9}{16}$ "

Size		Length
Box End	Open End	
$\frac{5}{16}$ " 12 Pt.	$\frac{3}{8}$ "	$3\frac{25}{32}$ "
$\frac{3}{8}$ " 12 Pt.	$\frac{7}{16}$ "	$4\frac{3}{32}$ "
$\frac{7}{16}$ " 12 Pt.	$\frac{1}{2}$ "	$4\frac{1}{2}$ "
$\frac{1}{2}$ " 12 Pt.	$\frac{9}{16}$ "	$5\frac{3}{32}$ "

NO. 900-4B 4 PC. SET

STD. PKG. 6. PKG. WT. $2\frac{1}{8}$ LBS.

Same as above, except heads unpolished.

NO. 0900-4B 4 PC. SET

STD. PKG. 6. PKG. WT. $2\frac{1}{8}$ LBS.

Size		Length
Box End	Open End	
$\frac{3}{8}$ " 12 Pt.	$\frac{7}{16}$ "	$4\frac{3}{32}$ "
$\frac{7}{16}$ " 12 Pt.	$\frac{1}{2}$ "	$4\frac{1}{2}$ "
$\frac{1}{2}$ " 12 Pt.	$\frac{9}{16}$ "	$5\frac{3}{32}$ "
$\frac{9}{16}$ " 12 Pt.	$\frac{5}{8}$ "	$5\frac{3}{4}$ "
$\frac{5}{8}$ " 12 Pt.	$\frac{3}{4}$ "	$6\frac{9}{16}$ "

NO. 900-5A 5 PC. SET

STD. PKG. 6. PKG. WT. $4\frac{5}{8}$ LBS.

Same as above, except heads unpolished.

NO. 0900-5A 5 PC. SET

STD. PKG. 6. PKG. WT. $4\frac{5}{8}$ LBS.

Size		Length
Box End	Open End	
$\frac{3}{8}$ " 12 Pt.	$\frac{7}{16}$ "	$4\frac{3}{32}$ "
$\frac{7}{16}$ " 12 Pt.	$\frac{1}{2}$ "	$4\frac{1}{2}$ "
$\frac{1}{2}$ " 12 Pt.	$\frac{9}{16}$ "	$5\frac{3}{32}$ "
$\frac{9}{16}$ " 12 Pt.	$\frac{5}{8}$ "	$5\frac{3}{4}$ "
$\frac{5}{8}$ " 12 Pt.	$\frac{3}{4}$ "	$6\frac{9}{16}$ "
$\frac{3}{4}$ " 12 Pt.	$\frac{7}{8}$ "	$7\frac{5}{16}$ "

NO. 900-6A 6 PC. SET

STD. PKG. 6. PKG. WT. $6\frac{3}{4}$ LBS.

Same as above, except heads unpolished.

NO. 0900-6A 6 PC. SET

STD. PKG. 6. PKG. WT. $6\frac{3}{4}$ LBS.



SELECT STEEL

Socket sets in $\frac{1}{4}$ ", $\frac{3}{8}$ ", and $\frac{1}{2}$ " hexagon drive shown on this and the adjoining page are outstanding values and at prices everyone can afford. Every household has use for one of these sets. Every motorist will want to carry a set in his car. Sold in volume by hardware, variety and automotive stores.

Made of special analysis select steel and scientifically hardened. All parts heavily plated with an attractive bright finish. Patented metal boxes are finished in attractive baked enamel.

$\frac{1}{4}$ " HEXAGON DRIVE

8 Piece Vest Pocket Socket Set



NO. 350 8 PIECE SET

A "vest pocket set" only $4\frac{1}{2}$ " long overall. Handy for radio, television and small electrical and mechanical devices.

CONTENTS

$\frac{1}{4}$ " Hex. Socket	$\frac{3}{8}$ " Hex. Socket	$\frac{5}{16}$ " Square Socket.
$\frac{5}{16}$ " Hex. Socket	$\frac{7}{16}$ " Hex. Socket	4" L Handle
$\frac{11}{32}$ " Hex. Socket	$\frac{1}{4}$ " Square Socket	

STD. PKG. 24. PKG. WT. $7\frac{1}{4}$ LBS.
CASE LOT 96. CASE LOT WT. 30 LBS.

6 Piece "Slip-On" Set



NO. 360 6 PIECE SET


This set is a favorite with electricians in particular. The combination extension and screw driver blade is held in the plastic handle by spring loaded friction ball. Sockets are conveniently held on extension when not in use. Comfortable plastic handle, sockets brightly plated. 7" Length.

CONTENTS

$\frac{1}{4}$ ", $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", and $\frac{1}{16}$ " hex. sockets
7" Combination Spinner Handle and Screw Driver

STD. PKG. 12. PKG. WT. 3 LBS.
CASE LOT 96. CASE LOT WT. 25 LBS.

11 Piece Ignition and Radio Socket Set



NO. 367 11 PIECE IGNITION AND RADIO SOCKET SET

Eleven pieces, $\frac{1}{4}$ " hexagon drive, put up in a convenient colorful plastic case. A favorite with home owners, radio and television repairmen, etc., as it contains the most popular of the small size sockets with fittings and at a low cost.


CONTENTS

$\frac{1}{4}$ " Hex. Socket	$\frac{7}{16}$ " Hex. Socket	$\frac{1}{4}$ " Square Socket
$\frac{5}{16}$ " Hex. Socket	$\frac{1}{2}$ " Hex. Socket	$\frac{5}{16}$ " Square Socket
$\frac{11}{32}$ " Hex. Socket	4" L Handle	$3\frac{3}{4}$ " Extension
$\frac{3}{8}$ " Hex. Socket	$6\frac{1}{2}$ " Screw Driver Handle	

STD. PKG. 1. PKG. WT. $\frac{3}{4}$ LB.
CASE LOT 48. CASE LOT WT. 41 LBS.

$\frac{3}{8}$ " HEXAGON DRIVE

10 Piece Set



NO. 2104 10 PIECE SET


An economy priced set having socket range from $\frac{9}{32}$ " to $\frac{5}{8}$ ". L Handle locks sockets in orderly manner ready for instant use. Sockets and handle brightly plated, box finished in attractive baked enamel.

CONTENTS

$\frac{9}{32}$ " Hex. Socket	$\frac{3}{8}$ " Hex. Socket	$\frac{1}{2}$ " Hex. Socket
$\frac{5}{16}$ " Hex. Socket	$\frac{7}{16}$ " Hex. Socket	$\frac{9}{16}$ " Hex. Socket
$\frac{11}{32}$ " Hex. Socket	$\frac{15}{32}$ " Hex. Socket	$\frac{5}{8}$ " Hex. Socket
	6" L Handle	

STD. PKG. 12. PKG. WT. 10 LBS.
CASE LOT 48. CASE LOT WT. 40 LBS.

7 Piece "Slip-On" Set



NO. 2137 7 PIECE SET

"Slip-on" Set with sockets held on handle by spring loaded friction ball. All parts brightly plated.

CONTENTS

$\frac{3}{8}$ " Hex. Socket	$\frac{15}{32}$ " Hex. Socket	$\frac{9}{16}$ " Hex. Socket
$\frac{7}{16}$ " Hex. Socket	$\frac{1}{2}$ " Hex. Socket	$\frac{5}{8}$ " Hex. Socket
	6" L Handle	

STD. PKG. 6. PKG. WT. $3\frac{1}{2}$ LBS.
CASE LOT 48. CASE LOT WT. 28 LBS.



SELECT STEEL

1/2" HEXAGON DRIVE

Seven popular size sockets conveniently held on an L handle. Brightly plated for eye appeal.

CONTENTS

1/16" 12 Point Socket	1 1/16" 12 Point Socket
1/8" 12 Point Socket	3/4" 12 Point Socket
9/16" 12 Point Socket	7/8" 12 Point Socket
5/8" 12 Point Socket	6 1/2" L Handle

NO. 1349 8 PIECE SET

A practical set for the man who uses tools occasionally on his car, boat, etc. Convenient metal case holds sockets securely.

CONTENTS

1/2" 12 Point Socket	1 1/16" 12 Point Socket
9/16" 12 Point Socket	3/4" 12 Point Socket
5/8" 12 Point Socket	7/8" 12 Point Socket
	6 1/2" L Handle

NO. 1351 7 PIECE SET

A more complete set featuring a ratchet and an L handle which can be used as a 7" extension. Short socket adaptor also serves as a screw driver. Sockets and fittings brightly plated. Box finished in attractive baked enamel.

CONTENTS

1/16" 12 Point Socket	3/4" 12 Point Socket
1/8" 12 Point Socket	7/8" 12 Point Socket
9/16" 12 Point Socket	1 1/16" 12 Point Socket
5/8" 12 Point Socket	6 3/4" Ratchet
1 1/16" 12 Point Socket	7 1/2" L Handle

Screw Driver Adaptor

NO. 1451 11 PIECE SET

This set combines the features of the 1/4" and 1/2" hexagon drive sets in one very compact and convenient case. A "natural" for every home owner, motorist, or handyman.

CONTENTS

1/2" HEXAGON DRIVE

1/16" 12 Point Socket	3/4" 12 Point Socket
1/8" 12 Point Socket	7/8" 12 Point Socket
9/16" 12 Point Socket	1 1/16" 12 Point Socket
5/8" 12 Point Socket	6 3/4" Ratchet
1 1/16" 12 Point Socket	7 1/2" L Handle


Screw Driver Adaptor

1/4" HEXAGON DRIVE

1/4" Hexagon Socket	1 1/16" Hexagon Socket
1/4" Square Socket	3/8" Hexagon Socket
5/16" Hexagon Socket	7/16" Hexagon Socket
3/16" Square Socket	4" L Handle


NO. 1452 19 PIECE SET

8 Piece "Slip-On" Set




STD. PKG. 6. PKG. WT. 6 1/2 LBS.
CASE LOT 48. CASE LOT WT. 53 LBS.

7 PIECE SET




STD. PKG. 3. PKG. WT. 3 1/4 LBS.
CASE LOT 48. CASE LOT WT. 60 LBS.

11 PIECE SET



STD. PKG. 3. PKG. WT. 6 1/4 LBS.
CASE LOT 48. CASE LOT WT. 108 LBS.

19 PIECE SET



STD. PKG. 3. PKG. WT. 8 LBS.
CASE LOT 48. CASE LOT WT. 128 LBS.



SELECT STEEL

Low Price—Top Value—Volume Sellers

in

Vinyl Plastic Kits

The ever popular $\frac{1}{4}$ ", $\frac{3}{8}$ " and $\frac{1}{2}$ " hexagon drive socket sets illustrated on this and the adjoining page are now available in completely new packaging.

Colorful, Vinyl plastic kits—self sellers—especially designed for the modern merchandiser who desires inviting, attention attracting tool displays. Four "eye appealing" colors—red, green, blue and yellow—each set in its own distinctive kit.

Easy to carry, these sets will be desired by every car owner, farmer, home mechanic and hobbyist. A "must" stock item for hardware, variety and chain stores.

The special analysis select steel used was chosen for its high tensile strength. The sockets are accurately broached and hardened under automatically controlled temperatures. Heavy plating provides protection against corrosion and assures a sparkling finish.

$\frac{1}{4}$ " HEXAGON DRIVE

8 PIECE VEST POCKET SOCKET SET



$\frac{3}{8}$ " HEXAGON DRIVE

10 PIECE SET



A "vest pocket set" only $4\frac{1}{2}$ " long overall. Handy for radio, television and small electrical and mechanical devices. In royal blue vinyl plastic kit.

An economy priced set having a socket range from $\frac{9}{32}$ " to $\frac{5}{8}$ ", with L handle. Especially designed for working in restricted places. In attractive yellow vinyl plastic kit.

CONTENTS

- $\frac{1}{4}$ " Hexagon Socket
- $\frac{5}{16}$ " Hexagon Socket
- $\frac{11}{32}$ " Hexagon Socket
- $\frac{3}{8}$ " Hexagon Socket
- $\frac{7}{16}$ " Hexagon Socket
- $\frac{1}{4}$ " Square Socket
- $\frac{5}{16}$ " Square Socket
- 4" L Handle

CONTENTS

- $\frac{9}{32}$ " Hexagon Socket
- $\frac{5}{16}$ " Hexagon Socket
- $\frac{11}{32}$ " Hexagon Socket
- $\frac{3}{8}$ " Hexagon Socket
- $\frac{7}{16}$ " Hexagon Socket
- $\frac{15}{32}$ " Hexagon Socket
- $\frac{1}{2}$ " Hexagon Socket
- $\frac{9}{16}$ " Hexagon Socket
- $\frac{5}{8}$ " Hexagon Socket
- 6" L Handle

NO. 350K 8 PIECE SOCKET SET

STD. PKG. 24. PKG. WT. 6 $\frac{3}{4}$ LBS.
CASE LOT 96. CASE LOT WT. 25 LBS.

NO. 2104K 10 PIECE SOCKET SET

STD. PKG. 12. PKG. WT. 9 $\frac{1}{4}$ LBS.
CASE LOT 48. CASE LOT WT. 37 $\frac{1}{4}$ LBS.



SELECT STEEL

1/2" HEXAGON DRIVE

A compact practical set, complete with L handle, for the man who occasionally finds it necessary to make minor repairs around the house or on his car, boat, etc. Packaged in a red vinyl plastic kit.

CONTENTS

1/2" 12 Point Socket	1 1/16" 12 Point Socket
9/16" 12 Point Socket	3/4" 12 Point Socket
5/8" 12 Point Socket	7/8" 12 Point Socket
6 1/2" L Handle	

NO. 1351K 7 PIECE SOCKET SET

STD. PKG. 3. PKG. WT. 3 1/4 LBS.
CASE LOT 48. CASE LOT WT. 49 1/2 LBS.

A more complete set featuring a ratchet and L handle which can be used as a 7" extension. Short socket adaptor also serves as a screw driver. Sockets and fittings brightly plated. Furnished in a green vinyl plastic kit.

CONTENTS

7/16" 12 Point Socket	3/4" 12 Point Socket
1/2" 12 Point Socket	7/8" 12 Point Socket
9/16" 12 Point Socket	1 1/16" 12 Point Socket
5/8" 12 Point Socket	6 3/4" Ratchet
1 1/16" 12 Point Socket	7 1/2" L Handle
	Screw Driver Adaptor

NO. 1451K 11 PIECE SOCKET SET

STD. PKG. 3. PKG. WT. 5 3/4 LBS.
CASE LOT 48. CASE LOT WT. 93 1/4 LBS.

A top seller—this set combines the features of the 1/4" and 1/2" hexagon drive sets in one convenient master kit. Provision is made for quick easy location of tools with the 1/4" drive set in its own individual kit. This inexpensive set provides the handyman, home owner, or motorist with complete coverage of the popular sizes. In royal blue vinyl plastic kit.

CONTENTS

1/2" HEXAGON DRIVE

7/16" 12 Point Socket	3/4" 12 Point Socket
1/2" 12 Point Socket	7/8" 12 Point Socket
9/16" 12 Point Socket	1 1/16" 12 Point Socket
5/8" 12 Point Socket	6 3/4" Ratchet
1 1/16" 12 Point Socket	7 1/2" L Handle
	Screw Driver Adaptor

1/4" HEXAGON DRIVE

1/4" Hexagon Socket	7/16" Hexagon Socket
5/16" Hexagon Socket	1/4" Square Socket
1 1/32" Hexagon Socket	5/16" Square Socket
3/8" Hexagon Socket	4" L Handle

NO. 1452K 19 PIECE SOCKET SET

STD. PKG. 3. PKG. WT. 6 3/4 LBS.
CASE LOT 48. CASE LOT WT. 108 3/4 LBS.

7 PIECE SET



11 PIECE SET



19 PIECE SET





SELECT STEEL




WALL KLIP SOCKET SETS

The Wall Klip is designed to keep the tools firmly and orderly in place, yet each tool can be easily removed as needed. Two key-slots are provided in the Wall Klip for fast convenient attachment to the wall. Construction is one piece for compactness and strength.

The two sets illustrated here contain the most used sizes of sockets and handles. Tools are hexagon drive and are brightly plated in a rust resistant finish. Made accurately of select steel.

11 PIECE SET




CONTENTS

1/2" HEXAGON DRIVE

- | | |
|------------------------|------------------------|
| 7/16" 12 Point Socket | 3/4" 12 Point Socket |
| 1/2" 12 Point Socket | 7/8" 12 Point Socket |
| 9/16" 12 Point Socket | 15/16" 12 Point Socket |
| 5/8" 12 Point Socket | 6 3/4" Ratchet |
| 11/16" 12 Point Socket | 9 3/16" L Handle |

Screw Driver Adaptor

19 PIECE SET



CONTENTS

1/2" HEXAGON DRIVE

- | | |
|------------------------|------------------------|
| 7/16" 12 Point Socket | 3/4" 12 Point Socket |
| 1/2" 12 Point Socket | 7/8" 12 Point Socket |
| 9/16" 12 Point Socket | 15/16" 12 Point Socket |
| 5/8" 12 Point Socket | 6 3/4" Ratchet |
| 11/16" 12 Point Socket | 9 3/16" L Handle |

Screw Driver Adaptor

NO. 1453 11 PIECE SET

STD. PKG. 2 PKG. WT. 5 LBS.
CASE LOT 48 CASE LOT WT. 120 LBS.

HOME OWNER'S KIT



A special Spark Plug Holding Socket with oil resistant insert to protect and securely hold 14 mm. spark plugs.

(See Page 5 for details)

An expertly selected group of tools to satisfy the needs of the homeowner, sportsman and hobbyist. Will handle repairs and adjustments on automobiles, outboard motors, lawn mowers, bicycles, furnaces, radio, television, air conditioning and household appliances.

NO. 1480 HOME OWNER'S KIT
NO. K142 KIT ONLY

1/4" HEXAGON DRIVE

- | | |
|-----------------------|----------------------|
| 1/4" Hexagon Socket | 3/8" Hexagon Socket |
| 1/4" Square Socket | 5/16" Square Socket |
| 5/16" Hexagon Socket | 7/16" Hexagon Socket |
| 11/32" Hexagon Socket | 4" L Handle |

NO. 1454 19 PIECE SET

STD. PKG. 2 PKG. WT. 5 1/2 LBS.
CASE LOT 48 CASE LOT WT. 132 LBS.

CONTENTS

No.	Description
2748HS	3/8" Sq. Dr. 13/16" Deep Socket, Plug Holding Type
166	Feeler Gauge
174	Point File
4682	No. 2 Phillips Screwdriver
360	6 Pc. Socket and Screwdriver Set
3436	6" Utility Plier
199	7 Pc. Set Screw Wrench Set

OPEN END WRENCHES

- | |
|-----------------|
| 5/16" x 1 1/32" |
| 3/8" x 7/16" |
| 1/2" x 9/16" |
| 19/32" x 11/16" |
| 5/8" x 3/4" |
| 13/16" x 7/8" |

STD. PKG. 1 PKG. WT. 3 1/4 LBS.

CHROME ALLOY STEEL

SUPER QUALITY SCREW DRIVERS



Indestro Super Quality Screw Drivers are precision built to professional standards.

Blades are individually forged from chrome alloy steel and scientifically controlled heat treated for supreme strength. Smoothly polished and finished in a rich deep chrome.

BREAKPROOF-SHOCKPROOF

The tough Tenite II plastic handles are designed for hand comfort and will turn the toughest screws as they are ribbed for positive grip.

SQUARE BLADE TYPE

No.	Blade Dimensions			Overall Length	Std. Pkg.	Pkg. Wt.
	Stock	Length	Tip Width			
3702	1/8"	2 1/16"	1/8"	4 1/16"	6	1/4 lb.
3703	1/8"	3 1/16"	1/8"	5 1/16"	6	1/4 lb.
3711 1/2	3/16"	1 9/16"	3/16"	4 9/16"	6	1/2 lb.
3713	3/16"	3"	3/16"	6 5/8"	6	3/4 lb.
3714	3/16"	4"	3/16"	7 1/2"	6	3/4 lb.
3716	3/16"	6"	3/16"	9 1/2"	6	1 lb.
*3721	1/4"	1 1/4"	19/64"	3 1/16"	6	1/2 lb.
3722	1/4"	2"	19/64"	5 3/4"	6	1 lb.
3724	1/4"	4"	19/64"	7 3/4"	6	1 1/4 lbs.
3726	1/4"	6"	19/64"	9 3/4"	6	1 1/2 lbs.
3728	1/4"	8"	19/64"	11 3/4"	6	1 3/4 lbs.
*3731	5/16"	1 1/4"	3/8"	3 1/16"	6	1/2 lb.
3736	5/16"	6"	3/8"	10"	4	1 3/8 lbs.
3738	5/16"	8"	3/8"	12"	4	1 5/8 lbs.
3746	3/8"	6"	7/16"	10 3/8"	2	1 1/8 lbs.
3748	3/8"	8"	7/16"	12 3/8"	2	1 1/4 lbs.
3749	3/8"	10"	7/16"	14 3/8"	2	1 3/8 lbs.

ROUND BLADE TYPE

† 136	1/8"	2"	9/64"	4 1/16"	12	3/8 lb.
138	3/32"	1 3/8"	5/64"	2 3/4"	24	1/8 lb.
139	7/64"	1 11/16"	7/64"	3 3/8"	24	3/8 lb.
3603	3/8"	3 1/16"	1/8"	5 1/8"	6	1/4 lb.
3606	1/8"	6 1/16"	1/8"	8 1/16"	6	1/4 lb.
3614	3/16"	4 1/16"	3/16"	7 1/16"	6	1/2 lb.
3616	3/16"	6 1/16"	3/16"	9 9/16"	6	3/4 lb.

*Stubby Handle Type

†With Pocket Klip

STUBBY TYPE SCREW DRIVERS



Invaluable for use in limited spaces, break-proof and shock-proof amber plastic handles are designed for firm comfortable grip. Forged chrome alloy steel blade polished and chrome plated.

NO. 3721 STUBBY SCREW DRIVER, 1/4" x 1 1/4" BLADE
STD. PKG. 6. PKG. WT. 1/2 LB.

NO. 3731 STUBBY SCREW DRIVER, 5/16" x 1 1/4" BLADE
STD. PKG. 6. PKG. WT. 1/2 LB.



SCREW DRIVERS


OFFSET SCREW DRIVERS



A necessity for close quarter work where regular type screw drivers cannot be used. Forged from square stock chrome alloy steel. Satin finish for sure grip.

No.	Stock Size	Length	Tip Width	Std. Pkg.	Pkg. Wt.
4771 A	1/8"	3 3/16"	9/64"	6	1/8 lb.
4771	3/16"	3 15/16"	13/64"	6	1/4 lb.
4772	1/4"	4 3/4"	19/64"	6	1/2 lb.
4773	5/16"	5 5/8"	31/64"	6	1 lb.
4774	3/8"	6 5/8"	7/16"	6	1 5/8 lbs.

5 PIECE SET



A set of 5 Indestro Super double end offset screw drivers to service screws in hard-to-reach or limited places. Assembled in the popular Klip-Tite holder.

CONTENTS

No.	Stock Size
4771 A	1/8"
4771	3/16"
4772	1/4"
4773	5/16"
4774	3/8"

NO. 4770-5K 5 PC. SET OFFSET SCREW DRIVERS

STD. PKG. 1. PKG. WT. 3/4 LB.

SPARK TESTING SCREW DRIVERS



Mechanics, and car owners, double duty screw drivers especially designed for testing spark plugs as well as for use as a conventional screw driver. Also used by technicians and servicemen for testing high voltage circuits in X-ray, radio, television and similar work. The transparent amber handle magnifies a neon tube inside which flashes when screw driver blade is applied to spark plug, secondary ignition circuit or high tension wiring. The brilliancy and frequency of the flash indicates the condition of parts being tested. Blades are forged from chrome alloy steel, scientifically heat treated, fully polished and chrome plated.

NO. 4692 SPARK TESTING SCREW DRIVER, BLADE 3/16" x 4".
OVERALL LENGTH 7 3/4".

STD. PKG. 6. PKG. WT. 3/4 LB.

NO. 4691 SPARK TESTING SCREW DRIVER (POCKET SIZE WITH CLIP) BLADE 1/8" x 2 1/4". OVERALL LENGTH 5".

STD. PKG. 6. PKG. WT. 1/4 LB.



CHROME ALLOY STEEL

PHILLIPS TYPE SCREW DRIVERS



Point Size	Fits Phillips Screw Size
1	2 to 5 inclusive
2	5 to 10 inclusive
3	10 to 16 inclusive
4	18 and larger


Phillips screws are used widely on cars, trucks, buses, furniture, fixtures, storm windows, doors, office and industrial equipment and a great many other places.

Indestro-Super Phillips type screw drivers are built to a high standard of quality at especially attractive prices.

The blades are precision milled for a perfect screw fit and are fully polished and chrome plated.

Indestro-Super Phillips type screw drivers are offered in either amber plastic handles that are break-proof and shock-proof or hard wood handles with brightly plated extra strong ferrules.

PLASTIC HANDLES




No.	Point Size	Blade Length	Overall Length	Std. Pkg.	Pkg. Wt.
4681	1	3"	6"	6	1/2 lb.
4682	2	4"	7 3/4"	6	1 lb.
4683	3	6"	10"	4	1 1/2 lbs.
4684	4	8"	12 3/8"	2	1 1/8 lbs.

STUBBY TYPE

No.	Point Size	Blade Length	Overall Length	Std. Pkg.	Pkg. Wt.
4688	1	1 1/4"	3"	6	1/2 lb.
4689	2	1 1/2"	3 5/16"	6	5/8 lb.

WOOD HANDLES



No.	Point Size	Blade Length	Overall Length	Std. Pkg.	Pkg. Wt.
4661	1	3"	6 7/8"	6	5/8 lb.
4662	2	4"	9 1/4"	6	1 1/4 lbs.
4663	3	6"	12"	4	1 1/2 lbs.
4664	4	8"	14 1/2"	2	1 1/8 lbs.

STUBBY TYPE

No.	Point Size	Blade Length	Overall Length	Std. Pkg.	Pkg. Wt.
4668	1	1 1/4"	3 5/8"	6	1/2 lb.
4669	2	1 1/2"	3 7/8"	6	5/8 lb.

DOUBLE OFFSET TYPE




No.	Point Size	Length	Std. Pkg.	Pkg. Wt.
4656-12	1 and 2	4 3/4"	6	1/2 lb.
4656-23	2 and 3	5 3/8"	6	7/8 lb.
4656-34	3 and 4	6 1/4"	4	1 lb.

CLUTCH HEAD SCREW DRIVERS



Clutch head screws are now widely used on automobiles, trucks, refrigerators, radios and a variety of other products. In addition to being self centering and non-marring, this design is most popular for service work, driving both old and new style clutch head screws. Blade of Chrome alloy steel for extra strength, Chrome plated and polished.

PLASTIC HANDLES




No.	Size	Blade Length	Overall Length	Std. Pkg.	Pkg. Wt.
4640	5/32"	4"	7"	6	1/2 lb.
4641	3/16"	4"	7 1/2"	6	7/8 lb.
4642	1/4"	6"	10"	6	2 lbs.
4643	5/16"	6"	10 3/8"	2	1 lb.
4644	3/8"	6"	10 3/8"	2	1 1/8 lbs.

STUBBY TYPE

No.	Size	Blade Length	Overall Length	Std. Pkg.	Pkg. Wt.
4649	5/32"	1 1/2"	3 1/4"	6	1/2 lb.

WOOD HANDLES



No.	Size	Blade Length	Overall Length	Std. Pkg.	Pkg. Wt.
4630	5/32"	4"	7 13/16"	6	1 lb.
4631	3/16"	4"	8 5/8"	6	1 lb.
4632	1/4"	6"	11 1/16"	6	1 3/4 lbs.
4633	5/16"	6"	12"	2	7/8 lb.
4634	3/8"	6"	12 5/8"	2	1 lb.

STUBBY TYPE


No.	Size	Blade Length	Overall Length	Std. Pkg.	Pkg. Wt.
4639	5/32"	1 1/2"	3 7/8"	6	3/4 lb.

CHROME ALLOY STEEL

The MIDGET Small and MIDGET Medium screw-drivers are real tools constructed to the same rigid specifications as the larger Indestro Super screw drivers. Handles are of tough Tenite II. Alloy steel blades are scientifically hardened and plated.

These tiny screw drivers are necessary for repair or adjustment of fishing tackle, eye glasses, lighters, cameras, sewing machines, clocks, radio, television, instruments and other small devices. 48 pieces are mounted on 9" x 14" red and white card merchandiser.

MIDGET *Small* SCREW DRIVERS




OVERALL LENGTH
 $2\frac{3}{4}"$
BLADE LENGTH
 $1\frac{3}{8}"$
TIP WIDTH
 $\frac{5}{64}"$

NO. 138DM MERCHANDISER WITH 48 NO. 138 SCREWDRIVERS
STD. PKG. 1. PKG. WT. $\frac{1}{2}$ LB.

NO. 138 SCREWDRIVER—INDIVIDUAL
STD. PKG. 24. PKG. WT. $\frac{1}{8}$ LB.

MIDGET *Medium* SCREW DRIVERS



OVERALL LENGTH
 $3\frac{3}{8}"$
BLADE LENGTH
 $1\frac{11}{16}"$
TIP WIDTH
 $\frac{7}{64}"$

NO. 139DM MERCHANDISER WITH 48 NO. 139 SCREWDRIVERS
STD. PKG. 1. PKG. WT. $\frac{1}{4}$ LB.


NO. 139 SCREWDRIVER—INDIVIDUAL (With Pocket Clip)
STD. PKG. 24. PKG. WT. $\frac{9}{8}$ LB.

Treasure Kit

3 SIZES OF MIDGET SCREW DRIVERS



SIZE
 $4\frac{1}{2}" \times 1\frac{1}{2}"$
OPEN
VIEW



The Indestro Treasure Kit contains 3 sizes of midget screwdrivers. The screwdrivers are quality built with comfortable Tenite II handles. Blades are extra strong, scientifically hardened and fully plated.

The Treasure Kit is of durable plastic with individual pockets for each screwdriver.

The screwdrivers are graduated in sizes small—medium—regular for use on eye glasses, fishing tackle, lighters, cameras, sewing machines, clocks, radios, television, and instruments. Merchandiser card size $17\frac{5}{8}" \times 12\frac{7}{8}"$.

NO. 135DM TREASURE KIT MERCHANDISER WITH 20 NO. 135TK SETS.

STD. PKG. 1. PKG. WT. $1\frac{1}{2}$ LBS.

NO. 135TK TREASURE KIT OF 3 SCREWDRIVERS

STD. PKG. 6. PKG. WT. $\frac{1}{2}$ LB.


POCKET SCREW DRIVERS



OVERALL LENGTH $4\frac{1}{16}"$
BLADE LENGTH 2"
TIP WIDTH $\frac{9}{64}"$

This colorful merchandiser contains 12 pocket clip screw drivers. In the workshop, household, or car there is hardly a tool that compares in popularity with the pocket size screw driver. Millions are sold annually. Tenite II plastic handle is both shock proof and break proof, complete with clip. Blade is alloy steel completely plated.

No other screw driver will substitute for those small screws around ignition systems, radios, television, lamp sockets, sewing machines, etc.



NO. 136-C12 POCKET SCREW DRIVER MERCHANDISER

STD. PKG. 1. PKG. WT. $\frac{1}{2}$ LB.

NO. 136 POCKET SCREW DRIVER

STD. PKG. 12. PKG. WT. $\frac{3}{8}$ LB.

See Pages 76 and 82 for additional screwdriver displays.




CHROME ALLOY STEEL

All the things mechanics look for are embodied in the complete line of Indestro Super punches and chisels.

DURABILITY—Forged of hexagon shaped alloy steel and scientific heat treatment imparts the right amount of hardness and toughness. Tips and cutting edges are hard enough to retain their shape or cutting edge. The body and head are softer to withstand hammer blows without chipping.


Flat Cold Chisels



Correctly beveled edges for fast cutting and long life.

No.	Width Bit	Length	Size Stock	Std. Pkg.	Pkg. Wt.
1900	3/8"	5"	5/16"	6	1/2 lb.
1901	1/2"	5 3/4"	3/8"	6	1 lb.
1902	5/8"	6"	1/2"	6	2 1/8 lbs.
1903	3/4"	7"	5/8"	6	3 1/4 lbs.
1904	7/8"	8"	3/4"	6	5 3/4 lbs.
1905	1"	9"	7/8"	6	8 3/8 lbs.

Cape Chisels



Shank is narrower than cutting edge for use in keyways.

1910	7/32"	5"	5/16"	6	1/2 lb.
1911	5/16"	6"	3/8"	6	1 lb.
1912	3/8"	6"	1/2"	6	1 7/8 lbs.

Gouge Chisels



For grooving and filleting work.

1920	7/32"	5"	5/16"	6	1/2 lb.
1921	1/4"	6"	3/8"	6	1 lb.

Diamond Point Chisels



For cutting sharp V grooves or square corners.

1930	5/64"	5"	5/16"	6	1/2 lb.
1931	1/8"	6"	3/8"	6	1 lb.

Pin Punches



Made with straight shank to finish driving pin or rivet out of a hole.

1940	3/32"	4 1/2"	5/16"	6	1/2 lb.
1941	1/8"	4 1/2"	5/16"	6	1/2 lb.
1942	5/32"	4 1/2"	5/16"	6	1/2 lb.
1943	3/16"	6"	5/16"	6	3/4 lb.
1944	3/16"	6 1/2"	3/8"	6	1 lb.
1945	7/32"	6 7/8"	3/8"	6	1 lb.
1946	1/4"	7 1/4"	3/8"	6	1 1/8 lbs.
1947	5/16"	7 5/8"	1/2"	6	2 1/8 lbs.

DESIGN—Each tool is built to exact professional requirements in length and size. Designed for perfect balance and for comfortable secure grip.

APPEARANCE—Eye appealing and everlasting beauty. Tips and blades are fully polished with body in satin finish fully chrome plated.

Solid or Long Taper Punches



Always use this type of punch to start driving a pin or rivet out of a hole.

No.	Width Bit	Length	Size Stock	Std. Pkg.	Pkg. Wt.
1950	3/32"	4 1/2"	5/16"	6	1/2 lb.
1951	1/8"	6 1/2"	5/16"	6	3/4 lb.
1952	3/16"	7"	3/8"	6	1 lb.
1953	7/32"	7 1/2"	1/2"	6	1 3/4 lbs.
1954	1/4"	8"	5/8"	6	3 1/4 lbs.
1955	9/32"	11"	5/8"	6	5 1/4 lbs.

Center Punches



Used to locate hole for drilling. Makes a small 60° punch mark.

1970	4"	5/16"	6	1/2 lb.
1971	5"	3/8"	6	3/4 lb.


Long Drift Punches



Used to line up two or more pieces before applying bolt, key or rivet.

1990	1/4"	16"	5/8"	6	7 3/4 lbs.
1991	7/32"	14"	1/2"	6	4 3/8 lbs.
1992	3/16"	12"	3/8"	6	2 1/4 lbs.

Jimmy Pry Bars



One end has aligning point, the other a curved chisel face.

1980	1 1/16"	12"	1/2"	6	3 1/2 lbs.
1981	1"	16"	5/8"	6	7 1/4 lbs.
1982	1 1/8"	20"	3/4"	6	13 1/4 lbs.

Close Quarter Pry Bar




Will give needed prying action on gears, bushings, bearing seals, etc. in close quarters.

1988	5/8"	15"	1/2"	6	5 lbs.
------	------	-----	------	---	--------


CHROME ALLOY STEEL

A most complete set of punches and chisels for the professional mechanic. Contains the most used sizes of each style of punch and chisel.

15 Piece Set



5 Piece Set



A primary punch set with a popular size cold chisel in durable plastic kit.

CONTENTS

No. 1900	3/8" Cold Chisel
No. 1940	3/32" Pin Punch
No. 1941	1/8" Pin Punch
No. 1950	3/32" Taper Punch
No. 1970	5/16" Center Punch

NO. 19002 5 PC. PUNCH AND CHISEL SET
STD. PKG. 1. PKG. WT. 1/2 LB.

NO. K26 KIT ONLY

Colorful, heavy gauge plastic kit has individual pocket for each tool. A convenience in selecting the tool needed for the job at hand.


CONTENTS

COLD CHISELS	TAPER PUNCHES
No. 1900 3/8"	No. 1950 3/32"
No. 1901 1/2"	No. 1952 3/16"
No. 1902 5/8"	No. 1953 7/32"
GOUGE CHISEL	PIN PUNCHES
No. 1921 1/4"	No. 1943 5/32"
CAPE CHISELS	No. 1944 3/16"
No. 1910 7/32"	No. 1945 7/32"
No. 1912 3/8"	No. 1946 1/4"
DIAMOND PT. CHISEL	CENTER PUNCH
No. 1931 1/8"	No. 1971 3/8"

NO. 19001 15 PIECE PUNCH AND CHISEL SET
STD. PKG. 1. PKG. WT. 3 LBS.

NO. K28 KIT ONLY

5 Piece Set



Five sizes of chisels are offered in this set. Have the right size for every job. In heavy gauge plastic kit.

CONTENTS

No. 1901	1/2" Cold Chisel
No. 1902	5/8" Cold Chisel
No. 1903	3/4" Cold Chisel
No. 1904	7/8" Cold Chisel
No. 1905	1" Cold Chisel

NO. 19005 5 PC. CHISEL SET
STD. PKG. 1. PKG. WT. 3 1/2 LBS.

NO. K27 KIT ONLY


SCREW EXTRACTORS



Forged chrome alloy steel screw extractors, scientifically heat treated and brightly chrome plated. To remove broken threaded studs or screws, drill a hole in the part to be extracted in accordance with table below. Insert proper size extractor and remove broken part by turning counter-clockwise.

Part No.	Point Size	Shank Size	For Bolt Size	Use Drill Size	Std. Pkg.	Std. Wt.
1391	1/8"	1/4"	7/32" - 1/4"	5/32"	6	1/4 lb.
1392	3/16"	5/16"	5/16" - 3/8"	7/32"	6	3/8 lb.
1393	1/4"	3/8"	7/16" - 9/16"	9/32"	6	5/8 lb.
1394	3/8"	1/2"	5/8" - 7/8"	13/32"	6	1 1/8 lbs.
1395	7/16"	1/2"	7/8" - 1 1/8"	15/32"	6	1 1/4 lbs.
1396	1/2"	1/2"	1 1/8" - 1 3/8"	17/32"	6	1 1/4 lbs.

4 AND 6 PIECE SETS



Four and six piece screw extractor sets in durable, eye appealing plastic rolls with individual pockets. Screw extractors are forged of chrome alloy steel, heat treated and finished in a bright chrome plate.

NO. 1398 SET OF 4 EXTRACTORS (1391 to 1394) IN PLASTIC ROLL	STD. PKG. 1. PKG. WT. 1/2 LB.
NO. K29 KIT ONLY	
NO. 1399 SET OF 6 EXTRACTORS (1391 to 1396) IN PLASTIC ROLL	STD. PKG. 1. PKG. WT. 1 LB.
NO. K30 KIT ONLY	



SELECT STEEL

Indestro Super square stock punches and chisels are designed to meet the increasing popular demand for a top line from the Hardware, Variety and Chain store fields.

QUALITY—Forged from special analysis square stock steel. Controlled heat treating imparts exact degree of hardness desired for cutting edges—leaves body and head softer to avoid chipping.

DESIGN—Meets professional standards for length, size and balance.

APPEARANCE—Body in satin finish—tips and blades fully polished—completely chrome plated for lasting protection and beauty.

COLD CHISELS



Correctly beveled edges for fast cutting and long life.

No.	Bit Width	Length	Stock Size	Std. Pkg.	Std. Wt.
1861	1/2"	6"	3/8"	6	1 1/8 lbs.
1861A	9/16"	5 1/2"	3/8"	6	1 1/8 lbs.
1862	5/8"	6 1/2"	1/2"	6	2 3/8 lbs.
1863	3/4"	7"	19/32"	6	3 1/2 lbs.

PIN PUNCHES



Has straight shank to finish driving pin or rivet out of a hole.

No.	Bit Width	Length	Stock Size	Std. Pkg.	Pkg. Wt.
1841	1/8"	5 1/2"	3/8"	6	3/4 lb.
1842	5/32"	5 3/4"	3/8"	6	1 lb.
1844	3/16"	6"	3/8"	6	1 lb.
1846	1/4"	6 3/4"	1/2"	6	2 lbs.

SOLID OR LONG TAPER PUNCH



Use this type of punch to start driving a pin or rivet out of a hole.

No.	Bit Width	Length	Stock Size	Std. Pkg.	Pkg. Wt.
1850	3/32"	4 1/2"	3/8"	6	3/4 lb.
1851	1/8"	4 3/4"	3/8"	6	3/4 lb.
1852A	5/32"	5 1/16"	3/8"	6	1 lb.
1852	3/16"	5 1/2"	3/8"	6	1 lb.
1853	7/32"	4 3/4"	3/8"	6	7/8 lb.
1854	1/4"	6"	1/2"	6	1 1/8 lbs.
1880	3/16"	8 7/8"	1/2"	6	2 1/2 lbs.
1882	1/4"	12 1/16"	19/32"	6	5 1/4 lbs.

CENTER PUNCH



Used to locate hole for drilling. Makes small 90° punch mark.

No.	Bit Width	Length	Stock Size	Std. Pkg.	Pkg. Wt.
1871	—	5"	3/8"	6	7/8 lb.
1872	—	6"	1/2"	6	1 7/8 lbs.

SQUARE STOCK


PUNCH AND CHISEL SETS

4 PIECE LARGE SET

Polished Blades

Chrome Plated

Vinyl Plastic Kits




Every Hardware, Chain and Variety store should stock these companion sellers to the "Klip-Tite" punch and chisel sets. The attractive and colorful Vinyl plastic containers—red and blue—fulfil modern merchandising demands for tool displays to "sell themselves". Each set is imprinted with Self-Selling information.

CONTENTS

No. 1862	5/8" Cold Chisel
No. 1844	3/16" Pin Punch
No. 1871	3/8" Center Punch
No. 1851	1/8" Taper Punch
NO. 18025 PUNCH AND CHISEL SET	
STD. PKG. 6. PKG. WT. 5 3/8 LBS.	

4 PIECE SMALL SET




CONTENTS

No. 1861	1/2" Cold Chisel
No. 1844	3/16" Pin Punch
No. 1871	3/8" Center Punch
No. 1851	1/8" Taper Punch
NO. 18035 PUNCH AND CHISEL SET	
STD. PKG. 6. PKG. WT. 4 1/8 LBS.	


SELECT STEEL
SQUARE STOCK
"KLIP-TITE" SETS

Colorful in their unique "Klips", these sets are designed for modern merchandising methods. Each set is a "demand" seller for the Hardware, Chain and Variety Store. Careful proportioning and balancing assures only the most popular numbers in correct related sizes.

Indestro Super quality insures scientific heat treating for perfect hardness in the cutting edge—ideal striking end hardness to avoid chipping. Tips and blades fully polished. Body in satin finish. Completely chrome plated.

5 PIECE LARGE SET

CONTENTS

No. 1851	1/8" Taper Punch
No. 1854	1/4" Taper Punch
No. 1861	1/2" Cold Chisel
No. 1862	5/8" Cold Chisel
No. 1871	3/8" Center Punch

5 PIECE SMALL SET

CONTENTS


No. 1851	1/8" Taper Punch
No. 1853	7/32" Taper Punch
No. 1861	1/2" Cold Chisel
No. 1861A	9/16" Cold Chisel
No. 1871	3/8" Center Punch

- NO. 18001 5 PC. PUNCH AND CHISEL SET**
STD. PKG. 6. PKG. WT. 7 1/2 LBS.
- No. 18011** Same as above, except unpolished.
STD. PKG. 6. PKG. WT. 7 1/2 LBS.


- NO. 18002 5 PC. PUNCH AND CHISEL SET**
STD. PKG. 6. PKG. WT. 5 1/4 LBS.
- No. 18012** Same as above, except unpolished.
STD. PKG. 6. PKG. WT. 5 1/2 LBS.

5 PIECE LARGE SET
CONTENTS

No. 1841	1/8" Pin Punch
No. 1851	1/8" Taper Punch
No. 1854	1/4" Taper Punch
No. 1862	5/8" Cold Chisel
No. 1871	3/8" Center Punch


5 PIECE SMALL SET
CONTENTS

No. 1841	1/8" Pin Punch
No. 1851	1/8" Taper Punch
No. 1853	7/32" Taper Punch
No. 1861	1/2" Cold Chisel
No. 1871	3/8" Center Punch




- NO. 18003 5 PC. PUNCH AND CHISEL SET**
STD. PKG. 6. PKG. WT. 6 3/4 LBS.
- No. 18013** Same as above, except unpolished.
STD. PKG. 6. PKG. WT. 7 1/4 LBS.


- NO. 18004 5 PC. PUNCH AND CHISEL SET**
STD. PKG. 6. PKG. WT. 4 7/8 LBS.
- No. 18014** Same as above, except unpolished.
STD. PKG. 6. PKG. WT. 5 LBS.

4 PIECE LARGE SET
CONTENTS

No. 1844	3/16" Pin Punch
No. 1851	1/8" Taper Punch
No. 1862	5/8" Cold Chisel
No. 1871	3/8" Center Punch


4 PIECE SMALL SET
CONTENTS

No. 1844	3/16" Pin Punch
No. 1851	1/8" Taper Punch
No. 1861	1/2" Cold Chisel
No. 1871	3/8" Center Punch



- NO. 18005 4 PC. PUNCH AND CHISEL SET**
STD. PKG. 6. PKG. WT. 5 LBS.
- No. 18015** Same as above, except unpolished.
STD. PKG. 6. PKG. WT. 5 3/8 LBS.

- NO. 18006 4 PC. PUNCH AND CHISEL SET**
STD. PKG. 6. PKG. WT. 4 LBS.
- No. 18016** Same as above, except unpolished.
STD. PKG. 6. PKG. WT. 4 1/8 LBS.



SLIP JOINT PLIERS



Federal Spec: GGG-P-471a, Type F, Class 1, Style 1


A general purpose plier of professional quality. Attractively priced. Hand finished from special steel with a high lustre, nickel finish. Has wire cutter and 2 position knurled handles for a comfortable non-slip grip.

- NO. 2096A 6" SLIP JOINT PLIER**
STD. PKG. 6. PKG. WT. 2 $\frac{5}{8}$ LBS.
- NO. 2097A 8" SLIP JOINT PLIER**
STD. PKG. 6. PKG. WT. 3 $\frac{1}{4}$ LBS.
- NO. 2098A 10" SLIP JOINT PLIER**
STD. PKG. 6. PKG. WT. 5 $\frac{1}{2}$ LBS.

A sturdy utility tool to fulfill the ever increasing demand for an economically priced guaranteed all purpose plier. Drop forged from high grade tool steel, with 2 position knurled handles and wire cutter. Nickel plated satin finish.

- NO. 3435 5" UTILITY PLIER**
STD. PKG. 12. PKG. WT. 2 $\frac{3}{4}$ LBS.
- NO. 3436 6" UTILITY PLIER**
STD. PKG. 12. PKG. WT. 5 $\frac{1}{4}$ LBS.
- NO. 3438 8" UTILITY PLIER**
STD. PKG. 12. PKG. WT. 6 $\frac{1}{2}$ LBS.

LONG NOSE SIDE CUTTING PLIER



Federal Spec: GGG-P-471a, Type P

The long thin jaws make this plier popular with mechanics, electricians and especially radio and television workers. Strong accurately matched cutting edges. Jaws are cross grooved for holding power. Forged alloy steel, natural black handles with polished head. Length 6".

- NO. 2111 LONG NOSE CUTTING PLIER**
STD. PKG. 1. PKG. WT. $\frac{1}{4}$ LB.

RIB JOINT IGNITION PLIER




Federal Spec: GGG-P-471a, Type E, Class 1

Featuring the forged rib groove design, this plier has four opening positions. Alloy steel. Length 5".

- NO. 3421 RIB JOINT IGNITION PLIER**
STD. PKG. 1. PKG. WT. $\frac{1}{4}$ LB.

DIAGONAL CUTTING PLIER




Federal Spec: GGG-P-471a, Type H, Class 1, Style 2

Accurately forged, tempered and ground cutting edges assure long, satisfactory service. Alloy steel, comfortable handles in natural black, with polished heads. Length 6".

- NO. 2106 6" CUTTING PLIER**
STD. PKG. 1. PKG. WT. $\frac{1}{4}$ LB.

RIB JOINT UTILITY PLIER




Federal Spec: GGG-P-471a, Type E, Class 1

A new rugged alloy steel plier. Five positions or grooves provide a wide range of holding and turning operations. Forged rib joint design prohibits slippage under pressure. Length 10".

- NO. 3422 RIB JOINT PLIER**
STD. PKG. 1. PKG. WT. $\frac{3}{4}$ LB.

HEAVY DUTY CUTTING PLIER




Federal Spec: GGG-P-471a, Type H, Class 1, Style 2

Of heavier construction, with cutting edges tempered to cut piano wire, making it popular with mechanics working on manual control wires. Forged alloy steel. Polished head and natural black handles. Length 7 $\frac{1}{4}$ ".

- NO. 2107 HEAVY DUTY CUTTING PLIER**
STD. PKG. 1. PKG. WT. $\frac{1}{2}$ LB.



LINEMAN'S SIDE CUTTING PLIER



Federal Spec: GGG-P-00471b, Type IX, Class 1, Style A

A heavy duty alloy steel plier used primarily in electrical maintenance and wiring. Strong perfectly matched cutting edges. Natural black handles with polished head. Length 8".

- NO. 2124 8" LINEMAN'S PLIER**
STD. PKG. 1. PKG. WT. $\frac{3}{8}$ LB.



BRAKE SPRING PLIERS


Makes an easy job of removing and applying brake springs. Pointed jaw holds in lined shoe while hook draws spring into position. End of one handle has cam which releases spring from anchor post with a simple turning motion. Other handle for replacing springs, is grooved to slip spring over anchor post.

Forged alloy steel. Sturdily built to handle the strongest springs. Brightly chrome plated.


NO. 3427 8 1/2" BRAKE SPRING PLIER
STD. PKG. 3. PKG. WT. 1 1/4 LBS.

NO. 3428 13 1/2" BRAKE SPRING PLIER
STD. PKG. 3. PKG. WT. 3 LBS.

GRIP ALL WRENCH


The one ton test grip of this all purpose wrench can be released with a flick of the finger (note trigger release). Made of alloy steel with heat treated jaws. Securely holds work up to 1 1/4". Length 10".



NO. 3432 GRIP ALL WRENCH
STD. PKG. 1. PKG. WT. 1 1/4 LBS.

BATTERY PLIERS


Federal Spec: GGG-P-471a, Type D

A select steel forged battery plier that meets the demand for a popular priced plier. Teeth are broached clean with sufficient depth for good gripping power on corroded or undersized battery terminal nuts. Chrome plated. Length 8".

NO. 3416 BATTERY PLIER
STD. PKG. 6. PKG. WT. 2 1/4 LBS.

WATER PUMP PLIERS



Federal Spec: GGG-P-471a, Type E, Class 2

A quality chrome alloy steel forged plier that every mechanic will cherish for all around utility. Water pump pattern with 8 adjustments from closed position to opening of 1 5/8". Narrow jaws with comfortable but powerful gripping handles. Polished and richly chrome plated. Length 9 1/4".

NO. 3400 WATER PUMP PLIER
STD. PKG. 6. PKG. WT. 3 1/4 LBS.

A select steel forged plier recognized as the highest standard for dependability and superior value. Narrow jaws with 8 positions from closed to opening of 1 5/8". Extra comfortable handles with outstanding gripping power. Highly polished heads and richly chrome plated. Length 9 1/4".


NO. 3403 WATER PUMP PLIER
STD. PKG. 6. PKG. WT. 3 LBS.

IGNITION TYPE PLIER


Federal Spec: GGG-P-471a, Type E, Class 2

A quality forged chrome alloy steel ignition type plier that is the handiest and strongest made. For fine precision work. Opening to 3/16" from closed position in 4 adjustments. Beautifully polished and chrome plated. Length 5".

NO. 3410 IGNITION TYPE PLIER
STD. PKG. 6. PKG. WT. 1/2 LB.


MIDGET UTILITY PLIER

A heavy gauge chrome alloy steel plier for use on ignition, radio, television, refrigerators, sewing machines and any other work in hard-to-reach places requiring the use of a small plier.


4 adjustments, opening up to 3/16" from a completely closed position. Brightly plated. Each plier already mounted on colored card for display and sale.

NO. 3411 MIDGET UTILITY PLIER
STD. PKG. 6. PKG. WT. 3/4 LB.




TINNERS SNIPS

STRAIGHT PATTERN



CIRCLE PATTERN



Performance is what counts with mechanics who use tin snips. The Indestro series listed here are noted for their thinner cutting edges and handle design that permit smooth clean cuts with strong handle leverage. The **CIRCLE PATTERN** is designed for the professional mechanic for work on intricate patterns and for either a straight cut or cutting right or left hand corners in a small radius. The **STRAIGHT PATTERN** is budget priced and is highly efficient for straight cutting.


Forged special analysis steel, heat treated for long continuous usage. Fully polished jaws with handles in a bright red.

No.	Length	Cutting Edge	Std. Pkg.	Pkg. Wt.
5407	7"	2"	1	1/2 lb.
5410	10"	2 3/4"	1	1 lb.
5412	12 3/4"	3"	1	1 1/2 lbs.


No.	Length	Cutting Edge	Std. Pkg.	Pkg. Wt.
5507	7"	1 1/2"	1	1/2 lb.
5510	10"	2 1/4"	1	1 lb.
5512	12 3/4"	3"	1	1 1/2 lbs.

POWER CUT SNIPS

CUTS LEFT



NO. 5401



NO. 5403—CUTS STRAIGHT

Provides effortless cutting power up to 18 gauge. Blades feature 52 serrations to the inch and are curved to divert the sheared metal. Drop forged.


No.	Size	Length of Cut	Std. Pkg.	Pkg. Wt.
5401—Cuts Left	10"	1 3/8"	1	1 lb.
5402—Cuts Right	10"	1 3/8"	1	1 lb.
5403—Cuts Straight	10"	1 1/2"	1	1 lb.

CUTS RIGHT



NO. 5402

ALL METAL HACKSAW




Rugged all metal frame with knurled metal pistol grip. Adjustable from 8" to 12". Depth of cut 3". This type is especially adaptable to hard service conditions. Brightly plated. Complete with blade.

NO. 9031 ALL METAL HACKSAW

STD. PKG. 1. PKG. WT. 1 1/2 LBS.

DELUXE HACKSAW



This rigid frame hack saw will furnish a lifetime of service. Note these outstanding features:

1. CHROME PLATED highly polished 5/8 inch steel tube
2. UNBREAKABLE die cast comfortable grip handle
3. ADJUSTABLE for 10 inch and 12 inch blades
4. GREASE PROOF, CHIP RESISTANT baked enamel finish on handle
5. Blade can be set to VERTICAL or HORIZONTAL positions.

NO. 9035 DELUXE HACKSAW

STD. PKG. 1. PKG. WT. 1 1/2 LBS.

Hacksaw Blades

High quality hacksaw blades for all around general purpose work. Have 24 teeth per inch. Length 10".

NO. 9012 PACKAGE 1 DOZEN HACKSAW BLADES

STD. PKG. 1. PKG. WT. 1/2 LB.




BALL PEIN HAMMERS

Indestro Super Quality machinist forged ball pein hammers are of the highest quality in material and workmanship. Sell them with the full assurance of complete customer satisfaction. Enjoy steady sales by offering the complete line of popular weights listed below.

Heads are forged of special analysis steel, heat treated and tempered for long life. The balanced heads are smooth and finished in black oxidize, with faces highly polished. Selected first quality hickory handles formed for maximum comfort.

BALL PEIN HAMMERS


No.	Weight	Length	Std. Pkg.	Pkg. Wt.
980-2	2 oz.	9 $\frac{1}{2}$ "	3	$\frac{3}{4}$ lb.
980-4	4 oz.	10 $\frac{1}{2}$ "	3	1 lb.
980-8	8 oz.	11 $\frac{3}{8}$ "	6	4 lbs.
980-12	12 oz.	13 $\frac{1}{8}$ "	3	3 lbs.
980-16	16 oz.	14 $\frac{3}{8}$ "	6	7 $\frac{3}{4}$ lbs.
980-20	20 oz.	15"	3	4 $\frac{1}{2}$ lbs.
980-24	24 oz.	15"	3	5 $\frac{1}{2}$ lbs.
980-32	32 oz.	16 $\frac{1}{8}$ "	3	7 lbs.



HANDLES FOR BALL PEIN HAMMERS

No.	Length	Std. Pkg.	Pkg. Wt.
980-2H	9 $\frac{1}{2}$ "	6	$\frac{1}{2}$ lb.
980-4H	10 $\frac{1}{2}$ "	6	$\frac{3}{4}$ lb.
980-8H	11 $\frac{3}{8}$ "	6	1 lb.
980-12H	13 $\frac{1}{8}$ "	6	1 $\frac{1}{4}$ lbs.
980-16H	14 $\frac{3}{8}$ "	6	1 $\frac{1}{2}$ lbs.
980-20H	15"	6	2 lbs.
980-24H	15"	6	2 lbs.
980-32H	16 $\frac{1}{8}$ "	6	2 $\frac{1}{2}$ lbs.

CARPENTER HAMMERS




CURVED CLAW

A general purpose hammer—drop forged with polished face and back of claw. Black baked enamel finish. Double wedged handle.

NO. 942 CURVED CLAW HAMMER

STD. PKG. 6 PKG. WT. 9 $\frac{1}{4}$ LBS.



STRAIGHT CLAW

Straight claw type is especially designed for ripping. Permits drawing any size nail without bending or broadening nail hole.


NO. 943 STRAIGHT CLAW HAMMER

STD. PKG. 6 PKG. WT. 9 $\frac{1}{4}$ LBS.

NO. 943H HANDLE ONLY, FOR ABOVE CLAW HAMMERS

STD. PKG. 6 PKG. WT. 2 LBS.

PLASTIC HEAD HAMMERS



PLASTIC HEAD HAMMERS

No.	Weight	Head Face Diameters	Length	Std. Pkg.	Pkg. Wt.
983	9 oz.	1 $\frac{1}{4}$ "	10 $\frac{1}{2}$ "	4	2 $\frac{1}{2}$ lbs.
984	16 oz.	1 $\frac{1}{2}$ "	12"	4	4 lbs.



Two popular weights of hammers with tips of tough clear amber plastic. Strong and perfectly balanced, these hammers deliver a blow without damage to machined parts.

No. 983 hammer popular for ignition, distributor, gear, bearing and other work where a light hammer is desirable.

No. 984 hammer particularly useful for fitting piston pins, gears, bearings, etc.


REPLACEMENT HEADS

REPLACEMENT HANDLES

No.	Face Dia.	Std. Pkg.	Pkg. Wt.	No.	Lgth.	Std. Pkg.	Pkg. Wt.
983A	1 $\frac{1}{4}$ "	6	$\frac{1}{4}$ lb.	983H	10"	6	1 lb.
984A	1 $\frac{1}{2}$ "	6	$\frac{1}{2}$ lb.	984H	12"	6	1 $\frac{1}{2}$ lbs.




BUMPING HAMMERS



Two bumping hammers similar in construction but different in weight. Weight difference is in thickness of head. Each drop forged head is 4" long and has two faces, one round 1 1/4" in diameter the other 1 1/4" square. Both faces polished. Sturdy hickory handle.

- NO. 951 BUMPING HAMMER, 10 OZ.**
STD. PKG. 4. PKG. WT. 3 1/4 LBS.
NO. 950 BUMPING HAMMER, 13 OZ.
STD. PKG. 4. PKG. WT. 4 LBS.


NARROW PEIN BUMPING HAMMER



Bumping hammer with narrow pein for small dents, beads, mouldings and sharp corners. Drop forged head has polished face 1 1/4" diameter. Pein is 3/16" thick and 3/4" wide. Overall length of head 5". Hickory handle. Weight 12 oz.

- NO. 947 NARROW PEIN BUMPING HAMMER**
STD. PKG. 3. PKG. WT. 2 1/2 LBS.


DINGING HAMMER



Drop forged dinging hammer for pounding down ridges, etc. Head 6" long with one face round 1 1/4" diameter, the other 1 1/8" square. Both faces highly polished. Balanced hickory handle. Weight 13 oz.

- NO. 952 DINGING HAMMER**
STD. PKG. 4. PKG. WT. 3 1/2 LBS.

LONG DIMPLE DINGING HAMMER



Hammer for dinging up low spots in metal finishing. Forged head has one 1 1/4" diameter face. Pick end 5 3/4" long tapering to 1/32" point. Overall length of head 8". Sturdy hickory handle. Weight 10 oz.

- NO. 946 LONG DIMPLE DINGING HAMMER**
STD. PKG. 3. PKG. WT. 2 1/2 LBS.


DIMPLE DINGING HAMMER



Forged dinging hammer for close quarter work. 4" head has one face 1 1/4" diameter. Pein 5/8" diameter. Polished faces. Hickory handle. Weight 9 oz.

- NO. 949 DIMPLE DINGING HAMMER**
STD. PKG. 4. PKG. WT. 2 1/2 LBS.


MEDIUM DINGING HAMMER



For dinging and driving up low spots. 6" length of forged head allows extra reach where needed. Head face 1 1/4" diameter. Pein 5/8" diameter. Hickory handle. Weight 11 oz.

- NO. 948 MEDIUM DINGING HAMMER**
STD. PKG. 4. PKG. WT. 3 LBS.

FENDER BUMPING HAMMER



Designed for heavy duty work. Has long reach essential for fender bumping. Polished hammer face is 1 1/4" diameter by 1 5/8" long. Drop forged head has overall length of 8 1/2". Hickory handle. Weight 2 lbs.

- NO. 953 FENDER BUMPING HAMMER**
STD. PKG. 4. PKG. WT. 8 1/2 LBS.

AUTO BODY PANEL CUTTER



(Patent No. 2,176,626)

A "must" for all sheet metal work with the famous, patented "Curl-Cut" feature—the cut curls away. Easily guided. Turns in short radius. Projection top prevents slipping thru the panel. Offset for ample clearance. Forged from alloy steel. Plated.

- NO. 162 AUTO BODY PANEL CUTTER—3/8" x 10"**
STD. PKG. 6. PKG. WT. 2 1/4 LBS.



TOE DOLLY




Exceptionally popular with mechanics. Used mainly for flat or low crowned panels. Polished all over. Weight 2¼ lbs.

NO. 955 TOE DOLLY

STD. PKG. 1. PKG. WT. 2¼ LBS.

STREAMLINED DOLLY



Very useful for fenders and high crowned panels. Has polished working faces. Weight 2 lbs.

NO. 965 STREAMLINED DOLLY

STD. PKG. 1. PKG. WT. 2 LBS.

UTILITY DOLLY




One of the most popular dollies in the line. Exceedingly useful because of the many practical working faces. Polished all over. Weight 2¼ lbs.

NO. 956 UTILITY DOLLY

STD. PKG. 1. PKG. WT. 2¼ LBS.

CURVED FLAT SPOON



Needed to spread hammer blows on high spots and for prying up dents that are not easily accessible. Polished face 2" x 6".

NO. 961 CURVED FLAT SPOON

STD. PKG. 1. PKG. WT. 1¼ LBS.

SMALL HAND DOLLY




Very convenient to grip in hand. Has two polished working faces. Good balanced design. Works well on high crowned panels. Weight 1¾ lbs.

NO. 957 SMALL HAND DOLLY

STD. PKG. 1. PKG. WT. 1¾ LBS.

LONG FLAT SPOON



This spoon designed with a long tapering face to fit spaces having limited room. Polished face 4¾" long.

NO. 962 LONG FLAT SPOON

STD. PKG. 1. PKG. WT. 1 LB.

LARGE HAND DOLLY




Used on heavy gauge steel and for roughing out panels. Designed for comfortable hand grip. Two working faces fully polished. Weight 2¾ lbs.

NO. 958 LARGE HAND DOLLY

STD. PKG. 1. PKG. WT. 2¾ LBS.

FENDER SPOON



Short flat type spoon with comfortable balanced handle. Very useful on flanges and corners. Polished working face.

NO. 963 FENDER SPOON

STD. PKG. 1. PKG. WT. ¾ LB.

BEAD DOLLY



A dolly essential for bead and drip moulding repair. Polished working faces. Weight 1¼ lbs.

NO. 959 BEAD DOLLY

STD. PKG. 1. PKG. WT. 1¼ LBS.

HEEL DOLLY



A basic repair tool. This dolly has almost square corners and a round and flat surface for general utility. Polished all over. Weight 2¼ lbs.

NO. 960 HEEL DOLLY

STD. PKG. 1. PKG. WT. 2¼ LBS.

CURVED DOLLY




Convenient for fenders and for reaching into corners. Polished working faces. Weight 2¼ lbs.

NO. 964 CURVED DOLLY

SD. PKG. 1. PKG. WT. 2¼ LBS.

FLANGE TOOL




A flange tool used to snap out dents on fenders and skirt panels. Leather pad prevents damage to finish. End of handle is finished off as a spoon and has polished face. Length 17½".

NO. 976 FLANGE TOOL

STD. PKG. 1. PKG. WT. 2¼ LBS.

FLEXIBLE FILE AND HOLDER



An essential tool for body repair men. Can be made either concave or convex with simple adjustment. Comfortable form fit handle.

NO. 972 14" FLEXIBLE FILE AND HOLDER

STD. PKG. 1. PKG. WT. 2¼ LBS.

NO. 972H ADJUSTABLE HOLDER ONLY

STD. PKG. 1. PKG. WT. 1¼ LBS.

NO. 971F 14" FILE ONLY FOR ABOVE

STD. PKG. 6. PKG. WT. 4½ LBS.



DELUXE BODY AND FENDER SET



Every type of auto body damage can be repaired with the tools included in this set. Forged dinging and bumping hammers and a selection of popular dollies and spoons will save many hours on otherwise difficult jobs. See preceding pages for complete description of tools listed.

CONTENTS


No.	Description	No.	Description	No.	Description
950	Bumping Hammer	957	Small Hand Dolly	961	Curved Flat Spoon
952	Dinging Hammer	958	Large Hand Dolly	962	Long Flat Spoon
953	Fender Hammer	959	Bead Dolly	963	Fender Spoon
955	Toe Dolly	960	Heel Dolly	972	Flexible File and Holder
956	Utility Dolly	964	Curved Dolly	976	Flange Tool
		965	Streamlined Dolly		

NO. 994A 16 PIECE DELUXE BODY AND FENDER SET COMPLETE IN METAL BOX
NO. 995A BODY AND FENDER TOOLS ONLY IN FIBRE BOX
NO. 9946 METAL BOX ONLY—19½" x 8¾" x 8½"

STD. PKG. 1. PKG. WT. 41 LBS.
STD. PKG. 1. PKG. WT. 30 LBS.
STD. PKG. 1. PKG. WT. 12½ LBS.

8 PIECE SET

A foundation set for the professional body and fender repair man. Has eight of the most popular hammers, dollies and spoon in a "tote" tray.



CONTENTS

No.	Description
950	13 oz. Bumping Hammer
952	Dinging Hammer
955	Toe Dolly
956	Utility Dolly
958	Large Hand Dolly
960	Heel Dolly
964	Curved Dolly
961	Curved Flat Spoon

NO. 991 TOTE TRAY FENDER TOOL SET
STD. PKG. 1. PKG. WT. 16 LBS.

NO. 9909 TOTE TRAY, ONLY
STD. PKG. 1. PKG. WT. 2¾ LBS.



TRUCK RIM WRENCHES



Openings $\frac{7}{8}$ " and $1\frac{1}{16}$ " hexagon. Double end truck rim wrench. Fits International, Federal, Mack, Studebaker, Diamond T, and others. Select steel with baked red enamel finish. Length 16".

NO. 449 DOUBLE END TRUCK RIM WRENCH
STD. PKG. 1. PKG. WT. $3\frac{3}{4}$ LBS.

NO. 452

Openings $\frac{7}{8}$ " hex with $\frac{5}{8}$ " square on one end and $1\frac{1}{4}$ " hex on other. Double end truck rim wrench. Fits Chevrolet dual wheels, Mack and many others. Baked red enamel finish. Length 16".

NO. 452 DOUBLE END TRUCK RIM WRENCH
STD. PKG. 1. PKG. WT. $4\frac{1}{4}$ LBS.

NO. 453

Openings $1\frac{1}{8}$ " hex with $\frac{13}{16}$ " square on one end and $1\frac{1}{2}$ " hex on other. Double end truck rim wrench. Fits Ford dual wheels, Dodge and others. Finished in baked red enamel. Length 16".

NO. 453 DOUBLE END TRUCK RIM WRENCH
STD. PKG. 1. PKG. WT. $4\frac{3}{4}$ LBS.

NO. 457

Openings $\frac{7}{8}$ " and $\frac{15}{16}$ " hexagon. Double end truck rim wrench. Fits Chevrolet trucks 1946 and later. $\frac{7}{8}$ " opening for light series trucks and $\frac{15}{16}$ " opening for heavy series trucks. Baked red enamel finish. Length 16".

NO. 457 DOUBLE END TRUCK RIM WRENCH
STD. PKG. 1. PKG. WT. $3\frac{3}{4}$ LBS.



Hexagon cross bar to fit wrenches Nos. 449, 452, 453 and 457. Made of select steel and finished in bright red baked enamel. Length 20".

NO. 447 CROSS BAR
STD. PKG. 1. PKG. WT. $2\frac{3}{4}$ LBS.



Opening $1\frac{3}{16}$ " hexagon. Combination wrench and slide bar. Fits Reo, Federal, G.M.C., and others. Used as cross bar with Nos. 449, 452, 453, 457. Red enamel finish. Length 20".

NO. 448 COMBINATION HANDLE AND RIM WRENCH
STD. PKG. 1. PKG. WT. 3 LBS.

NO. 451

Opening $1\frac{1}{16}$ " hexagon. Combination wrench and slide bar. Fits Fruehauf Trailers and others. Used with Nos. 449, 452, 453, 457 as cross bar. Baked red enamel finish. Length 20"

NO. 451 COMBINATION HANDLE AND RIM WRENCH
STD. PKG. 1. PKG. WT. 3 LBS.

TRUCK RIM WRENCH SETS

Set for Service Stations

One each Nos. 451, 452 and 453. Will fit almost all trucks.

NO. 450 SERVICE STATION SET
STD. PKG. 1. PKG. WT. $12\frac{5}{8}$ LBS.

Set for Chevrolet Trucks

A combination of numbers 447 and 452 giving a Slide Bar as well as a Wrench with openings $\frac{7}{8}$ " and $1\frac{1}{4}$ " hexagon together with $\frac{5}{8}$ " square. For all Chevrolet Dual Wheels.

NO. 450-C SET FOR CHEVROLET TRUCKS
STD. PKG. 1. PKG. WT. $7\frac{1}{4}$ LBS.

Set for Ford Trucks

A combination of numbers 447 and 453 giving a Slide Bar as well as a Wrench with openings $1\frac{1}{8}$ " and $1\frac{1}{2}$ " hexagon together with $\frac{13}{16}$ " square.

NO. 450-F SET FOR FORD TRUCKS
STD. PKG. 1. PKG. WT. $7\frac{1}{4}$ LBS.

Set for International Trucks

A combination of numbers 447 and 449 giving a Slide Bar as well as a Wrench with openings $\frac{7}{8}$ " and $1\frac{1}{16}$ " hexagon.

NO. 450-IN SET FOR INTERNATIONAL TRUCKS
STD. PKG. 1. PKG. WT. $6\frac{1}{2}$ LBS.



TRUCK CROSS RIM WRENCH

A heavy duty truck cross rim wrench with socket sizes to fit most popular trucks. Six openings as follows: $\frac{7}{8}$ ", $1\frac{1}{8}$ ", $1\frac{1}{4}$ ", $1\frac{1}{2}$ " hexagon, $\frac{5}{8}$ " and $\frac{13}{16}$ " square. Forged of select steel, heat treated and finished in baked red enamel. 24" length gives ample leverage to turn even the tightest nuts.

NO. 455 HEAVY DUTY TRUCK CROSS RIM WRENCH
STD. PKG. 1. PKG. WT. $13\frac{1}{2}$ LBS.

CROSS RIM WRENCHES

CHROME ALLOY STEEL

Forged Cross rim wrench 20" long to service cars having deepest fender skirts as well as earlier models. Hexagon openings, sizes $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", and $1\frac{5}{16}$ ". Forged from chrome alloy steel, sockets polished, fully chrome plated.

NO. 446 CROSS RIM WRENCH
STD. PKG. 6. PKG. WT. 24 LBS.

SELECT STEEL CROSS RIM WRENCHES

Popularly priced—sizes $\frac{3}{4}$ " x $\frac{3}{4}$ " x $\frac{13}{16}$ " x $\frac{7}{8}$ ". Plated.

No.	Length	Std. Pkg.	Pkg. Wt.
620	$14\frac{1}{2}$ "	25	61 Lbs.
621	16"	25	66 Lbs.
622	20"	25	78 Lbs.

**FLAT SPOON TYPE TIRE IRON**

A select steel, heat treated, tire iron. Broad blades avoid damage and bruises to tire. Two lengths, for both passenger cars and trucks. Baked red enamel finish.

- NO. 1756 18" FLAT SPOON TYPE TIRE IRON**
STD. PKG. 1. PKG. WT. 2 LBS.
- NO. 1757 23" FLAT SPOON TYPE TIRE IRON**
STD. PKG. 1. PKG. WT. 2¾ LBS.

CURVED SPOON TYPE TIRE IRON

A forged select steel curved tire iron. Heat treated. Can be used in conjunction with above type for maximum efficiency in changing tires. Baked red enamel finish.

- NO. 1758 18" CURVED SPOON TYPE TIRE IRON**
STD. PKG. 1. PKG. WT. 2¼ LBS.
- NO. 1759 23" CURVED SPOON TYPE TIRE IRON**
STD. PKG. 1. PKG. WT. 2¾ LBS.

TIRE RING TOOL

Very desirable for removing or replacing lock rings on various makes of rims. Drop forged from select steel and scientifically heat treated. Baked red enamel finish.

- NO. 1761 15" TIRE RING TOOL**
STD. PKG. 1. PKG. WT. 1½ LBS.
- NO. 1755 20" TIRE RING TOOL**
STD. PKG. 1. PKG. WT. 2 LBS.

RIM AND TIRE TOOL

A tool preferred by many for replacing and removing lock rings. Forged of select steel and heat treated. Finished in baked red enamel. Length 15½".

- NO. 1760 RIM AND TIRE TOOL**
STD. PKG. 1. PKG. WT. 1½ LBS.

WIRE BRUSHES

Stiff wire bristle brushes for rim, tire and general use. Curved handle. Length 14" overall. 6¼" of bristles.


- NO. 851 3 ROW WIRE BRUSH**
STD. PKG. 6. PKG. WT. 2½ LBS.
- NO. 852 4 ROW WIRE BRUSH**
STD. PKG. 6. PKG. WT. 3¼ LBS.

OVERHEAD VALVE TAPPET TOOL

Designed for adjusting tappets on overhead valves while the motor is running. The easy operating spring within the handle permits the blade to follow the up and down motion of the tappet, thus the mechanic's hand can be perfectly free to make the necessary adjustments. The two end prongs at the tip of the blade keep the blade from slipping out of the adjustment slots. Forged chrome alloy steel blade. Heat treated, polished and chrome plated. Shockproof plastic handle.



- NO. 810 OVERHEAD VALVE TAPPET TOOL**
STD. PKG. 6. PKG. WT. 1¼ LBS.

ADVANCING RECIPROCATING VALVE GRINDER

A ball bearing valve grinder designed to give not only a reciprocating but also an advancing action. An evenly controlled pressure can be maintained by inserting the special spring under the valve. A sturdy tool with hardened gears, ball bearing thrust and heavy drawn case finished in an attractive baked yellow enamel. Complete with attachments as illustrated.

- NO. 808 VALVE GRINDER COMPLETE**
STD. PKG. 1. PKG. WT. 1¼ LBS.
- NO. 807 VALVE GRINDING SPRING, ONLY**
STD. PKG. 12. PKG. WT. ¾ LB.
- NO. 805 RUBBER VACUUM CUP, ONLY**
STD. PKG. 12. PKG. WT. ¼ LB.

FORD "V8" VALVE TOOL

A special tool, drop forged from select steel. To be used for compressing Ford "V8" valve springs so that the spring retainer can be easily removed or inserted. Heat treated and heavily plated. Length 20½".


- NO. 2192 FORD "V8" VALVE TOOL**
STD. PKG. 4. PKG. WT. 7¼ LBS.

STARTER AND MANIFOLD WRENCH

Federal Spec.: GGG-W-636a, Type II


A 12 point special shaped wrench designed to reach those hard places around starters, manifolds, etc. where it is not convenient to use other types of wrenches. Heat treated and brightly plated.

- NO. 769 STARTER AND MANIFOLD WRENCH—5/8" x 9/16"**
STD. PKG. 6. PKG. WT. 1¾ LBS.
- NO. 769A CHEVROLET STARTER WRENCH—5/8" x 3/4"**
STD. PKG. 6. PKG. WT. 2½ LBS.


PISTON RING COMPRESSOR


This compressor has a range from 2 1/8" to 5" diameter and a band depth of 2 1/8". Fits practically all cars except those having a ring on the lower skirt. Sturdy L handle make it easily adjustable over full range. Extra heavy spring steel tension band held firmly in place by automatic friction brakes.

- NO. 785 PISTON RING COMPRESSOR**
STD. PKG. 1. PKG. WT. 1/2 LB.
- NO. 785B REPLACEMENT TENSION BAND FOR ABOVE**
STD. PKG. 1. PKG. WT. 1/8 LB.

DELUXE PISTON RING GROOVE CLEANER


Will remove carbon from ring grooves on pistons from two to five inches. Does not chatter, gouge, or climb out of grooves. Compensating spring controls pressure on cutter, while rigid frame prevents side play.

Comes complete with two cutter wheels. No. 792A cutter wheel has four blades—3/32", 1/8", 5/32" and 3/16" wide—for use on older model six and straight eight motors. No. 792B cutter wheel was developed for late model V8 motors. Cutter blades are 5/64", 3/32", 5/32" and 3/16".

- NO. 792 DELUXE PISTON GROOVE CLEANER**
STD. PKG. 1. PKG. WT. 1/2 LB.
- NO. 792A REPLACEMENT CUTTER WHEEL—3/32", 1/8", 5/32", 3/16".**
STD. PKG. 4. PKG. WT. 1/8 LB.
- NO. 792B REPLACEMENT CUTTER WHEEL—5/64", 3/32", 5/32", 3/16".**
STD. PKG. 4. PKG. WT. 1/8 LB.

PISTON RING GROOVE CLEANER


An inexpensive tool for cleaning grooves on practically any size piston. Easy to operate, nothing to adjust. Four cleaning blades made from hardened and tempered steel. Widths 3/32", 1/8", 5/32" and 3/16".

- NO. 2032 PISTON RING GROOVE CLEANER**
STD. PKG. 6. PKG. WT. 2 3/4 LBS.
- NO. 2032B REPLACEMENT BLADE FOR ABOVE**
STD. PKG. 6. PKG. WT. 1/8 LB.

"TWIN BAND" RING COMPRESSOR


Federal Spec.: GGG-C-555, Size 1

A top quality tool with a capacity from 2 1/8" to 5". A 3 1/2" high Compression Band takes all rings at once including skirt ring on Ford, Pontiac, Hudson, etc.

Beaded bottom edge prevents the tool from entering the cylinder. Has self-locking, heavy duty ratchet pawl with hardened teeth. The "Twin Band" eliminates flare out when ring leaves compressor and gives double strength as well as compressing rings tightly.

SPECIAL INSTRUCTIONS—For use on late model Fords and Chevrolets which have a tapered block, turn compressor upside down and tighten up on piston in usual manner. Insert piston and compressor into cylinder still upside down. Slide entire assembly down until compressor is stopped by ridge inside of combustion chamber, then push piston into cylinder.

- NO. 790 PISTON RING COMPRESSOR—2 1/8" to 5" Diameter**
STD. PKG. 1. PKG. WT. 3/4 LB.
- NO. 790B REPLACEMENT TENSION BAND FOR ABOVE, EACH**
STD. PKG. 1. PKG. WT. 1/8 LB.


PISTON RING SKID

Avoid piston ring breakage and reduce installation costs with this handy, yet inexpensive tool. Made of spring steel it is the perfect instrument for assembling the rings on the piston.

Displayed on attractive colored merchandiser for volume sales. See below.

- NO. 161 PISTON RING SKID**
STD. PKG. 12. PKG. WT. 1/4 LB.



- NO. 161-C12 CARD OF 12 PISTON RING SKIDS**
STD. PKG. 1. PKG. WT. 3/8 LB.

CARBON SCRAPER


A husky, efficient tool that offers exceptional utility as well as value. The ten oil tempered steel spring blades are controlled by simple slide to adjust the rigidity. Makes cleaning of cylinder heads, blocks, valve parts, etc., a simple easy job.

- NO. 825 CARBON SCRAPER**
STD. PKG. 6. PKG. WT. 1 1/4 LBS.



STAR NUT BRAKE ADJUSTING TOOLS

To speedily and conveniently adjust Bendix, Huck and other brakes on cars and trucks. Every Service Station, Garage or Mechanic should have these two tools as each has its advantages under certain conditions in clearing obstructions such as springs and body suspensions.

Each tool is notched at both ends to prevent slipping off of star nut. Drop forged from Select Steel for extra strength, the blades are thin but sufficiently wide for good contact. Scientifically hardened. Polished and Chrome plated.



NO. 2161 BRAKE ADJUSTING TOOL—LENGTH 9"
STD. PKG. 6. PKG. WT. 1 1/4 LBS.



NO. 2162 BRAKE ADJUSTING TOOL—LENGTH 6 1/16"
STD. PKG. 6. PKG. WT. 1 LB.


2 PIECE BRAKE LINING SET



Two piece set consisting of anvil and riveting punch only, for use with brake linings that come drilled and countersunk. A handy car owner item.

NO. 822 TWO PIECE BRAKE LINING SET
STD. PKG. 1. PKG. WT. 1/2 LB.


4 PIECE BRAKE LINING SET



Brake lining tool set convenient for the car owner who applies his own brake linings. Consists of anvil, riveting punch, countersink and drill.

NO. 819 BRAKE LINING TOOL SET IN FIBRE BOX
STD. PKG. 1. PKG. WT. 1/2 LB.

BRAKE LINING AND GENERAL RIVETING SET




NO. 824 BRAKE LINING AND GENERAL RIVETING SET
STD. PKG. WT. 1. PKG. 1 LB.

Designed especially to economically reline brakes; this set is a handy and useful tool on many other repair jobs around a household where the use of rivets is made to fasten leather, canvas, plastic and metal objects.

Set includes holding frame, anvil, combination drill and countersink tool, punch for removing rivets and tool for clinching rivets.

Hands are left free for work as frame can be held firmly in a vise. Height overall 3 1/2".

BRAKE SPRING TOOL



This tool simplifies and speeds the removal or replacement of Bendix brake springs. It will work equally well on any spring that is attached to a post.

Use socket end for removing, and hook end for replacing springs.

NO. 3430 BRAKE SPRING TOOL
STD. PKG. 6. PKG. WT. 2 LBS.

FLARE NUT WRENCHES

Straight Pattern




6 Point

Designed especially for use on soft metal nuts, on gas, oil, hydraulic, as well as refrigerant lines on cars, trucks, aircraft and refrigeration units. Openings offset at 10°. Made of chrome alloy steel. Polished and chrome plated. Not Guaranteed.

No.	Size	Std. Pkg.	Pkg. Wt.
★368	3/8" x 7/16"—6 Pt.	6	3/4 lb.
★369	1/2" x 9/16"—6 Pt.	6	1 3/4 lbs.
★370	5/8" x 3/4"—6 Pt.	6	2 1/4 lbs.

*Because of their nature, these items are not guaranteed.

TUBE FLARING TOOL




Will flare tubing sizes 3/16", 1/4", 5/16", 3/8", 7/16", 1/2" and 5/8" dia. right on the job without removing tubing from the unit. Very simple to operate. Bar is clamped around tube, then self-centering yoke slips on from the top. No need to slide yoke in from one end.

Fast action clamping bar designed to operate with only 1/2 turn of wing nuts.

NO. A385 FLARING TOOL
STD. PKG. 1. PKG. WT. 1 1/2 LBS.

TUBE CUTTER—ROLLER JAW TYPE



This popular type Tube Cutter has a capacity from 1/8" to 1" outside diameter on copper, brass and aluminum tubing and is 5 3/4" overall. The two rollers align the tubing perfectly so that cutting wheel is always at right angles to the work and insures precision cutting without distortion and with a minimum burr. The Cutter Wheel is easily replaceable.

NO. 261 TUBE CUTTER—WITH BURR REAMER
STD. PKG. 1. PKG. WT. 3/4 LB.

NO. 261A REPLACEMENT CUTTING WHEEL ONLY
STD. PKG. 6. PKG. WT. 1 OZ.


1/4" SQ. DR. FLEXIBLE DRIVER SET
NO. 2820


The flexible driver, when used with any one of the four adaptors, is one of the handiest tool developments in years. For detailed description of the component parts of this set, No. 2820-1 to No. 2820-5, please read below.

NO. 2820 FLEXIBLE DRIVER SET

STD. PKG. 1 PKG. WT. 3/4 LB.

NO. 2820-1


The flexible driver is 21" in length. The 3 1/2" flexible section permits bending of the tool around obstructions. In addition to the adaptors illustrated, the driver can be used with all 1/4" Sq. Dr. sockets and fittings.

NO. 2820-1 1/4" SQ. DR. FLEXIBLE DRIVER

STD. PKG. 6 PKG. WT. 2 3/8 LBS.

NO. 2820-2


The No. 2820-2 adaptor contains a 1/8" hollow head set screw wrench and is specifically designed, when used with the flexible driver No. 2820-1, to adjust Delco Remy distributors.

NO. 2820-2 1/8" HOLLOW HEAD SET SCREW WRENCH ADAPTOR

STD. PKG. 6 PKG. WT. 1/2 LB.

NO. 2820-3


Carburetor adjusting tool for most late model G.M., Ford, and Chrysler cars. Use with No. 2820-1 flexible driver.

NO. 2820-3 CARBURETOR ADJUSTING ADAPTOR

STD. PKG. 6 PKG. WT. 1/4 LB.

NO. 2820-4


Use this new screw starter adaptor with the flexible driver to reach those difficult locations. Hundreds of uses around the car, in industry, and in the home.

NO. 2820-4 SCREW STARTER ADAPTOR

STD. PKG. 6 PKG. WT. 1/4 LB.

NO. 2820-5


This powerful Alnico magnet, when used with the flexible driver, will retrieve nuts, bolts, screws, tools and small steel parts from "impossible" places. This tool is not only a shop necessity for auto mechanics, but for machinists, radio, TV repairmen and hobbyists as well.

NO. 2820-5 MAGNET ADAPTOR

STD. PKG. 6 PKG. WT. 1/2 LB.

SUPER QUALITY IGNITION FILES


One dozen clean cutting, fine, tungsten ignition files, mounted on a colored card merchandiser. Especially useful for distributor and other electrical contacts.

NO. 174-C12 CARD OF 12 IGNITION FILES

STD. PKG. 1 PKG. WT. 1/4 LB.

FLEXIBLE MECHANICAL FINGER


A most useful tool for retrieving small parts, nuts, bolts and screws where the fingers cannot reach.

NO. 815 FLEXIBLE MECHANICAL FINGER

STD. PKG. 6 PKG. WT. 2 1/2 LBS.




MUFFLER AND TAIL PIPE CUTTERS

The right tool for the job. Offset type pipe splitters will speed removal time of worn-out, corroded mufflers and tail pipes. Patented "Curl-cut" feature forces the cut away so there is no pinching or binding of the tool. Also invaluable for Electricians, Plumbers and Auto Body Repair Men.



(Patent No. 2,176,626)

NO. 163 OFFSET MUFFLER AND TAIL PIPE CUTTER $\frac{1}{2}$ " x $10\frac{1}{4}$ "
STD. PKG. 6. PKG. WT. 3 LBS.



(Patent No. 2,176,626)

NO. 164 HANDLE TYPE OFFSET MUFFLER AND TAIL PIPE CUTTER—HANDLE $7\frac{1}{2}$ "—CUTTER $\frac{1}{2}$ " x 5"
STD. PKG. 6. PKG. WT. $3\frac{3}{4}$ LBS.




(Patent No. 2,176,626)

NO. 165 SHORT, OFFSET MUFFLER, TAIL PIPE AND SHEET METAL CUTTER. $\frac{1}{2}$ " x $7\frac{1}{8}$ "
STD. PKG. 6. PKG. WT. $2\frac{3}{4}$ LBS.


BATTERY AND STARTER WRENCH

A 12 point $\frac{9}{16}$ " and $\frac{5}{8}$ " Box End Wrench, fits practically all battery terminal nuts as well as starters. Forged Select Steel in satin finish with polished heads. Length 6".



NO. 750 BATTERY TERMINAL WRENCH
STD. PKG. 6. PKG. WT. 1 LB.

SUPER QUALITY SAFETY BATTERY LIFTERS



Here is the way to speed up battery service work. The safety locking feature firmly grips the battery post and lessens the possibility of dropping the battery, damaging clothing, etc. Straps are first quality rubberized, acid resistant fabric. Metal locking ends are brightly plated—rust resistant finish.

NO. 133 SHORT TYPE BATTERY LIFTER—LENGTH OVERALL 14"
STD. PKG. 6. PKG. WT. $1\frac{1}{4}$ LBS.

NO. 134 LONG TYPE BATTERY LIFTER—LENGTH OVERALL 22"
STD. PKG. 6. PKG. WT. 2 LBS.

UNIVERSAL MALE DRAIN PLUG WRENCH



The perfect fit provided by the clean square corners on this tool, make it ideal for servicing all popular female type filler and drain plugs on cars and trucks. The combination of sizes in one tool is a real time saver around garage or service station.

NO. 643 UNIVERSAL MALE DRAIN PLUG WRENCH
STD. PKG. 6. PKG. WT. $6\frac{3}{4}$ LBS.


UNIVERSAL FEMALE DRAIN PLUG WRENCH



A drop forged wrench to fit practically all male type plugs in crank cases, transmissions and differentials on cars and trucks. Has five 8 point square openings, sizes $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $1\frac{1}{16}$ ", $\frac{3}{4}$ " and four hexagon openings, sizes $\frac{3}{4}$ ", $1\frac{1}{16}$ ", 1" and $1\frac{1}{8}$ ".

NO. 644 UNIVERSAL FEMALE DRAIN PLUG WRENCH
STD. PKG. 6. PKG. WT. 4 LBS.


FILLER PLUG ADAPTOR



A new $\frac{1}{2}$ " Sq. Dr. $\frac{9}{16}$ " hexagon adaptor to speed the removal of differential filler plugs on certain models of Chrysler automobiles.

NO. 630 FILLER PLUG ADAPTOR
STD. PKG. 6. PKG. WT. $\frac{3}{4}$ LB.

GREASE RAM



The tool used to force grease thru those frozen joints on cars and trucks. Made of high grade steel and hardened to withstand long and hard use.

To use, fill with grease. Next, remove oiler or grease fitting and screw in grease ram. Then strike with hammer. Grease will be forced thru joints that regular hand or pressure guns will not open. Fitted with special nose for Zerk fittings. A tool needed by all garages and service stations. Length $4\frac{1}{2}$ ".

NO. 724 GREASE RAM
STD. PKG. 1. PKG. WT. $\frac{1}{2}$ LB.



These drop forged open end wrenches are of professional quality. Two sizes on each wrench with each size duplicated at a different angle on alternate wrenches.

Excellent for use on small size nuts in close quarters—accurately sized.

Mechanics, servicemen and hobbyists use them every day on ignition and electrical systems, carburetors, radio and television.

Brightly chrome plated with polished heads.

DROP FORGED IGNITION TYPE WRENCHES 15° AND 60° OPENINGS



No.	Openings		Length	Std. Pkg.	Pkg. Wt.
	15°	60°			
891	13/64"	15/64"	3"	6	1/8 lb.
892	15/64"	13/64"	3"	6	1/8 lb.
892A	1/4"	3/16"	3"	6	1/8 lb.
893	7/32"	1/4"	3"	6	1/8 lb.
894	1/4"	7/32"	3"	6	1/8 lb.
895	9/32"	5/16"	3 1/2"	6	1/4 lb.
896	5/16"	9/32"	3 1/2"	6	1/4 lb.
897	11/32"	3/8"	4"	6	1/4 lb.
898	3/8"	11/32"	4"	6	1/4 lb.
899	7/16"	1/2"	4 1/2"	6	1/2 lb.

9 PIECE IGNITION SET



Contains Nos. 891 to 898 inclusive, in plastic kit.

NO. 888 9 PIECE IGNITION SET
STD. PKG. 1 PKG. WT. 1/2 LB.

NO. K4 KIT ONLY

Same as above, except with 7 wrenches, Nos. 891 to 896 inclusive.

NO. 886 7 PIECE IGNITION SET
STD. PKG. 1 PKG. WT. 1/4 LB.

NO. K3 KIT ONLY

11 PIECE IGNITION SET



Set includes wrenches 891 to 898 inclusive, plus #3410—5" chrome alloy plier and #136—4" chrome alloy screw driver in a durable plastic kit.

NO. 890 11 PIECE IGNITION SET
STD. PKG. 1 PKG. WT. 1/2 LB.

NO. K5 KIT ONLY

IGNITION AND HOBBYIST SETS


8 PIECE SET



Set contains 4 drop forged end wrenches, sizes 1/4" x 7/32", 13/64" x 15/64", 5/16" x 9/32" and 11/32" x 3/8". In addition contains a chrome alloy steel midget plier, shockproof midget screw driver, tungsten ignition file, and Swedish steel feeler gauge with blades .012, .015, .018, .020 and .025". Packed in handy attractive enameled box ready for display and sale.

NO. 889 8 PIECE SET IN METAL BOX
STD. PKG. 1 PKG. WT. 1 LB.

4 PIECE SET



A four piece set of forged double end, ignition type wrenches. Wrench sizes 7/32" x 1/4", 13/64" x 15/64", 5/16" x 9/32", and 11/32" x 3/8". Chrome plated, polished heads. In heat sealed plastic kit.

NO. 884PK 4 PIECE SET
STD. PKG. 1 PKG. WT. 1/4 LB.


NO. K139 KIT ONLY

5 PIECE SET

A five piece set, same as above, but with the addition of a chrome alloy steel midget utility plier. In heat sealed plastic kit.

NO. 885PK 5 PIECE SET
STD. PKG. 1 PKG. WT. 3/8 LB.

NO. K140 KIT ONLY



8 PIECE SET



Set contains 4 drop forged end wrenches, size 1/4" x 7/32", 13/64" x 15/64", 5/16" x 9/32" and 11/32" x 3/8". In addition contains a chrome alloy steel midget plier, shockproof midget screw driver, tungsten ignition file, and Swedish steel feeler gauge with blades .012, .015, .018, .020 and .025".

NO. 889PK 8 PIECE SET
STD. PKG. 1 PKG. WT. 1/2 LB.


NO. K141 KIT ONLY



FORGED STEEL WRENCHES

STAMPED STEEL WRENCHES


These self selling merchandising display cards of both forged and stamped wrenches are volume sellers thru Variety, Automotive chain and Hardware stores.



4 PIECE SET

A 4 piece set of forged, double end, ignition type wrenches mounted on a colorful display. 8 different size openings. Made of high quality steel for extra strength and chrome plated with brightly polished heads. Wrench sizes $\frac{7}{32}$ " x $\frac{1}{4}$ ", $\frac{13}{64}$ " x $\frac{5}{16}$ ", $\frac{5}{16}$ " x $\frac{9}{32}$ " and $\frac{11}{32}$ " x $\frac{3}{8}$ ".


NO. 884 4 PIECE IGNITION SET ON CARD
STD. PKG. 6. PKG. WT. $\frac{3}{4}$ LB.



5 PIECE SET

A 5 piece set same as above but with addition of a heavy gauge chrome alloy steel midget utility plier. Just the set to service those small size nuts. Wrenches are forged from a high quality steel and shine brightly with their polished heads and deep rich chrome finish.

NO. 885 5 PIECE IGNITION SET ON CARD
STD. PKG. 6. PKG. WT. $1\frac{1}{4}$ LBS.




7 PIECE SET

A 7 piece set mounted on a colorful, eye arresting display card. Contains: $\frac{1}{4}$ " x $\frac{7}{32}$ ", $\frac{13}{64}$ " x $\frac{5}{16}$ ", $\frac{5}{16}$ " x $\frac{9}{32}$ " and $\frac{11}{32}$ " x $\frac{3}{8}$ " wrenches, one shockproof midget screw driver, tungsten file and Swedish steel feeler gauge, sizes .012, .015, .018, .020 and .025".

NO. 887 7 PIECE IGNITION SET ON CARD
STD. PKG. 6. PKG. WT. $1\frac{1}{4}$ LBS.

3 PIECE SET


A popular set of 3 double end stamped steel end wrenches mounted on attractive display card for counter merchandising. Wrenches are very useful on small size nuts around the car and household. Back of card lists breaker point and spark plug openings for popular cars. Sizes $\frac{7}{32}$ " x $\frac{13}{64}$ ", $\frac{1}{4}$ " x $\frac{1}{4}$ ", $\frac{17}{64}$ " x $\frac{5}{16}$ ".



NO. 120 3 PIECE IGNITION SET ON CARD
STD. PKG. 12. PKG. WT. $1\frac{1}{4}$ LBS.

5 PIECE SET


For servicing ignition systems on cars, power lawn mowers, motor-cycles, motor scooters, etc. 3 wrenches, sizes $\frac{7}{32}$ " x $\frac{13}{64}$ ", $\frac{1}{4}$ " x $\frac{1}{4}$ ", $\frac{17}{64}$ " x $\frac{5}{16}$ ", plus a quality ignition file and thickness gauge .006, .008, .010, .012, .021 and .025". Card has data for proper spacing of ignition points and spark plug settings on popular cars.



NO. 122 5 PIECE IGNITION SET ON CARD
STD. PKG. 12. PKG. WT. $1\frac{1}{4}$ LBS.

6 PIECE SET


Counter display this selected 6 piece tool set and watch sales climb. 3 stamped steel hardened wrenches brightly plated, sizes $\frac{7}{32}$ " x $\frac{13}{64}$ ", $\frac{1}{4}$ " x $\frac{1}{4}$ ", $\frac{17}{64}$ " x $\frac{5}{16}$ " plus a quality ignition file, shockproof amber plastic handle screw driver, blade size $\frac{1}{8}$ " x $1\frac{1}{8}$ " and feeler gauge sizes .006, .008, .010, .012, .021, and .025".



NO. 123 6 PIECE IGNITION SET ON CARD
STD. PKG. 12. PKG. WT. 2 LBS.

MIDGET UTILITY PLIER

A heavy gauge chrome alloy steel plier for use on ignition, radio, television, refrigerators, sewing machines, etc. 4 adjustments, opening up to $\frac{9}{16}$ " from a completely closed position. Brightly plated. Each plier already mounted on colored card for display and sale.



NO. 3411 MIDGET UTILITY PLIER ON CARD
STD. PKG. 6. PKG. WT. $\frac{3}{4}$ LB.

SWEDISH STEEL

Every Indestro feeler gauge is made of the finest grade Swedish Steel famous for a long life of extreme accuracy. Blades are ground to size, hardened, and tempered to withstand hard use without changing in dimension. Each gauge has size clearly marked and can be instantly locked in working position by means of a thumb nut.

Clearances measured by means of feeler gauges are vital to the performance of engines, fuel and ignition systems, brakes and transmissions of cars, trucks, busses, tractors, airplanes, trains and installations using gas or diesel power. Use the right gauge for the job. An Indestro Feeler Gauge will be found ideal for every purpose.



Spark Plug Gauge

The correct way to measure the gap between spark plug electrodes, especially those that have seen service, is with a wire gauge. Accurately spaces gaps worn concave. Wire gauge has bent end for those plugs having recessed electrodes. Has handy electrode bender for setting side electrodes to proper gap. 8 sizes to fit specifications for all modern engines.

Sizes: .022 .025 .028 .030 .032 .035 .038 .040

NO. 208 SPARK PLUG FEELER GAUGE

STD. PKG. 6. PKG. WT. ½ LB.



Standard Feeler Gauge

This Gauge has 10 blades 3¼" long x ½" wide in popular thicknesses for piston ring clearances, valve clearances, brake shoe clearance and distributor breaker point opening.

Sizes: .002 .003 .004 .005 .006 .007 .008 .010 .012 .015

NO. 210 STANDARD FEELER GAUGE

STD. PKG. 6. PKG. WT. ½ LB.


Master Feeler Gauge

The Master Feeler Gauge is a necessity around any automotive repair shop or manufacturing plant. This gauge offers a complete range of sizes from .0015" to .035" with 25 blades 3¼" long x ½" wide. Like all Indestro Super Feeler Gauges, it is equipped with a thumb locking nut.

Sizes: .0015 .004 .007 .010 .013 .016 .022 .028 .032
.002 .005 .008 .011 .014 .018 .024 .030 .035
.003 .006 .009 .012 .015 .020 .025

NO. 225 MASTER FEELER GAUGE

STD. PKG. 6. PKG. WT. 1½ LBS.




Ford Feeler Gauge

A necessity for a mechanic working on Ford cars. Has three bent wire gauges, .025", .028", .035" for spark plug gaps, and two straight wire gauges, .017", .030". Four 3⅝" x ¼" ignition blades .015", .016", .020", .025"; also thirteen step-ground 3⅝" x ½" Go-No-Go blades of the following thicknesses: .010"-.012", .011"-.013", .012"-.014", .013"-.015", .014"-.016", .015"-.017", .016"-.018", .017"-.019", .018"-.020", .019"-.021", .021"-.023", .024"-.026", .025"-.027". Handy spark plug electrode bender included.

NO. 226 FORD FEELER GAUGE

STD. PKG. 6. PKG. WT. 1¾ LBS.




Chevrolet Feeler Gauge

Especially designed for use on Chevrolet cars. Has three bent wire gauges, .032", .035", .040", and four 3⅝" x ¼" ignition blades, .016", .018", .020", .022". Also contains eight 3⅝" x ½" regular blades in the following sizes: .006", .007", .008", .010", .012", .013", .015", .020", and electrode bending tool.

NO. 227 CHEVROLET FEELER GAUGE

STD. PKG. 6. PKG. WT. ¾ LB.



Combination Gauge

A combination gauge for both ignition and tappet work. One end has ten 3" x ½" blades for tappet and valve work—the other has twelve 1¾" x ¼" blades for breaker point, spark plug, carburetors, and other adjustments confined to small working space.

Long Blade sizes


.002", .003", .004", .005", .006", .007", .008", .010", .013", .015".


Short Blade sizes

.011", .012", .013", .014", .015", .016", .017", .018", .019", .020", .022", .025".

NO. 228 COMBINATION GAUGE

STD. PKG. 6. PKG. WT. ¾ LB.





ALL PURPOSE FEELER GAUGES ON DISPLAY CARD

A quality Feeler Gauge in every respect, mounted 12 on attractive three color display merchandiser 15" high x 10½" wide as illustrated. Genuine Swedish Steel is used in the nine Thickness Gauges ranging from .004 to .025 together with 3" Scale making ten Blades in all. Each gauge is in a transparent envelope protecting it from tarnishing. Beside accuracy the outstanding feature of these gauges is the locking nut which holds any blade firmly when in use. Blades as follows:

.004 .006 .008 .010 .012 .013 .015 .018 .025 3" Scale

NO. 166-C12 DISPLAY OF 12 FEELER GAUGES
NO. 166 FEELER GAUGE




STD. PKG. 1. PKG. WT. 1½ LBS.
STD. PKG. 6. PKG. WT. ½ LB


V BELT PULLEYS

DIE CAST

Indestro V Pulleys are made superior in quality and greater in accuracy. That is why Indestro is one of the World's largest manufacturers of V groove pulleys. The metal is of our own specification. Breakdown tests have shown it has greater strength and gives longer service than ordinary die cast metal. Automatic casting machines electrically controlled, exert tremendous pressure to produce uniform density and a close grain. Each pulley is carboly bored for extra accuracy. Pulleys operate with ½" V belts. Sizes up to 6½" diameter operate with ⅜" V belts also.



DIE CAST TYPE




STEEL

Made of select quality heavy gauge sheet steel, the pulleys are safety constructed for operation under heavy continuous service. The hub made of solid steel is locked to the two flanges by a unique design and the flanges are electrically welded producing a pulley of unyielding strength and rigidity. Each pulley has ⅝"—18 thread hollow head set screw installed for fast easy and tight adjustment on shaft. All pulleys ⅝" and ¾" bore over 1½" diameter have standard slotted keyways.

Pulleys are finished in a rustproof durable bright aluminum color and are individually packaged in attractive yellow carton.



STEEL TYPE



When ordering please state bore wanted.

Pulley No.	Dia., In.	Bore, In.	Std. Pkg.	Pkg. Wt.
E340150	1½	½, ⅝	1	1 oz.
E340175	1¾	½, ⅝	1	⅛ lb.
E340200	2	½, ⅝	1	⅛ lb.
E340225	2¼	½, ⅝	1	¼ lb.
E340250	2½	½, ⅝, ¾	1	¼ lb.
E340275	2¾	½, ⅝, ¾	1	¼ lb.
E340300	3	½, ⅝, ¾	1	¼ lb.
E340325	3¼	½, ⅝, ¾	1	½ lb.
E340350	3½	½, ⅝, ¾	1	½ lb.
E340400	4	½, ⅝, ¾	1	¾ lb.
E340450	4½	½, ⅝, ¾	1	¾ lb.
E340500	5	½, ⅝, ¾	1	¾ lb.
E340550	5½	½, ⅝, ¾	1	1 lb.
E340600	6	½, ⅝, ¾	1	1 lb.
E340650	6½	½, ⅝, ¾	1	1½ lbs.

4 STEP V BELT PULLEYS


When ordering please state bore wanted.

Pulley No.	Steps	Dia., In.	Bore, In.	Std. Pkg.	Pkg. Wt.
E341505	4	4, 3¼, 2½, 1¾	½, ⅝, ¾	1	1¼ lbs.
E341506	4	5, 4, 3, 2	½, ⅝, ¾	1	1¾ lbs.

Pulley No.	Dia. In.	Bore, In.	Std. Pkg.	Pkg. Wt.
10151	1½	½	1	⅛ lb.
10152	1½	⅝	1	⅛ lb.
10201	2	½	1	⅜ lb.
10202	2	⅝	1	⅜ lb.
10251	2½	½	1	⅜ lb.
10252	2½	⅝	1	⅜ lb.
10253	2½	¾	1	⅜ lb.
10301	3	½	1	½ lb.
10302	3	⅝	1	½ lb.
10303	3	¾	1	½ lb.
10401	4	½	1	¾ lb.
10402	4	⅝	1	¾ lb.
10403	4	¾	1	¾ lb.
10501	5	½	1	1 lb.
10502	5	⅝	1	1 lb.
10503	5	¾	1	1 lb.
10601	6	½	1	1¼ lbs.
10602	6	⅝	1	1¼ lbs.
10603	6	¾	1	1¼ lbs.
10651	6½	½	1	1½ lbs.
10652	6½	⅝	1	1½ lbs.
10653	6½	¾	1	1½ lbs.
10801	8	½	1	2 lbs.
10802	8	⅝	1	2 lbs.
10803	8	¾	1	2 lbs.



GEAR PULLERS



PARTS LIST

No.	Part	No.	Part
252-1	Body Bar	252-4	Nut
252-2	Screw	252-5	Handle
252-3	Arm	252-6	Rivet


NO. 252 2 1/4" GEAR PULLER
STD. PKG. 1. PKG. WT. 3/4 LB.

LIGHT DUTY TYPE

Two light duty gear pullers offering exceptional utility at low cost. Forged arms are locked in pulling position by a cone operating on the puller screw. Will not tip or slip. Plated.

No. 252 having a maximum spread of 1 7/8" between points will pull a gear 2 1/4" in diameter by 1/2" width of face. Has an effective arm length of 1 3/4".


No. 253 has a maximum spread between points of 2 3/4" and will pull a gear 3 1/2" in diameter by 1 1/8" width of face. Effective arm length 2 1/4".



PARTS LIST

No.	Part	No.	Part
253-1	Body Bar	253-4	Nut
253-2	Screw	253-5	Handle
253-3	Arm	253-6	Rivet


NO. 253 3 1/2" GEAR PULLER
STD. PKG. 1. PKG. WT. 1 1/4 LBS.



HEAVY DUTY TYPE

A real value is offered in these two heavy duty gear pullers. Two and three arm types that can be used for either internal or external pulling.

Drop forged arms have an 8" overall length with three effective length adjustments. 6 1/4" maximum reach. Offset hooks of 1/2" at one end and 1" at the other. Fully chrome plated. Center body is drop forged and finished in baked red enamel. Has three radial adjustments giving a diameter range of from 3" to 6". Quick action adjusting pins are held in place by spring loaded balls. Heavy, hardened, extra long screw has powerful low pitch thread. 7/8" hexagon head can be turned with socket and attachment or wrench.



All parts interchangeable:


See **CONTENTS AND PARTS LIST** below:

NO. 255 2 ARM HEAVY DUTY GEAR PULLER
STD. PKG. 1. PKG. WT. 5 LBS.

NO. 256 3 ARM HEAVY DUTY GEAR PULLER
STD. PKG. 1. PKG. WT. 7 LBS.

UNIVERSAL GEAR PULLER SET HEAVY DUTY TYPE

Set includes the following parts:



The combination of parts of gear pullers No. 255 and No. 256 creates a universal puller set. Utmost adaptability is achieved by interchanging yokes and arms—either a two or three arm puller can be quickly and easily assembled for internal or external pulling.


CONTENTS AND PARTS LIST

No.	Part	Wt. Each
255-1	2 Arm Yoke	2 lbs.
255-2	Arm	1 lb.
255-3	Screw	1 lb.
255-4	Pin	1 oz.
256-1	3 Arm Yoke	3 lbs.

NO. 257 UNIVERSAL GEAR PULLER SET
STD. PKG. 1. PKG. WT. 9 LBS.



UNIVERSAL HUB PULLER



PARTS LIST

No.	Part	Wt. Ea.
248-8	Arm	1 1/4 lbs.
248-9	Drive Handle	1 1/2 lbs.

Three sliding puller arms quickly and easily adjust to fit the hub. The unique design of the arms provide for a straight pull on all size bolt circles up to 8". To prevent damage to the axle or puller screw, the contact end of the screw is fitted with a floating cap which centers on the axle. Chrome alloy steel construction provides ruggedness and durability. Chrome plated.


NO. 248 UNIVERSAL HUB PULLER
STD. PKG. 1. PKG. WT. 10 1/4 LBS.



HUB PULLERS

Two specially designed heavy malleable iron hub pullers. Finished in baked red enamel. Pulling screw is of hardened steel and has a 3/4" hexagon head for easy turning with wrench or socket and fitting.

No. 258 is two arm type for wheels having 4, 6 or 8 studs.
No. 259 is three arm type for wheels having 5 studs.



All parts interchangeable:

See PARTS LIST below

NO. 258 2 ARM HUB PULLER
STD. PKG. 1. PKG. WT. 4 1/4 LBS.

NO. 259 3 ARM HUB PULLER
STD. PKG. 1. PKG. WT. 5 1/4 LBS

UNIVERSAL HUB PULLER SET

Set includes the following parts:



NO. 258-1

NO. 259-1



NO. 258-2



NO. 258-3

Assembly of either a two arm or three arm hub puller is quickly and easily accomplished with this universal hub puller set. Use as a two arm puller on wheels having 4, 6 or 8 studs. Use as a three arm puller on wheels having 5 studs.

CONTENTS AND PARTS LIST

No.	Part	Wt. Each
258-1	2 Arm Yoke	2 1/8 lbs.
258-2	Arm	3/4 lb.
258-3	Screw	1/2 lb.
259-1	3 Arm Yoke	2 lbs.

NO. 260X UNIVERSAL HUB PULLER SET
STD. PKG. 1. PKG. WT. 7 1/4 LBS.

STEERING WHEEL PULLER

Uses any standard cap screw—insert thru puller head to engage part to be pulled. While specifically designed to remove steering wheels on cars and trucks, this tool can also be used as a two or three way puller to remove pulleys, flanges, outboard engine flywheels, etc.



NO. 254 STEERING WHEEL PULLER
STD. PKG. 1. PKG. WT. 1 1/8 LBS.
NO. 254-4 Adaptor for Chrysler, DeSoto and Plymouth
STD. PKG. 2. PKG. WT. 1/8 LB.
NO. 254-5 Adaptor for Buick, 1955-59
STD. PKG. 2. PKG. WT. 1/8 LB.

PARTS LIST

No.	Part	Wt. Each
254-1	Body	3/4 lb.
254-2	Screw	1/4 lb.
254-3	Standard Adaptor	1/8 lb.




METRIC OPEN END WRENCHES

Select Steel—Engineer Type

Chrome Plated


Polished Heads



Needed for the repair or adjustments on foreign cars by car owners and mechanics. These wrenches are drop forged and scientifically heat treated. Clean, accurate broaching of sizes assure exact fit. Openings are at a 15° angle to body permitting turning of nuts or bolts with a swing of only 30°.

No.	Metric Opening	Length MM.	Length In.	Head Thick. MM.	Head Thick. In.	Std. Pkg.	Pkg. Wt.
40607	6 x 7	82.55	3 1/4"	3.57	9/64"	6	1/4 lb.
40809	8 x 9	95.25	3 3/4"	3.97	5/32"	6	3/8 lb.
41011	10 x 11	114.30	4 1/2"	4.76	3/16"	6	1/2 lb.
41213	12 x 13	138.11	5 1/16"	5.16	13/64"	6	7/8 lb.
41415	14 x 15	163.51	6 7/16"	5.95	15/64"	6	1 1/2 lbs.
41617	16 x 17	163.51	6 7/16"	5.95	15/64"	6	1 1/2 lbs.
41819	18 x 19	185.74	7 5/16"	7.14	9/32"	6	2 lbs.
42022	20 x 22	209.55	8 1/4"	7.94	5/16"	6	3 lbs.
42123	21 x 23	228.60	9"	9.53	3/8"	6	4 3/8 lbs.
42426	24 x 26	228.60	9"	9.53	3/8"	6	4 3/8 lbs.

6 PIECE SET



This six piece set contains twelve of the most popular metric openings. Range 8 mm to 19 mm inclusive.


CONTENTS

No.	Size MM.	No.	Size MM.
40809	8 x 9	41415	14 x 15
41011	10 x 11	41617	16 x 17
41213	12 x 13	41819	18 x 19

NO. 941-6MM 6 PC. METRIC OPEN END WRENCH SET

STD. PKG. 6. PKG. WT. 7 LBS.

10 PIECE SET



A complete set of metric open end wrenches in a vinyl plastic kit. Range 6 mm to 26 mm inclusive.

NO. 941-10MM


STD. PKG. 1. PKG. WT. 4 LBS.

NO. K138 KIT ONLY

METRIC SOCKETS

CHROME ALLOY STEEL

1/2" SQUARE DRIVE



12 POINT

CHROME PLATED
FULLY POLISHED

Sockets are hot broached with thin, smooth walls of uniform thickness and perfectly centered. All Indestro sockets have four retaining grooves built into the drive end to quickly lock the socket to the fitting—no fumbling or positioning necessary as with single position locking devices.

Please refer to Pages 8 and 9 for a complete selection of 1/2" square drive handles and fittings.

No.	Metric Opening	Length MM.	Length Inches	Std. Pkg.	Pkg. Wt.
47010	10	38.10	1 1/2"	6	3/4 lb.
47011	11	38.10	1 1/2"	6	3/4 lb.
47012	12	38.10	1 1/2"	6	3/4 lb.
47013	13	38.10	1 1/2"	6	3/4 lb.
47014	14	39.69	1 9/16"	6	3/4 lb.
47015	15	39.69	1 9/16"	6	3/4 lb.
47016	16	39.69	1 9/16"	6	3/4 lb.
47017	17	39.69	1 9/16"	6	3/4 lb.
47018	18	39.69	1 9/16"	6	1 1/4 lbs.
47019	19	39.69	1 9/16"	6	1 1/2 lbs.
47020	20	41.28	1 5/8"	6	1 5/8 lbs.
47021	21	41.28	1 5/8"	6	1 5/8 lbs.
47022	22	42.07	1 21/32"	6	1 7/8 lbs.
47023	23	42.07	1 21/32"	6	1 7/8 lbs.
47024	24	42.07	1 21/32"	6	1 7/8 lbs.
47025	25	42.07	1 21/32"	6	2 1/4 lbs.
47026	26	42.07	1 21/32"	6	2 1/4 lbs.
47027	27	42.07	1 21/32"	6	2 1/2 lbs.
47028	28	42.07	1 21/32"	6	2 1/2 lbs.
47029	29	42.07	1 21/32"	6	2 3/4 lbs.
47030	30	42.07	1 21/32"	6	3 3/8 lbs.
47032	32	42.07	1 21/32"	6	4 lbs.

13 PIECE SET



This tray containing thirteen popular metric sockets provides an ideal method of separation of your metric sizes from inch sizes. Tray can be hooked on edge of tool box or tote tray. Movable handle prevents spilling sockets. Sizes—10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm, 20 mm, 21 mm, 22 mm.

NO. 7880MM

STD. PKG. 1. PKG. WT. 2 3/8 LBS.

NO. 9943 METAL TRAY, ONLY

STD. PKG. 1. PKG. WT. 3/4 LB.

A complete range of 22 metric sockets is available packaged in a carton. Sizes 10 mm thru 32 mm.

NO. 7881MM

STD. PKG. 1. PKG. WT. 6 LBS.

FOR ADDITIONAL COMPLETE METRIC SOCKET SETS, PLEASE SEE PAGES 70 AND 71.



These metric sets in $\frac{1}{4}$ " and $\frac{1}{2}$ " hexagon drive are an outstanding value for the foreign car owner—handy and compact they can be easily carried in the rather limited space provided in the small car.

Made of special analysis select steel and hardened under automatically controlled temperatures. Fully plated.

Especially designed metal cases hold the sockets and handles securely. Cases are finished in baked enamel.

METRIC SETS— $\frac{1}{4}$ " HEXAGON DRIVE

8 Piece Vest Pocket Socket Set




NO. 350MM 8 PIECE SET

CONTENTS

5 mm. 6 Pt. Socket	9 mm. 6 Pt. Socket
6 mm. 6 Pt. Socket	10 mm. 6 Pt. Socket
7 mm. 6 Pt. Socket	11 mm. 6 Pt. Socket
8 mm. 6 Pt. Socket	4" L Handle

STD. PKG. 24. PKG. WT. $7\frac{1}{2}$ LBS.
CASE LOT 96. CASE LOT WT. 30 LBS.

6 Piece "Slip-on" Set



NO. 360MM 6 PIECE SET

CONTENTS


7 mm. 6 Pt. Socket	10 mm. 6 Pt. Socket
8 mm. 6 Pt. Socket	11 mm. 6 Pt. Socket
9 mm. 6 Pt. Socket	7" Spinner Hdle. and Sc. Driver

STD. PKG. 12. PKG. WT. $3\frac{1}{2}$ LBS.
CASE LOT 96. CASE LOT WT. 37 LBS.

METRIC SETS— $\frac{1}{2}$ " HEXAGON DRIVE

The $\frac{1}{2}$ " hexagon drive sets feature a Wall Klip. Tools are held firmly and orderly in place, yet each tool can be easily removed as needed. Two key-slots are provided for quick attachment to the wall.

11 PIECE SET



CONTENTS


12 mm. 12 Pt. Socket	17 mm. 12 Pt. Socket
13 mm. 12 Pt. Socket	18 mm. 12 Pt. Socket
14 mm. 12 Pt. Socket	19 mm. 12 Pt. Socket
15 mm. 12 Pt. Socket	$6\frac{3}{4}$ " Ratchet
16 mm. 12 Pt. Socket	$9\frac{3}{16}$ " L Handle

Screw Driver Adaptor

NO. 1453MM 11 PIECE SET

STD. PKG. 2. PKG. WT. 5 LBS.
CASE LOT 48. CASE LOT WT. 120 LBS.

19 PIECE SET



CONTENTS

$\frac{1}{2}$ " Hexagon Drive	$\frac{1}{4}$ " Hexagon Drive
12 mm. 12 Pt. Socket	5 mm. 6 Pt. Socket
13 mm. 12 Pt. Socket	6 mm. 6 Pt. Socket
14 mm. 12 Pt. Socket	7 mm. 6 Pt. Socket
15 mm. 12 Pt. Socket	8 mm. 6 Pt. Socket
16 mm. 12 Pt. Socket	9 mm. 6 Pt. Socket
17 mm. 12 Pt. Socket	10 mm. 6 Pt. Socket
18 mm. 12 Pt. Socket	11 mm. 6 Pt. Socket
19 mm. 12 Pt. Socket	$4\frac{3}{4}$ " L Handle
$6\frac{3}{4}$ " Ratchet	
$9\frac{3}{16}$ " L Handle	
Screw Driver Adaptor	

NO. 1454MM 19 PIECE SET

STD. PKG. 2. PKG. WT. $5\frac{1}{2}$ LBS.
CASE LOT 48. CASE LOT WT. 132 LBS.

CHROME ALLOY STEEL


Nationally recognized for the finest in sockets, Indestro's craftsmanship is built into each Metric socket set.

These carefully planned Metric socket sets are especially designed for repairs and adjustments on foreign automobiles, motorcycles, bicycles, machinery and appliances.

The component parts of each set are constructed to meet the highest standards of American made hand tools, and to Indestro's rigid manufacturing specifications.

All sockets and fittings are made from chrome alloy steel, highly polished and completely chrome plated. Each set complete with a heavy gauge metal box. *For additional 1/2" square drive fittings, please see Pages 8 and 9.*

12 PIECE SET



A general purpose set containing 10 of the more popular sizes of sockets and swing head handle with cross bar. Furnished complete in metal box.

CONTENTS

No.	Description	No.	Description
47011	11 mm. 12 Pt. Socket	47022	22 mm. 12 Pt. Socket
47012	12 mm. 12 Pt. Socket	47023	23 mm. 12 Pt. Socket
47013	13 mm. 12 Pt. Socket	47024	24 mm. 12 Pt. Socket
47014	14 mm. 12 Pt. Socket	47025	25 mm. 12 Pt. Socket
47017	17 mm. 12 Pt. Socket	3210	9" Cross Bar
47019	19 mm. 12 Pt. Socket	3225	1 1/2" Sw. Hd. Hdle.


NO. 7882-MM 12 PC. METRIC SET IN METAL BOX
STD. PKG. 1. PKG. WT. 5 1/2 LBS.

NO. 9919L BOX, ONLY—12 1/4" X 2 3/4" X 2"
STD. PKG. 1. PKG. WT. 2 LBS.

30 PIECE SET



17 PIECE SET



This popular set contains a longer range of metric sizes and provides greater utility with the addition of a ratchet and extension.

CONTENTS

No.	Description	No.	Description
47011	11 mm. 12 Pt. Socket	47025	25 mm. 12 Pt. Socket
47012	12 mm. 12 Pt. Socket	47026	26 mm. 12 Pt. Socket
47013	13 mm. 12 Pt. Socket	47027	27 mm. 12 Pt. Socket
47014	14 mm. 12 Pt. Socket	47028	28 mm. 12 Pt. Socket
47017	17 mm. 12 Pt. Socket	3216	5 1/2" Extension
47019	19 mm. 12 Pt. Socket	3226	15 1/2" Sw. Hd. Hdle.
47022	22 mm. 12 Pt. Socket	3210	9" Cross Bar
47023	23 mm. 12 Pt. Socket	3277	Reversible Ratchet
47024	24 mm. 12 Pt. Socket		

NO. 7883-MM 17 PC. METRIC SET IN METAL BOX
STD. PKG. 1. PKG. WT. 8 3/8 LBS.

NO. 9926L BOX, ONLY—16 1/4" X 2 3/4" X 2 1/8"
STD. PKG. 1. PKG. WT. 2 LBS.

CONTENTS

No.	Description	No.	Description
47010	10 mm. 12 Pt. Socket	47025	25 mm. 12 Pt. Socket
47011	11 mm. 12 Pt. Socket	47026	26 mm. 12 Pt. Socket
47012	12 mm. 12 Pt. Socket	47027	27 mm. 12 Pt. Socket
47013	13 mm. 12 Pt. Socket	47028	28 mm. 12 Pt. Socket
47014	14 mm. 12 Pt. Socket	47029	29 mm. 12 Pt. Socket
47015	15 mm. 12 Pt. Socket	47030	30 mm. 12 Pt. Socket
47016	16 mm. 12 Pt. Socket	47032	32 mm. 12 Pt. Socket
47017	17 mm. 12 Pt. Socket	3208	1 7/8" Speeder
47018	18 mm. 12 Pt. Socket	3216	5 1/2" Extension
47019	19 mm. 12 Pt. Socket	3211	10" Extension
47020	20 mm. 12 Pt. Socket	3230	2 1/8" Extension
47021	21 mm. 12 Pt. Socket	3210	9" Cross Bar
47022	22 mm. 12 Pt. Socket	3226	15 1/2" Sw. Hd. Hdle.
47023	23 mm. 12 Pt. Socket	3217	Universal Joint
47024	24 mm. 12 Pt. Socket	3277	Reversible Ratchet

NO. 7884-MM 30 PC. METRIC SET IN METAL BOX
STD. PKG. 1. PKG. WT. 20 5/8 LBS.

NO. 9910L BOX, ONLY—19" X 6 5/8" X 6"
STD. PKG. 1. PKG. WT. 8 3/8 LBS.

INDESTRO provides a *powerful* complete MERCHAN-
DISING PROGRAM that really Sells hand tools.

You Can Sell More Because Indestro Gives You More To Sell

The tremendous range of displays, as illustrated, satisfies the demands of the best modern merchandising practices—to offer a Wide Selection of Point of Purchase displays to encourage "Impulse Buying".

Extra "Sales Power" Tool Boards

INDESTRO display panels are furnished without charge when purchased with the assortment of tools listed.


Individual display boards are available in two sizes—Senior models are 19" wide by 31" high, including mouldings—Junior models are 13" wide by 19" high, including mouldings. Boards are attractively finished in yellow with red borders. Information such as tool numbers and sizes are permanently silk screened on the panel. Pressure sensitive pricing stickers are supplied with each panel.

MULTIPLE DISPLAY BOARD ASSEMBLIES

For the most effective arrangement we invite you to use our Multiple Display Service. Diagrammed below are a few of the many assemblies that can be made to meet your requirements. Years of experience have proven that mass or multiple displays SELL hand tools.

Indestro's Merchandising Program

HORIZONTAL ASSEMBLY



To calculate space requirements for any multiple assembly allow 18" width for each Senior display board or 12" width for each Junior display board. The height for both Junior and Senior displays is the same 30". To the width and height of the assembly desired there must be added 1" to cover the space requirement for the molding surrounding the assembly.

You can call upon your Indestro salesman or contact the factory direct regarding your display problems on tools. This service is gladly rendered to you without obligation for our mutual benefit.

Additional "Sales-Aids": A complete reproduction proof catalog of popular items to speed layout work for those who use offset printing.

Newspaper mats, electrotypes, window decals, pocket-size catalogs are also available.




SOCKETS AND FITTINGS


CHROME ALLOY STEEL

JUNIOR DISPLAYS
13" x 31"


NO. 5013B
1/4" SQ. DRIVE



NO. 5010B
3/8" SQ. DRIVE



NO. 5006B
1/2" SQ. DRIVE



Quan.	No.	Description	Quan.	No.	Description	Quan.	No.	Description
6 PT. SOCKETS			12 PT. SOCKETS			12 POINT SOCKETS		
2	2806	5/16"	2	2712	3/8" (6 Point)	2	1214	1/16"
2	2807	7/32"	2	2714	1/2"	2	1216	1/8"
2	2808	1/4"	2	2716	5/8"	2	1218	3/4"
2	2809	5/16"	2	2718	1 1/8"	2	1219	1 1/2"
2	2810	5/8"	2	2720	1 1/2"	2	1220	1 3/4"
2	2811	1 1/8"	2	2722	1 3/4"	2	1222	1 7/8"
2	2812	1 1/4"	2	2724	1 7/8"	2	1224	2"
2	2814	1 1/2"	2	2726	2 1/8"	2	1225	2 1/4"
8 PT. SOCKETS			2	2728	2 3/8"	2	1226	2 1/2"
2	2806S	5/16"				2	1228	2 7/8"
2	2807S	7/32"				2	1230	3"
2	2808S	1/4"				2	1232	3 1/4"
2	2810S	5/16"						
2	2812S	3/8"						
HANDLES AND FITTINGS			6 PT. UNIVERSAL JOINT SOCKETS			2	1234	1 1/8"
2	481	3/4" Female 3/8" Male Adaptor	2	2714UV	1/16"	2	1236	1 3/8"
2	2832	3" Extension	2	2716UV	1/8"	2	1240	1 1/4"
2	2833	6" Extension	2	2718UV	3/8"			
2	2836	Universal Joint				12 POINT DEEP SOCKETS		
2	2850	6" Swing Head Handle	2	2742	1/16"	2	3020	5/8"
2	2869	6" Flexible Extension	2	2743	1/8"	2	3022	1 1/8"
2	2870	4" Flexible Extension	2	2744	3/16"	2	3024	1 1/4"
2	2872	4" Spinner Handle	2	2745	1/2"	2	3026	1 3/4"
2	2873	6" Spinner Handle	2	2746	1 1/8"			
2	2879	7" Spin-Flex Handle	2	2747	1 1/4"	2	3213	HANDLES AND FITTINGS
2	2875	Reversible Ratchet	2	2748	1 3/4"	2	3217	Drag Link Socket
2	4691	5" Pkt. Spk. Test. Screw Driver	2	2730	3"	2	3217	Universal Joint
2	4692	7 3/4" Spark Testing Screw Driver	2	2732	4 1/2"	2	3230	2 1/2" Extension
			2	2733	6"	2	3216	5 1/2" Extension
			2	2734	9"			
IGNITION WRENCHES			2	2735	12"	2	3211	10" Extension
2	891	1 3/4" x 1 5/8"	2	491	3/8" Female, 1/4" Male	2	3206	11" Slide T Handle
2	892	1 5/8" x 1 3/4"	2	482	3/8" Female, 1/2" Male	2	3208	17 3/8" Speeder
2	892A	1 3/4" x 1 3/8"	2	2763	8" Slide T Handle	2	3222H	15 1/2" Swing Head Handle
2	893	1 3/4" x 1 1/4"	2	2781	9" Swing Head Handle			
2	894	1 1/4" x 1 1/2"				2	3223H	18" Swing Head Handle
2	895	1 1/2" x 1 1/4"	2	2785	16 1/2" Speeder	2	3275	Reversible Ratchet
2	896	1 1/2" x 1 1/8"	2	2797	Universal Joint	2	492	1/2" Female, 3/8" Male Adaptor
2	897	1 1/2" x 3/8"	2	2775	Reversible Ratchet			
2	898	3/8" x 1 1/2"						
2	899	1/2" x 1 1/2"						
FEELER GAUGES								
2	166	All Purpose						
2	208	Spark Plug						
2	210	Standard						
2	226	Ford						
2	227	Chevrolet						
2	228	Combination						
2	225	Master						

NO. 5013B 1/4" SQ. DR. DISPLAY
STD. PKG. 1. PKG. WT. 17 LBS.

NO. 5010B 3/8" SQ. DRIVE DISPLAY
STD. PKG. 1. PKG. WT. 22 1/4 LBS.

NO. 5006B 1/2" SQ. DR. DISPLAY
STD. PKG. 1. PKG. WT. 38 3/8 LBS.



JUNIOR DISPLAYS
13" x 31"

TOOLS SELL ON SIGHT
When Properly Displayed!

WALLS



POSTS




ISLANDS



COUNTERS



NO. 5014
3/8" AND 1/2" SQ. DRIVE
DEEP SOCKETS




NO. 5014 DEEP SOCKET DISPLAY
STD. PKG. 1 PKG. WT. 25 3/4 LBS.

CHROME ALLOY STEEL

NO. 5048A
1/2" SQ. DRIVE


Quan.	No.	Description
12 Pt. Sockets		
2	1214	7/16"
2	1216	1 1/8"
2	1218	1 1/4"
2	1220	1 1/2"
2	1222	1 3/4"
2	1224	1 7/8"
2	1226	2"
2	1228	2 1/8"
2	1230	2 1/4"
2	1232	2 1/2"
2	1234	2 3/4"
2	1236	3"
2	1240	3 1/4"
8 Pt. Sockets		
2	1216S	3/4" Sq.—8 Pt.
2	1218S	7/8" Sq.—8 Pt.
2	1220S	1" Sq.—8 Pt.
2	1224S	1 1/4" Sq.—8 Pt.
2	1226S	1 1/2" Sq.—8 Pt.
Handles and Fittings		
2	492	3/4" Female, 3/8" Male Adaptor
2	3230	27 1/2" Extension
2	3216	5 1/2" Extension
2	3211	10" Extension
2	3222H	15 1/2" Swing Head Handle
2	3208	17 5/8" Speeder
2	3217	Universal Joint
2	3275	Reversible Ratchet



NO. 5048A 1/2" SQ. DR. DISPLAY
STD. PKG. 1 PKG. WT. 31 1/2 LBS.

NO. 5011B
3/4" SQ. DRIVE

Quan.	No.	Description
6 Point Deep Sockets		
2	2741H	3/8" Sq. Dr.
2	2742H	7/16"
2	2743H	1/2"
2	2744H	5/8"
2	2745H	3/4"
2	2746H	11/16"
2	2747H	3/4"
2	2748H	15/16"
3	2748HS	1 1/8"
2	2749H	1 1/4"
12 Point Deep Sockets		
2	2742	3/8" Sq. Dr.
2	2743	7/16"
2	2744	1/2"
2	2745	5/8"
2	2746	11/16"
2	2747	3/4"
3	2748	15/16"
2	2749	1 1/8"
12 Point Deep Sockets		
2	3016	3/4" Sq. Dr.
2	3018	7/8"
3	3020	1"
3	3022	1 1/8"
2	3024	3/4"
3	3026	15/16"
3	3026T	15/16"
3	3026HS	15/16"
2	3028	7/8"
2	3030	15/16"
2	3032	1"
12 Pt. Sockets		
1	2228	3/8"
1	2230	15/16"
1	2232	1"
1	2234	1 1/16"
1	2236	1 1/8"
1	2238	1 3/16"
1	2240	1 1/4"
1	2242	1 5/16"
1	2244	1 3/8"
1	2246	1 7/16"
1	2248	1 1/2"
1	2252	1 5/8"
1	2254	1 11/16"
1	2256	1 3/4"
1	2258	1 13/16"
1	2260	1 3/4"
1	2264	2"
HANDLES and FITTINGS		
1	2362	4" Extension
1	2364	8" Extension
1	2365	16" Extension
1	2363	18" Slide T Handle
1	2366	19" Swing Head Handle
1	2339	Reversible Ratchet




NO. 5011B 3/4" SQ. DR. DISPLAY
STD. PKG. 1 PKG. WT. 46 1/2 LBS.



CHROME ALLOY STEEL

NO. 5008A OPEN END WRENCHES



Quan.	No.	Description
Open End Wrenches		
6	1020	1/4" x 5/16"
6	1721	3/8" x 7/16"
6	1723	1/2" x 9/16"
6	1725	3/4" x 1 1/16"
6	1725B	1 1/2" x 9 1/16"
6	1727	9/16" x 5/8"
6	1729	1 1/16" x 1 5/16"
4	1029C	3/4" x 7/8"
3	1731A	1 5/16" x 1"
3	1033C	
Tappet Wrenches		
4	T1A	1/16" x 1/2"
6	T2	3/8" x 1/16"
4	T3	5/8" x 11/16"
4	T4	3/4" x 7/8"

NO. 5008A OPEN END WRENCH DISPLAY
STD. PKG. 1 PKG. WT. 23 LBS.

JUNIOR DISPLAYS 13" x 31"

NO. 5016 COMBINATION WRENCHES




Quan.	No.	Description
3	7675	1/4"
3	7685	5/16"
3	7715	3/8"
6	7725	1/2"
6	7735	1 1/2"
6	7745	9/16"
6	7755	5/8"
4	7765	1 1/16"
4	7775	3/4"
4	777B	1 5/16"
4	778	1 5/8"
3	779	1 5/16"
3	780	1"
2	781	1 1/16"
2	782	1 1/8"
2	783	1 1/4"

NO. 5016 COMBINATION WRENCH DISPLAY
STD. PKG. 1 PKG. WT. 31 1/8 LBS.

NO. 5017 COMBINATION, BOX, OPEN END WRENCHES


Quan.	No.	Description
Combination Wrenches		
3	771	3/8"
3	772	1/2"
3	773	3/4"
3	774	5/8"
3	775	5/8"
3	776	1 1/16"
3	777	3/4"
Long 45° Box Wrenches		
3	730	3/8" x 7/16"
3	731	1/2" x 9/16"
3	731A	5/8" x 11/16"
2	732C	1 1/16" x 1 5/16"
2	733A	3/4" x 7/8"
2	735	1 5/16" x 1"
Open End Wrenches		
6	1723	3/8" x 7/16"
6	1725B	1 1/2" x 9 1/16"
4	1727	9/16" x 5/8"
3	1029C	1 1/16" x 1 5/16"
3	1731A	3/4" x 7/8"
2	1033C	1 5/16" x 1"



NO. 5017 OPEN END, BOX, COMBINATION WRENCH DISPLAY
STD. PKG. 1 PKG. WT. 26 1/4 LBS.

NO. 5009A BOX WRENCHES

Quan.	No.	Description
Long 45° Box Wrenches		
4	730A	7/16" x 1 1/2"
4	731	1 1/2" x 5/8"
4	731A	9/16" x 5/8"
4	732B	5/8" x 3/4"
3	732C	1 1/16" x 1 3/8"
3	733A	3/4" x 7/8"
3	735	1 5/16" x 1"
Short 45° Box Wrenches		
3	741	3/8" x 7/16"
4	742	1/2" x 9/16"
3	743	5/8" x 1 1/16"
Long 15° Box Wrenches		
3	711	3/8" x 7/16"
4	712	1/2" x 9/16"
3	713	5/8" x 1 1/16"
3	714B	1 1/16" x 1 5/16"
3	715	3/4" x 7/8"
Short 15° Box Wrenches		
3	751	3/8" x 7/16"
4	752	1/2" x 9/16"
3	753	5/8" x 1 1/16"



NO. 5009A BOX END WRENCH DISPLAY
STD. PKG. 1 PKG. WT. 28 LBS.


SCREW DRIVERS



JUNIOR DISPLAYS

13" x 31"

NO. 5002A SCREW DRIVERS




Quan.	No.	Description	Quan.	No.	Description
6	136	1/8" x 1 1/8" Pocket Screw Driver	3	4640	CLUTCH HEAD PLASTIC HANDLES
		SQUARE BLADE TYPE	3	4641	5/32" x 4" Blade
6	3702	1/8" x 2"	2	4642	3/16" x 4" Blade
6	3703	1/8" x 3"	3	4649	1/4" x 6" Blade
3	3711 1/2	3/16" x 1 1/2"			5/32" x 1 1/2" Blade
6	3713	3/16" x 3"			PHILLIPS TYPE WOOD HANDLES
6	3714	3/16" x 4"	6	4661	No. 1 Point
6	3716	3/16" x 6"	2	4662	No. 2 Point
3	3721	1/4" x 1 1/4"	2	4663	No. 3 Point
3	3722	1/4" x 2"	6	4668	Stubby No. 1 Point
6	3724	1/4" x 4"	3	4669	Stubby No. 2 Point
6	3726	1/4" x 6"			PHILLIPS TYPE PLASTIC HANDLES
3	3728	1/4" x 8"	6	4681	No. 1 Point
3	3731	5/16" x 1 1/4"	2	4682	No. 2 Point
6	3736	5/16" x 6"	2	4683	No. 3 Point
3	3738	5/16" x 8"	2	4684	No. 4 Point
3	3748	3/8" x 8"	6	4688	Stubby No. 1 Point
			3	4689	Stubby No. 2 Point

NO. 5002A SCREW DRIVER DISPLAY

STD. PKG. 1. PKG. WT. 24 LBS.

CHROME ALLOY STEEL

NO. 5003A PHILLIPS AND CLUTCH HEAD




NO. 5003A PHILLIPS AND CLUTCH HEAD DISPLAY

STD. PKG. 1. PKG. WT. 20 LBS.

NO. 3700

FIVE PIECE SCREWDRIVER DISPLAY



A three color counter merchandiser of five of the most used sizes of screwdrivers.

Quality, exact fit and long life are offered in these Indestro screwdrivers. Exclusive handle design made of Tenite II plastic that is comfortable and beautiful, as well as break-proof and shock-proof. The blade is forged of Chrome Alloy steel, scientifically hardened for extra strength and chrome plated and polished for lasting beauty.

Five piece set, sizes 3/32" x 1 11/16", 1/8" x 3", 3/16" x 4", 1/4" x 6", 5/16" x 8".


NO. 3700 5 PC. SCREW DRIVER DISPLAY

STD. PKG. 1. PKG. WT. 1 1/4 LB.

NO. 5047W

PUNCHES-CHISELS-SCREW DRIVERS

Quan.	No.	Description
2	1940	3/32" x 4 1/2" Pin
2	1941	1/8" x 4 1/2" Pin
2	1942	5/32" x 4 1/2" Pin
2	1943	5/32" x 6" Pin
2	1944	3/16" x 6 1/2" Pin
2	1945	1/4" x 6 1/2" Pin
2	1946	1/4" x 7 1/4" Pin
2	1950	5/32" x 4 1/2" Taper
2	1951	1/8" x 6 1/2" Taper
2	1952	5/16" x 7" Taper
2	1953	7/32" x 7 1/2" Taper
2	1970	4" Center Punch
2	1971	5" Center Punch
2	1900	COLD CHISELS
2	1901	3/8" x 5"
2	1902	1/2" x 5 3/4"
2	1903	5/8" x 6"
2	1904	3/4" x 7"
2	1904	7/8" x 8"
2	1905	1" x 9"
4	136	SCREW DRIVERS
2	4681	1/8" x 1 1/8" #1 Phillips Type
2	4682	#2 Phillips Type
2	3703	1/8" x 3"
2	3713	3/16" x 3"
2	3714	3/16" x 4"
2	3716	3/16" x 6"
2	3724	1/4" x 4"
2	3726	1/4" x 6"
2	3728	1/4" x 8"




NO. 5047W PUNCHES, CHISELS, SCREW DRIVER DISPLAY

STD. PKG. 1. PKG. WT. 23 LBS.




CHROME ALLOY AND SELECT STEEL


NO. 5020 ADJ. AND PIPE WRENCHES



NO. 5015 PLIERS



NO. 5044W PLIERS-ADJ. WR.




Quan.	No.	Description	Quan.	No.	Description	Quan.	No.	Description
		ADJUSTABLE WRENCHES						
2	3585	4"	3	2096A	6" Slip Joint Plier	2	2096A	6" Slip Joint Plier
2	3586	6"	3	2097A	8" Slip Joint Plier	2	2097A	8" Slip Joint Plier
2	3587	8"	3	2098A	10" Slip Joint Plier	2	2098A	10" Slip Joint Plier
2	3588	10"	2	2106	6" Diagonal Cutting Plier	2	2106	6" Diagonal Cutting Plier
2	3589	12"	2	2107	7 1/2" Heavy Duty Diag. Cutting Plier	2	2107	7 1/2" Hvy. Duty Diag. Cut. Plier
2	3590	15"	2	2111	6" Long Nose Cutting Plier	2	2111	6" Long Nose Cutting Plier
		PIPE WRENCHES	2	3403	Water Pump Plier	2	3403	Water Pump Plier
2	3508	8"	2	3410	Ignition Plier	2	3410	Ignition Plier
2	3510	10"	2	3416	Battery Plier	2	3435	5" Utility Plier
2	3514	14"	2	3427	8 1/2" Brake Spring Plier	2	3436	6" Utility Plier
2	3518	18"	2	3428	13 1/2" Brake Spring Plier	2	3438	8" Utility Plier
			3	3435	5" Utility Plier			ADJUSTABLE WRENCHES
			3	3436	6" Utility Plier	2	3585	4"
			3	3438	8" Utility Plier	2	3586	6"
						2	3587	8"
						2	3588	10"
						2	3589	12"

NO. 5020 PIPE AND ADJ. WRENCH DISPLAY
STD. PKG. 1. PKG. WT. 37 3/4 LBS.


NO. 5015 PLIER DISPLAY
STD. PKG. 1. PKG. WT. 26 LBS.

NO. 5044W PLIER AND ADJUSTABLE WRENCH DISPLAY
STD. PKG. 1. PKG. WT. 26 LBS.

NO. 5007A PUNCHES-CHISELS



Quan.	No.	Description	Quan.	No.	Description
		FLAT COLD CHISELS			LONG TAPER PUNCHES
3	1900	3/8" x 5"	3	1950	3/8" x 4 1/2"
3	1901	1/2" x 5 3/4"	3	1951	3/8" x 6 1/2"
3	1902	5/8" x 6"	3	1952	3/8" x 7"
2	1903	3/4" x 7"	2	1953	7/8" x 7 1/2"
2	1904	7/8" x 8"	2	1954	3/4" x 8"
2	1905	1" x 9"	2	1955	9/8" x 11"
					CENTER PUNCHES
3	1910	7/8" x 5"	3	1970	5/16" x 4"
3	1911	5/16" x 6"	3	1971	3/8" x 5"
2	1912	3/8" x 6"			
3	1920	1 1/2" x 5"			NO. 5007A PUNCH AND CHISEL DISPLAY
3	1921	1 1/4" x 6"			STD. PKG. 1. PKG. WT. 29 3/4 LBS.
					NO. 5001 HAMMERS
		DIAMOND POINT CHISELS			
3	1930	5/64" x 5"	Quan.	No.	Description
3	1931	1/8" x 6"			BALL PEIN HAMMERS
			6	980-4	4 oz.
3	1940	3/32" x 4 1/2"	6	980-8	8 oz.
3	1941	1/8" x 4 1/2"	6	980-12	12 oz.
3	1942	5/32" x 4 1/2"	6	980-16	16 oz.
3	1943	5/16" x 6"	6	980-20	20 oz.
		PIN PUNCHES	6	980-24	24 oz.
3	1944	3/16" x 6 1/2"			
3	1945	7/32" x 6 1/2"			NO. 5001 BALL PEIN HAMMER DISPLAY
3	1946	1/4" x 7 1/2"			STD. PKG. 1. PKG. WT. 55 LBS.
3	1947	5/16" x 7 5/8"			






SELECT STEEL


JUNIOR DISPLAYS 13" x 31" NO. 5004B OPEN END WRENCHES

Quan.	No.	Description
		ENGINEER'S WRENCHES
6	P-20	1/4" x 5/16"
12	P-721	5/16" x 3/8"
4	P-21A	11/32" x 13/32"
12	P-723	3/8" x 7/16"
12	P-725	7/16" x 1/2"
12	P-725B	1/2" x 9/16"
6	P-727	9/16" x 5/8"
3	P-27	19/32" x 11/16"
6	P-729	5/8" x 3/4"
6	P-29C	11/16" x 13/16"
6	P-731A	3/4" x 7/8"
4	P-33C	15/16" x 1"



NO. 5012 COMBINATION WRENCHES

Quan.	No.	Description
		COMBINATION WRENCHES
3	1069	1/4"
3	1070	5/16"
3	1071	3/8"
6	1072	7/16"
6	1073	1/2"
6	1074	9/16"
6	1075	5/8"
4	1076	11/16"
4	1077	3/4"
4	1078	13/16"
4	1079	7/8"
3	1080	15/16"
3	1081	1"
2	1082	1 1/16"
2	1083	1 1/8"
2	1084	1 1/4"




NO. 5004B OPEN END WRENCH DISPLAY
STD. PKG. 1. PKG. WT. 27 LBS.

NO. 5012 COMBINATION WRENCH DISPLAY
STD. PKG. 1. PKG. WT. 33 LBS.

NO. 5005A BOX WRENCHES


Quan.	No.	Description
		LONG 45° BOX WRENCHES
4	911	3/8" x 7/16"
6	912	1/2" x 9/16"
6	913	5/8" x 11/16"
4	914	3/4" x 25/32"
4	915	13/16" x 7/8"
4	916	15/16" x 1"
4	917	1 1/16" x 1 1/8"
		SHORT 15° BOX WRENCHES
6	919	1/4" x 5/16"
6	921	3/8" x 7/16"
6	922	1/2" x 9/16"
6	923	5/8" x 11/16"
6	924	3/4" x 25/32"
6	925	13/16" x 7/8"
		SHORT 45° BOX WRENCHES
6	929	1/4" x 5/16"
6	931	3/8" x 7/16"
6	932	1/2" x 9/16"
6	933	5/8" x 11/16"
6	934	3/4" x 25/32"



NO. 5005A BOX WRENCH DISPLAY
STD. PKG. 1. PKG. WT. 37 LBS.

NO. 5046W OPEN END, BOX, COMBINATION WRENCHES

Quan.	No.	Description
		OPEN END WRENCHES
3	P-723	3/8" x 7/16"
3	P-725B	1/2" x 9/16"
3	P-27	19/32" x 11/16"
3	P-729	5/8" x 3/4"
3	P-731B	13/16" x 7/8"
3	P-33C	15/16" x 1"
		COMBINATION WRENCHES
3	1072	7/16"
3	1073	1/2"
3	1074	9/16"
3	1075	5/8"
3	1076	11/16"
3	1077	3/4"
3	1078	13/16"
		45° BOX END WRENCHES
3	911	3/8" x 7/16"
3	912	1/2" x 9/16"
3	913	5/8" x 11/16"
3	914	3/4" x 25/32"
3	915	13/16" x 7/8"
3	916	15/16" x 1"



NO. 5046W OPEN END, BOX, COMB. WRENCH DISPLAY
STD. PKG. 1. PKG. WT. 28 LBS.




KLIPTITE SETS AND PULLEYS

SELECT STEEL


NO. 5018 WALL HANGER KLIP SETS



NO. 5019 KLIPTITE WRENCH DISPLAY



NO. 5045W STEEL PULLEYS



Quan.	No.	Description
		"KLIPTITE" COMB. WRENCH SETS
2	1070-05W*	5 Piece
2	1070-6W*	6 Piece
2	900-5A	5 Piece
2	900-6A	6 Piece
		"KLIPTITE" BOX WR. SETS
2	910-5W*	5 Pc. Long 45° Type
2	910-6W*	6 Pc. Long 45° Type
2	920-4K	4 Pc. Short 15° Type
2	935-4K	4 Pc. Short 45° Type
		"KLIPTITE" OPEN END WRENCH SETS
2	930-5W*	5 Piece
2	930-6W*	6 Piece

*Sets with exclusive Wall Hanger Klip Des. 174919.

NO. 5018 WALL HANGER SET DISPLAY
STD. PKG. 1 PKG. WT. 36 LBS.

Quan.	No.	Description
		COMBINATION WRENCH SETS
2	0900-5A	5 Piece
2	0900-6A	6 Piece
2	01070-05K	5 Piece
2	01070-5K	5 Piece
2	01070-6K	6 Piece
		BOX WRENCH SETS
2	0910-5K	5 Piece
2	0910-6K	6 Piece
2	0920-4K	4 Piece
		OPEN END WR. SETS
2	0930-5P	5 Piece
2	0930-6P	6 Piece

NO. 5019 KLIPTITE WRENCH DISPLAY
STD. PKG. 1 PKG. WT. 36 LBS.

Quan.	No.	Dia.	Bore
2	10151	1 1/2"	1/8"
2	10152	1 1/2"	5/8"
2	10201	2"	1/8"
3	10202	2"	5/8"
2	10251	2 1/2"	1/8"
3	10252	2 1/2"	5/8"
2	10253	2 1/2"	3/4"
2	10301	3"	1/8"
3	10302	3"	5/8"
2	10303	3"	3/4"
2	10401	4"	1/8"
2	10402	4"	5/8"
2	10403	4"	3/4"
2	10501	5"	1/8"
2	10502	5"	5/8"
2	10503	5"	3/4"
1	10601	6"	1/8"
1	10602	6"	5/8"
1	10603	6"	3/4"
1	10651	6 1/2"	1/8"
1	10652	6 1/2"	5/8"
1	10653	6 1/2"	3/4"
1	10801	8"	1/8"
1	10802	8"	5/8"
1	10803	8"	3/4"

NO. 5045W STEEL PULLEY DISPLAY
STD. PKG. 1. PKG. WT. 48 LBS.

NO. 5049W DIE CAST PULLEY DISPLAY
(Not Illustrated—Same as Above)

NO. 5210 STEEL PULLEY MERCHANDISER


A selected assortment of 21 quality built steel pulleys in the most popular sizes and bores.

A Self Service display—each pulley has the diameter and bore size imprinted.

This sturdy and attractive counter display occupies a space only 9 1/2" Square. Height is 23 1/8".

Quan.	No.	Dia.	Bore	Quan.	No.	Dia.	Bore
1	10151	1 1/2"	1/8"	1	10401	4"	1/8"
1	10152	1 1/2"	5/8"	1	10402	4"	5/8"
1	10201	2"	1/8"	1	10403	4"	3/4"
1	10202	2"	5/8"	1	10501	5"	1/8"
1	10251	2 1/2"	1/8"	1	10502	5"	5/8"
1	10252	2 1/2"	5/8"	1	10503	5"	3/4"
1	10253	2 1/2"	3/4"	1	10601	6"	1/8"
1	10301	3"	1/8"	1	10602	6"	5/8"
1	10302	3"	5/8"	1	10603	6"	3/4"
1	10303	3"	3/4"	1	10652	6 1/2"	5/8"
				1	10653	6 1/2"	3/4"


NO. 5210 STEEL PULLEY MERCHANDISER
STD. PKG. 1. PKG. WT. 20 LBS.




NO. 5049W DIE CAST PULLEY DISPLAY
STD. PKG. 1. PKG. WT. 32 LBS.



SENIOR DISPLAYS 19" x 31"
NO. 5060 3/8" SQ. DRIVE



CHROME ALLOY STEEL
NO. 5056B 1/2" SQ. DRIVE



Quan.	No.	Description	Quan.	No.	Description
		12 POINT SOCKETS			6 PT. SOCKETS
2	2714	7/16"	2	1212H	3/8"
2	2716	1/2"	2	1214H	7/16"
2	2718	9/16"	2	1216H	1/2"
2	2720	5/8"	2	1218H	9/16"
			2	1220H	5/8"
2	2722	11/16"	2	1222H	11/16"
2	2724	3/4"	2	1224H	3/4"
2	2726	13/16"	2	1226H	13/16"
2	2728	7/8"	2	1228H	7/8"
		6 POINT SOCKETS	2	1230H	15/16"
2	2708H	1/4"	2	1232H	1"
2	2710H	5/16"	2	1234H	1 1/16"
2	2712H	3/8"	2	1236H	1 1/8"
2	2714H	7/16"	2	1240H	1 1/4"
					12 PT. SOCKETS
2	2716H	1/2"	2	1214	7/16"
2	2718H	9/16"	2	1216	1/2"
2	2720H	5/8"	2	1218	9/16"
2	2722H	11/16"	2	1219	19/32"
2	2724H	3/4"	2	1220	5/8"
2	2726H	13/16"	2	1222	11/16"
2	2728H	7/8"	2	1224	3/4"
2	2748HS	13/16" Plug Holding Deep Socket	2	1225	25/32"
		8 POINT SOCKETS	2	1226	13/16"
2	2712S	3/8"	2	1228	7/8"
2	2714S	7/16"	2	1230	15/16"
2	2716S	1/2"	2	1232	1"
		6 PT. UNIVERSAL JT. SOCKETS	2	1234	1 1/16"
2	2712UV	3/8"	2	1236	1 1/8"
2	2714UV	7/16"	2	1240	1 1/4"
2	2716UV	1/2"			8 PT. SOCKETS
2	2718UV	9/16"	2	1216S	1/2"
			2	1218S	9/16"
2	2720UV	5/8"	2	1220S	5/8"
2	2722UV	11/16"	2	1222S	11/16"
2	2724UV	3/4"	2	1224S	3/4"
		HANDLES AND FITTINGS	2	1226S	13/16"
2	2730	3" Extension	2	618X	6 Pt. Ford Con. Rod Skt.
2	2732	4 1/2" Extension	1	492	1/2" Female, 3/8" Male
2	2733	6" Extension			Adaptor
2	2734	9" Extension	1	483	1/2" Female, 3/4" Male
					Adaptor
2	2735	12" Extension	2	3213	Drag Link Socket
2	491	3/8" Female, 1/4" Male	2	3217	Universal Joint
2	482	3/8" Female, 1/2" Male	2	3230	2 1/16" Extension
2	2785	16 1/2" Speeder	2	3216	5 1/2" Extension
			2	3211	10" Extension
2	2781	9" Swing Head Handle	2	3206	10" Slide T Handle
2	2775	Reversible Ratchet	2	3208	17 5/8" Speeder
2	2763	Slide T Handle	2	3220H	11 1/2" Swing Head Handle
2	2797	Universal Joint	2	3222H	15 1/2" Swing Head Handle
1	8099 3/8	Torque Wrench	2	3223H	18" Swing Head Handle
			2	3275	Reversible Ratchet
			1	8099 1/2 H	Torque Wrench

NO. 5060 3/8" SQ. DR. SOCKET AND FITTING DISPLAY
STD. PKG. 1 PKG. WT. 28 LBS.

NO. 5056B 1/2" SQ. DR. SOCKET AND FITTING DISPLAY
STD. PKG. 1 PKG. WT. 54 LBS.



CHROME ALLOY STEEL


NO. 5057A PUNCHES AND CHISELS




Quan.	No.	Description	Quan.	No.	Description
FLAT COLD CHISELS					
3	1900	$\frac{3}{8}$ " x 5"	3	1950	LONG TAPER PUNCHES
3	1901	$\frac{1}{2}$ " x 5 $\frac{3}{4}$ "	3	1951	$\frac{3}{8}$ " x 4 $\frac{1}{2}$ "
3	1902	$\frac{5}{8}$ " x 6"	3	1952	$\frac{1}{2}$ " x 6 $\frac{1}{2}$ "
2	1903	$\frac{3}{4}$ " x 7"	2	1953	$\frac{5}{8}$ " x 7"
					$\frac{7}{8}$ " x 7 $\frac{1}{2}$ "
2	1904	$\frac{7}{8}$ " x 8"	2	1954	$\frac{1}{4}$ " x 8"
2	1905	1" x 9"	2	1955	$\frac{5}{8}$ " x 11"
CAPE CHISELS					
3	1910	$\frac{1}{2}$ " x 5"	3	1970	CENTER PUNCHES
3	1911	$\frac{5}{8}$ " x 6"	3	1971	$\frac{5}{16}$ " x 4"
2	1912	$\frac{3}{8}$ " x 6"			$\frac{3}{8}$ " x 5"
GOUGE CHISELS					
3	1920	$\frac{1}{2}$ " x 5"	2	1981	PRY BARS
3	1921	$\frac{1}{4}$ " x 6"	2	1982	1" x 16" Jimmy Pry Bar
			2	1988	1 $\frac{1}{2}$ " x 20" Jimmy Pry Bar
					$\frac{5}{8}$ " x 15" Close Quarter Pry Bar
DIAMOND POINT CHISELS					
3	1930	$\frac{5}{64}$ " x 5"	2	1990	LONG DRIFT PUNCHES
3	1931	$\frac{1}{8}$ " x 6"	2	1991	$\frac{3}{4}$ " x 16"
			3	1992	$\frac{1}{2}$ " x 14"
					$\frac{5}{16}$ " x 12"
PIN PUNCHES					
3	1940	$\frac{3}{32}$ " x 4 $\frac{1}{2}$ "	2	1391	SCREW EXTRACTORS
3	1941	$\frac{1}{8}$ " x 4 $\frac{1}{2}$ "	2	1392	$\frac{1}{4}$ "
3	1942	$\frac{5}{32}$ " x 4 $\frac{1}{2}$ "	2	1393	$\frac{5}{16}$ "
3	1943	$\frac{5}{32}$ " x 6"	2	1394	$\frac{3}{8}$ "
			2	1395	$\frac{1}{2}$ "
3	1944	$\frac{3}{16}$ " x 6 $\frac{1}{2}$ "	2	1396	$\frac{5}{8}$ "
3	1945	$\frac{7}{16}$ " x 6 $\frac{1}{2}$ "			
3	1946	$\frac{1}{2}$ " x 7 $\frac{1}{4}$ "			
3	1947	$\frac{5}{16}$ " x 7 $\frac{5}{8}$ "			

NO. 5057A PUNCH AND CHISEL DISPLAY

STD. PKG. 1 PKG. WT. 50 LBS.

NO. 5058B
OPEN END
WRENCHES

Quan.	No.	Description	Quan.	No.	Description
OPEN END WRENCHES					
4	1020	$\frac{1}{4}$ " x $\frac{5}{16}$ "	4	T1A	$\frac{1}{16}$ " x $\frac{1}{2}$ "
4	1721	$\frac{5}{16}$ " x $\frac{3}{8}$ "	4	T2	$\frac{1}{2}$ " x $\frac{1}{2}$ "
4	1723	$\frac{7}{8}$ " x $\frac{1}{2}$ "	4	T3	$\frac{5}{8}$ " x $\frac{1}{2}$ "
6	1725	$\frac{1}{16}$ " x $\frac{1}{2}$ "	4	T4	$\frac{3}{4}$ " x $\frac{1}{2}$ "
			4	T4A	$\frac{3}{4}$ " x $\frac{1}{2}$ "
6	1725B	$\frac{1}{2}$ " x $\frac{9}{16}$ "	2	1821	$\frac{1}{16}$ " x $\frac{1}{2}$ "
4	1727	$\frac{9}{16}$ " x $\frac{5}{8}$ "	2	1823	$\frac{1}{16}$ " x $\frac{1}{2}$ "
4	1729	$\frac{5}{8}$ " x $\frac{3}{4}$ "	3	1825	$\frac{1}{16}$ " x $\frac{1}{2}$ "
4	1029C	$\frac{11}{16}$ " x $\frac{13}{16}$ "	3	1827	$\frac{1}{16}$ " x $\frac{1}{2}$ "
3	1731A	$\frac{3}{4}$ " x $\frac{7}{8}$ "	2	1829	$\frac{5}{8}$ " x $\frac{1}{2}$ "
2	1033C	$\frac{15}{16}$ " x 1"	2	1830	$\frac{1}{16}$ " x $\frac{1}{2}$ "
2	1036B	$\frac{1}{16}$ " x $\frac{1}{2}$ "	2	1831	$\frac{3}{4}$ " x $\frac{1}{2}$ "
2	1037	$\frac{1}{16}$ " x $\frac{1}{2}$ "			

NO. 5058B OPEN END WRENCH DISPLAY
STD. PKG. 1 PKG. WT. 31 LBS.NO. 5059B
BOX END
WRENCHES


Quan.	No.	Description	Quan.	No.	Description
LONG 45° BOX WRENCHES					
3	730	$\frac{3}{8}$ " x $\frac{1}{16}$ "	2	715	$\frac{3}{8}$ " x $\frac{7}{8}$ "
3	730A	$\frac{1}{2}$ " x $\frac{1}{16}$ "	2	716	$\frac{15}{16}$ " x 1"
3	731	$\frac{1}{2}$ " x $\frac{9}{16}$ "	1	717	$\frac{11}{16}$ " x $\frac{1}{2}$ "
3	731A	$\frac{9}{16}$ " x $\frac{5}{8}$ "	1	717A	$\frac{11}{16}$ " x $\frac{1}{2}$ "
3	732B	$\frac{5}{8}$ " x $\frac{3}{4}$ "	SHORT 45° BOX WRENCHES		
2	732C	$\frac{11}{16}$ " x $\frac{13}{16}$ "	2	741	$\frac{3}{8}$ " x $\frac{7}{8}$ "
2	733A	$\frac{3}{4}$ " x $\frac{7}{8}$ "	3	742	$\frac{1}{2}$ " x $\frac{9}{16}$ "
2	735	$\frac{15}{16}$ " x $\frac{1}{2}$ "	2	743	$\frac{5}{8}$ " x $\frac{11}{16}$ "
1	757	$\frac{11}{16}$ " x $\frac{11}{16}$ "	SHORT 15° BOX WRENCHES		
1	758A	$\frac{15}{16}$ " x $\frac{1}{4}$ "	2	751	$\frac{3}{8}$ " x $\frac{7}{8}$ "
			3	752	$\frac{1}{2}$ " x $\frac{9}{16}$ "
LONG 15° BOX WRENCHES					
2	711	$\frac{3}{8}$ " x $\frac{1}{16}$ "	2	753	$\frac{5}{8}$ " x $\frac{11}{16}$ "
2	711A	$\frac{1}{2}$ " x $\frac{1}{16}$ "	ELBOW WRENCHES		
3	712	$\frac{1}{2}$ " x $\frac{9}{16}$ "	2	769	$\frac{5}{8}$ " x $\frac{9}{16}$ "
3	713	$\frac{5}{8}$ " x $\frac{5}{8}$ "	2	769A	$\frac{5}{8}$ " x $\frac{3}{4}$ "
3	713B	$\frac{5}{8}$ " x $\frac{3}{4}$ "			
2	714B	$\frac{15}{16}$ " x $\frac{15}{16}$ "			

NO. 5059B BOX END WRENCH DISPLAY
STD. PKG. 1 PKG. WT. 43 LBS.



SENIOR DISPLAYS

19" x 31"



CHROME ALLOY and SELECT STEEL


NO. 5052A SCREW DRIVERS

Quan.	No.	Description	Quan.	No.	Description
12	136	1/8" x 1 7/8" Pocket Screw Driver	3	3721	1/4" x 1 1/4"
		ROUND BLADE TYPE	3	3722	1/4" x 2"
3	3603	1/8" x 3"	6	3724	1/4" x 4"
6	3614	5/16" x 4"	6	3726	1/4" x 6"
6	3616	5/16" x 6"			
		SQUARE BLADE TYPE	3	3728	1/4" x 8"
3	3702	1/8" x 2"	3	3731	5/16" x 1 1/4"
6	3703	1/8" x 3"	6	3736	5/16" x 6"
3	3711 1/2	5/16" x 1 1/2"	3	3738	5/16" x 8"
6	3713	5/16" x 3"			
			3	3746	3/8" x 6"
6	3714	5/16" x 4"	3	3748	3/8" x 8"
6	3716	5/16" x 6"	2	3749	3/8" x 10"


NO. 5052A SCREW DRIVER DISPLAY

STD. PKG. 1. PKG. WT. 32 LBS.

NO. 5071A PLIERS



NO. 5053A PHILLIPS AND CLUTCH HEAD SCREW DRIVERS



Quan.	No.	Description
		PHILLIPS TYPE WOOD HANDLES
6	4661	No. 1 Point
6	4662	No. 2 Point
3	4663	No. 3 Point
3	4664	No. 4 Point
3	4668	Stubby No. 1 Point
3	4669	Stubby No. 2 Point
		PHILLIPS TYPE PLASTIC HANDLES
6	4681	No. 1 Point
6	4682	No. 2 Point
3	4683	No. 3 Point
3	4684	No. 4 Point
3	4688	Stubby No. 1 Point
3	4689	Stubby No. 2 Point
		CLUTCH HEAD WOOD HANDLES
3	4630	5/32" x 4" Blade
3	4631	5/16" x 4" Blade
3	4632	1/4" x 6" Blade
3	4633	5/16" x 6" Blade
3	4634	3/8" x 6" Blade
3	4639	5/32" x 1 1/2" Blade
		CLUTCH HEAD PLASTIC HANDLES
3	4640	5/32" x 4" Blade
3	4641	5/16" x 4" Blade
3	4642	1/4" x 6" Blade
3	4643	5/16" x 6" Blade
3	4644	3/8" x 6" Blade
3	4649	5/32" x 1 1/2" Blade

NO. 5053A PHILLIPS AND CLUTCH HEAD SCREW DRIVER DISPLAY

STD. PKG. 1. PKG. WT. 33 LBS.

Quan.	No.	Description
2	2096A	6" Slip Joint Plier
2	2097A	8" Slip Joint Plier
2	2098A	10" Slip Joint Plier
2	2106	6" Diagonal Cutting Plier
2	2107	7 1/4" Heavy Duty Diag. Cut. Plier
2	2111	6" Long Nose Cutting Plier
2	3400	Water Pump Plier—Alloy Steel
2	3403	Water Pump Plier—Select Steel
2	3410	Ignition Plier
2	3416	Battery Plier
2	3427	8 1/2" Brake Spring Plier
2	3428	13 1/2" Brake Spring Plier
2	3435	5" Utility Plier
2	3436	6" Utility Plier
2	3438	8" Utility Plier
2	3421	5" Rib Joint Plier
2	3422	10" Rib Joint Plier
2	3430	Bendix Brake Spring Tool
2	2124	8" Linemans Plier
2	3432	10" Grip All Plier

NO. 5071A PLIER DISPLAY


STD. PKG. 1. PKG. WT. 34 1/4 LBS.


SENIOR DISPLAYS
19" x 31"

**NO. 5065A
BODY AND FENDER TOOLS**


Quan.	No.	Description
3	955	Toe Dolly
3	956	Utility Dolly
1	957	Small Hand Dolly
1	958	Large Hand Dolly
1	959	Bead Dolly
3	960	Heel Dolly
1	964	Curved Dolly
1	965	Streamlined Dolly
3	961	Curved Flat Spoon
3	962	Long Flat Spoon
2	963	Fender Spoon
2	972	14" Flexible File and Holder
4	971F	14" Replacement File
1	976	Flange Tool

NO. 5065A BODY AND FENDER TOOL DISPLAY
STD. PKG. 1. PKG. WT. 62 LBS.

**NO. 5066
BODY AND FENDER HAMMER DISPLAY**


Quan.	No.	Description
3	946	Long Dimple Dinging Hammer
2	947	Narrow Pein Bumping Hammer
3	948	Medium Dinging Hammer, 11 oz.
3	949	Dimple Dinging Hammer, 9 oz.
3	952	Dinging Hammer, 13 oz.
2	950	Bumping Hammer, 13 oz.
3	951	Bumping Hammer, 10 oz.
1	953	Fender Bumping Hammer

NO. 5066 BODY AND FENDER HAMMER DISPLAY
STD. PKG. 1. PKG. WT. 29 LBS.

**NO. 5067A
BALL PEIN AND PLASTIC TIP HAMMERS**


Quan.	No.	Description
BALL PEIN HAMMERS		
3	980-2	2 oz.
3	980-4	4 oz.
3	980-8	8 oz.
3	980-12	12 oz.
6	980-16	16 oz.
3	980-20	20 oz.
3	980-24	24 oz.
3	980-32	32 oz.
PLASTIC TIP HAMMERS		
4	983	9 oz.
4	984	16 oz.

NO. 5067A BALL PEIN AND PLASTIC TIP HAMMER DISPLAY
STD. PKG. 1. PKG. WT. 55 LBS.



SENIOR DISPLAYS


19" x 31"

CHROME ALLOY and SELECT STEEL


NO. 5085 SERVICE TOOLS

Quan.	No.	Description	Quan.	No.	Description
2	785	Piston Ring Compressor	2	368	Flare Nut Wrench
2	790	Piston Ring Compressor	2	369	Flare Nut Wrench
2	643	Drain Plug Wrench	2	370	Flare Nut Wrench
2	644	Drain Plug Wrench	2	A385	Flaring Tool
2	792	Ring Groove Cleaner	2	261	Tube Cutter
2	825	Carbon Scraper	2	630	Filler Plug Adaptor
2	2161	Brake Adjusting Tool	2	3585	Adjustable Wrench
2	2162	Brake Adjusting Tool	2	3586	Adjustable Wrench
2	162	Auto Body Panel Cutter	2	3587	Adjustable Wrench
2	163	Muffler-Tail Pipe Cutter	2	3588	Adjustable Wrench
2	164	Muffler-Tail Pipe Cutter	2	3589	Adjustable Wrench
2	165	Muffler-Tail Pipe Cutter	2	3590	Adjustable Wrench


NO. 5085 SERVICE TOOL DISPLAY STD. PKG. 1. PKG. WT. 42¼ LBS.



NO. 5054B OPEN END WRENCHES



NO. 5081A KLIPTITE SETS




Quan.	No.	Description
ENGINEER'S WRENCHES		
6	P20	1¼" x 5/16"
12	P721	5/16" x 3/8"
4	P21A	11/32" x 13/32"
12	P723	3/8" x 7/16"
12	P725	7/16" x 1/2"
12	P725B	1/2" x 9/16"
6	P727	9/16" x 5/8"
3	P27	19/32" x 11/16"
6	P729	5/8" x 3/4"
6	P29C	11/16" x 13/16"
6	P731A	3/4" x 7/8"
4	P33A	7/8" x 15/16"
4	P33C	15/16" x 1"
2	P36B	1 1/16" x 1 1/4"
2	P37	1 1/16" x 1 1/4"
KLIPTITE SETS		
3	930-5P	5 Piece Open End Wr. Set
3	930-6P	6 Piece Open End Wr. Set
3	939-6P	6 Piece Open End Wr. Set

Quan.	No.	Description	Quan.	No.	Description
2	900-5A	5 Pc. Combination Wr. Set	2	935-5K	5 Piece
2	900-6A	6 Pc. Combination Wr. Set	3	930-5P	"KLIPTITE" END WR. SETS
2	910-4K	"KLIPTITE" BOX WR. SETS	2	930-6P	5 Piece
3	910-5K	4 Piece	2	939-6P	6 Piece
2	910-6K	5 Piece	2	1070-5K	"KLIPTITE" COMB. WR. SETS
2	920-3K	6 Piece	2	1070-05K	5 Piece
2	920-4K	3 Piece	2	1070-6K	6 Piece
2	920-5K	4 Piece			
2	935-3K	5 Piece			
2	935-4K	3 Piece			

NO. 5054B OPEN END WRENCH DISPLAY STD. PKG. 1. PKG. WT. 52¼ LBS.


NO. 5081A "KLIPTITE" SET DISPLAY STD. PKG. 1. PKG. WT. 56 LBS.

CHROME ALLOY and SELECT STEEL
SENIOR DISPLAYS
19" x 31"
**NO. 5092
METRIC TOOLS**


Quan.	No.	Description Metric Sizes	Quan.	No.	Description Metric Sizes
OPEN END WRENCHES					
6	40607	6 x 7	2	47015	15
6	40809	8 x 9	2	47016	16
6	41011	10 x 11	2	47017	17
6	41213	12 x 13	2	47018	18
6	41415	14 x 15	2	47019	19
6	41617	16 x 17	2	47020	20
4	41819	18 x 19	2	47021	21
4	42022	20 x 22	2	47022	22
3	42123	21 x 23	2	47023	23
3	42426	24 x 26	2	47024	24
1/2" SQ. DR. SOCKETS					
2	47010	10	2	47027	27
2	47011	11	2	47028	28
2	47012	12	2	47029	29
2	47013	13	2	47030	30
2	47014	14	2	47032	32


NO. 5092 METRIC TOOL DISPLAY

STD. PKG. 1. PKG. WT. 36 LBS.

**NO. 5070
PULLERS**


Quan.	No.	Description
2	252	2 1/4" Gear Puller
2	253	3 1/2" Gear Puller
1	257	Gear Puller Set
1	260X	Hub Puller Set
1	248	Universal Puller
2	254	Steering Wheel Puller

NO. 5070 PULLER DISPLAY
 STD. PKG. 1. PKG. WT. 44 1/2 LBS.

**NO. 5072
SNIPS**



Quan.	No.	Description
2	5401	10" Power Cut (Left)
2	5402	10" Power Cut (Right)
2	5403	10" Power Cut (Straight)
2	5407	7" Straight
2	5410	10" Straight
2	5412	12 3/4" Straight
2	5507	7" Circle
2	5510	10" Circle
2	5512	12 3/4" Circle

NO. 5072 SNIP DISPLAY
 STD. PKG. 1. PKG. WT. 27 1/4 LBS.



SERVATOOL SALESMAKER

6 BOARD DISPLAY



Balanced Stock
of
Demand Tools

Traffic Stopper
Colors
Yellow and Red

SHIPPED COMPLETELY ASSEMBLED

Famous Brand
Nationally Advertised
Guaranteed

This revolving hexagonal display contains 121 types and sizes and affords a diversified tool department in the limited space provided by a counter—28" at base, 36" high.

This display board assortment is flexible—the merchandiser is designed to handle any six 13" x 31" junior panels as illustrated—should tool assortments other than those listed in the above unit be desired, merely, specify one 5252RB, revolving base only, and the specific junior panels you will require. Indestro will build the merchandiser with the junior display boards you prefer.

Quan.	No.	Description
1	5002A*	Screw Driver Display
1	5004B*	Open End Wrench Display
1	5005A*	Box Wrench Display
1	5006B*	1/2" Sq. Dr. Socket and Fitting Display
1	5007A*	Punch and Chisel Display
1	5012*	Combination Wrench Display


*For detailed listing of contents see individual panels illustrated in this catalog.

NO. 5252 SERVATOOL SALESMAKER COMPLETE WITH TOOLS, BOARDS AND REVOLVING BASE
STD. PKG. 1 PKG. WT. 223 LBS.

NO. 5252-RB REVOLVING BASE ONLY. AVAILABLE WITH ANY SELECTION OF SIX JUNIOR BOARDS
STD. PKG. 1 PKG. WT. 33 LBS.

SERVATOOL SALESMAKER

4 BOARD DISPLAY



Rotates at
Finger Touch

Smooth, Noiseless
Ball Bearing Base

Sturdy Wood
Construction

Invites Inspection
and
Impulse Sales

Numbers On Display
Speeds Ordering
and Restocking

Featuring 87 types and sizes, this popular 4 board revolving display is ideal for the dealer who desires maximum coverage with minimum investment. Eight basic groups of tools can be stocked and displayed in a space 24" at base, 36" high.

This Servatool is designed to handle any four 13" x 31" junior panels as illustrated. Should tool assortments, other than those specified, be required, order one 5251RB, revolving base only, along with the junior panels you prefer. We will build the Servatool with the display boards of your preference.

Quan.	No.	Description
1	5044W*	Plier Display
1	5046W*	Open End, Box, Combination Wrench Display
1	5047W*	Punches, Chisels and Screw Driver Display
1	5048A*	1/2" Sq. Dr. Socket and Fitting Display

*For detailed listing of contents see individual panels illustrated in this catalog.

NO. 5251 SERVATOOL SALESMAKER COMPLETE WITH TOOLS, BOARDS AND REVOLVING BASE
STD. PKG. 1 PKG. WT. 133 LBS.

NO. 5251-RB REVOLVING BASE ONLY. AVAILABLE WITH ANY SELECTION OF FOUR JUNIOR BOARDS
STD. PKG. 1 PKG. WT. 24 3/4 LBS.



NRHA
APPROVED
DISPLAYS



SERVATOOLS



Servatool Displays

FOR
PERFORATED BOARD


In keeping with the popularity of perforated board for display purposes, Indestro offers 18 Servatool displays featuring 140 popular tools.

The limited space, balanced stocks, and small investment has made these all-metal units a most attractive and satisfactory method for self-service selling of hand tools. A pricing strip is provided with each display containing the


individual tool number and size for quick easy identification by your customer.

Indestro Servatools while engineered and designed for $\frac{1}{8}$ " or $\frac{1}{4}$ " perforated boards, are universally adaptable. Servatools can be displayed on doors, cabinets, bin ends, etc., by using the Hanger Brackets provided (FREE) with each Servatool.

HANGER ENDS FIT PERFORATED BOARD




HANG ANYWHERE WITH HANGER BRACKET



Simply space the Hanger Bracket to correct width, screw in place, and insert the Hanger End of the SERVATOOL.

Self Selling SERVATOOL FEATURES:

- Sturdy All Metal Displays
- Versatile — Display Anywhere
- Low Investment
- Saves Space — All Displays in an Area Only 42" x 48"
- Pricing Strips furnished complete with tool numbers and description
- Only Most Popular Sizes
- Fast Turnover — No Obsolescence
- Nationally Advertised
- Fully Guaranteed
- Competitively Priced



No. 5313
1/4" SQ. DR. SOCKETS AND FITTINGS

Quan.	No.	Description
2	2832	3" Extension
2	2833	6" Extension
1	2836	Universal Joint
2	2850	6" Swing Head Handle
1	2870	4" Flexible Extension
1	2872	4" Spinner Handle
1	2873	6" Spinner Handle
1	2879	7" Spin Flex Handle
2	2875	Reversible Ratchet
6 PT. SOCKETS		
2	2806	3/16"
2	2807	7/32"
2	2808	1/4"
2	2809	9/32"
2	2810	5/16"
2	2811	11/32"
2	2812	3/8"
2	2814	7/16"
SQUARE SOCKETS		
1	2806S	3/16"
1	2807S	7/32"
1	2808S	1/4"
1	2810S	5/16"
1	2812S	3/8"

STD. PKG. 1 PKG. WT. 4 LBS.

No. 5320
1/2" SQ. DR. DEEP SOCKETS

2	3020	5/8"
2	3022	1 1/16"
2	3024	3/4"
2	3026	13/16"
2	3028	7/8"
2	3030	15/16"
2	3032	1"

STD. PKG. 1 PKG. WT. 7 LBS.

No. 5310
3/8" SQ. DR. SOCKETS AND FITTINGS

Quan.	No.	Description
2	2730	3" Extension
2	2733	6" Extension
2	2735	12" Extension
1	2763	8" Slide T Handle
2	2781	9" Swing Head Handle
2	2785	16 1/2" Speeder
1	2797	Universal Joint
2	2775	Reversible Ratchet
12 PT. SOCKETS		
2	2712	3/8" (6 Point)
2	2714	7/16"
2	2716	1/2"
2	2718	9/16"
2	2720	5/8"
2	2722	11/16"
2	2724	3/4"
2	2726	13/16"
2	2728	7/8"
6 PT. UNIVERSAL JT. SOCKETS		
1	2714UV	7/16" Socket
1	2716UV	1/2" Socket
1	2718UV	9/16" Socket
1	2720UV	5/8" Socket

12 PT. DEEP SOCKETS

1	2742	7/16"
1	2743	1/2"
1	2744	9/16"
1	2745	5/8"
1	2746	11/16"
1	2747	3/4"
1	2748	13/16"

STD. PKG. 1 PKG. WT. 13 3/8 LBS.

No. 5306
1/2" SQ. DR. SOCKETS AND FITTINGS


Quan.	No.	Description
2	3216	5 1/2" Extension
2	3211	10" Extension
2	3222H	15 1/2" Swing Hd. Hdle.
2	3208	17 5/8" Speeder
2	3275	Reversible Ratchet
1	3217	Universal Joint
12 PT. SOCKETS		
2	1214	7/16"
2	1216	1/2"
2	1218	9/16"
2	1220	5/8"
2	1222	11/16"
2	1224	3/4"
2	1226	13/16"
2	1228	7/8"
2	1230	15/16"
2	1232	1"
1	1234	1 1/16"
1	1236	1 1/8"
1	1240	1 1/4"

STD. PKG. 1 PKG. WT. 21 1/2 LBS.

No. 5306-1
A Klip-on unit for quick attachment to No. 5306—1/2" Sq. Dr. Socket and Fitting Display. Contains the following 8 point sockets.

Quan.	No.	Description
2	1216S	1/2"
2	1218S	9/16"
2	1220S	5/8"
2	1224S	3/4"
2	1226S	13/16"

STD. PKG. 1 PKG. WT. 3 1/2 LBS.



No. 5308*
ALLOY OPEN END WRENCHES

Quantity	Number	Description
3	1020	1/4" X 5/16"
3	1723	3/8" X 7/16"
3	1725B	1/2" X 9/16"
3	1027	19/32" X 1 1/16"
3	1729	5/8" X 3/4"
3	1731B	13/16" X 7/8"
3	1033C	15/16" X 1"

*Not illustrated—Same as No. 5304, except Alloy Steel.
STD. PKG. 1 PKG. WT. 7 LBS.

No. 5304
SELECT STEEL OPEN END WRENCHES

Quantity	Number	Description
3	P20	1/4" X 5/16"
3	P723	3/8" X 7/16"
3	P725B	1/2" X 9/16"
3	P27	19/32" X 1 1/16"
3	P729	5/8" X 3/4"
3	P731B	13/16" X 7/8"
3	P33C	15/16" X 1"

STD. PKG. 1 PKG. WT. 7 1/2 LBS.

No. 5309*
ALLOY LONG 45° BOX WRENCHES

Quantity	Number	Description
3	730	3/8" X 7/16"
3	731	1/2" X 9/16"
2	731A	9/16" X 5/8"
2	732C	11/16" X 13/16"
2	733A	3/4" X 7/8"
2	735	15/16" X 1"

*Not illustrated—Same as No. 5305, except Alloy Steel.
STD. PKG. 1 PKG. WT. 7 LBS.

No. 5305
SELECT STEEL LONG 45° BOX WRENCHES

Quantity	Number	Description
3	911	3/8" X 7/16"
3	912	1/2" X 9/16"
2	913	5/8" X 11/16"
2	914	3/4" X 25/32"
2	915	13/16" X 7/8"
2	916	15/16" X 1"

STD. PKG. 1 PKG. WT. 7 1/4 LBS.

No. 5318*
ALLOY COMBINATION WRENCHES

Quantity	Number	Description
3	771	3/8"
3	772	7/16"
3	773	1/2"
3	774	9/16"
3	775	5/8"
3	776	11/16"

*Not illustrated—Same as No. 5312, except Alloy Steel.
STD. PKG. 1 PKG. WT. 5 LBS.

No. 5319*
ALLOY COMBINATION WRENCHES

Quantity	Number	Description
2	777	3/4"
2	777B	13/16"
2	778	7/8"
2	779	15/16"
2	780	1"

*Not illustrated—Same as No. 5314, except Alloy Steel.
STD. PKG. 1 PKG. WT. 5 1/2 LBS.

No. 5312
SELECT STEEL COMBINATION WRENCHES


Quantity	Number	Description
3	1071	3/8"
3	1072	7/16"
3	1073	1/2"
3	1074	9/16"
3	1075	5/8"
3	1076	11/16"

STD. PKG. 1 PKG. WT. 4 1/2 LBS.

No. 5314
SELECT STEEL COMBINATION WRENCHES

Quantity	Number	Description
2	1077	3/4"
2	1078	13/16"
2	1079	7/8"
2	1080	15/16"
2	1081	1"

STD. PKG. 1 PKG. WT. 7 LBS.



No. 5302 SCREWDRIVERS

Quantity	Number	Description
3	3703	1/8" x 3"
3	3713	3/16" x 3"
3	3714	3/16" x 4"
3	3721	1/4" x 2"
3	3724	1/4" x 4"
3	3726	1/4" x 6"
3	3728	1/4" x 8"
3	4681	#1 Phillips
3	4682	#2 Phillips

STD. PKG. 1

PKG. WT. 6 LBS.

No. 5307 SQUARE STOCK PUNCHES AND CHISELS

Quantity	Number	Description
2	1861	1/2" Cold Chisel
2	1861A	9/16" Cold Chisel
2	1862	5/8" Cold Chisel
2	1841	1/8" Pin Punch
2	1844	3/16" Pin Punch
2	1851	1/8" Taper Punch
2	1853	7/32" Taper Punch
2	1854	1/4" Taper Punch
2	1871	Center Punch

STD. PKG. 1

PKG. WT. 5 1/2 LBS.

No. 5315 SLIP JOINT PLIERS

Quantity	Number	Description
3	3435*	5" Utility Plier
3	3436*	6" Utility Plier
3	3438*	8" Utility Plier
3	2096A**	6" Slip Joint Plier
3	2097A**	8" Slip Joint Plier
3	2098A**	10" Slip Joint Plier

*Satin Finish.
**Fully Polished.
STD. PKG. 1

PKG. WT. 11 LBS.

No. 5316 PLIERS

Quantity	Number	Description
2	2106	6" Diagonal
2	2107	7 1/4" Hvy. Duty Diagonal
2	2111	6" Long Nose Cutting Plier
2	3410	Ignition Plier
2	3403	Water Pump Plier

STD. PKG. 1

PKG. WT. 5 LBS.

No. 5317 ADJUSTABLE WRENCHES


Quantity	Number	Description
2	3585	4"
2	3586	6"
2	3587	8"
2	3588	10"
2	3589	12"

STD. PKG. 1

PKG. WT. 7 1/2 LBS.



Factory Suggested Layout FOR 42" x 48" PERFORATED BOARD



The MODERN, COMPACT, BASIC merchandising program, as illustrated, contains the following SERVATOOLS:

Number	Description	Size with Tools		Package Weight
		Width	Length	
5313	1/4" Sq. Dr. Sockets & Fittings	8" x 13"		4 lbs.
5310	3/8" Sq. Dr. Sockets & Fittings	10" x 20"		13 3/8 lbs.
5306	1/2" Sq. Dr. Sockets & Fittings	12" x 23"		21 1/2 lbs.
5306-1	1/2" Sq. Dr. 8 Pt. Sockets	3" x 12"		3 1/2 lbs.
5320	1/2" Sq. Dr. Deep Sockets	6" x 10"		7 lbs.
5304	Open End Wrenches*	11" x 13"		7 1/2 lbs.
5305	Long 45° Box Wrenches*	9" x 17"		7 1/4 lbs.
5312	Combination Wrenches 3/8"-1 1/16"	9" x 10"		4 1/2 lbs.
5314	Combination Wrenches 3/4"-1"	10" x 15"		7 lbs.
5302	Screw Drivers	13" x 13"		6 lbs.
5307	Square Stock Punches and Chisels	11" x 8"		5 1/2 lbs.
5315	Slip Joint Pliers	12" x 10"		11 lbs.
5316	Pliers	10" x 8"		5 lbs.
5317	Adjustable Wrenches	9" x 15"		7 1/2 lbs.
				Total 110 5/8 lbs.

*Alternate Alloy Steel Wrench Displays also available. See Page 89 for listing.

For your convenience, perforated board is available from the factory at factory cost.

No. 5300P—SIZE 48" x 48", STOCK 1/8" PERFORATED BOARD (PAINTED INDESTRO YELLOW)
No. 5300UP—SIZE 48" x 48", STOCK 1/8" PERFORATED BOARD (UNPAINTED)

PKG. WT. 14 LBS.



Servatool Salesmaker

BOOST YOUR SALES

Many tools are sold on Impulse—Display this powerful ALL NEW floor merchandiser and watch your customers SELL themselves.

INCREASE \$ \$ VOLUME

Cash-in on the "Big Ticket" sales by displaying chrome alloy steel socket sets. Over 50% of the socket and fitting volume, measured in dollars, should be accounted for in the sale of socket sets.

6 TOP SELLING SETS—NATIONALLY PROVED

Guaranteed quality, Professional appearance, and National advertising of the famous INDESTRO brand has created universal acceptance of these fast selling sets.


ATTRACTIVE MERCHANDISER

Colorful and eye catching, the display is simple to assemble—merely insert wire hangers into holes provided and attach legs. Occupies only 3½ square feet of floor space—27" wide at base, 62" high.

Part numbers on the panel simplifies restocking. Also, pressure sensitive price stickers are supplied with each unit.

PILFERAGE PROOF—DUSTPROOF

Individual clear plastic covers are provided for each of the sets included with the display to keep them "factory fresh". Each cover is identified by the socket set number.



Indestro set No. 7805
is illustrated with
PILFERAGE AND
DUSTPROOF COVER.

REAR VIEW



PLEASE SEE PAGE 93

ILLUSTRATING ADDITIONAL DISPLAY

SUGGESTIONS FOR THE PERFORATED

BOARD SECTION.

FRONT VIEW



The following chrome alloy steel socket sets are included with this display:

Quantity	Number	Description
1	7600	11 PC. ¼" Sq. Dr. Socket Set
1	7705	14 PC. ⅜" Sq. Dr. Socket Set
1	7803	12 PC. ½" Sq. Dr. Socket Set
1	7805	17 PC. ½" Sq. Dr. Socket Set
1	7806	18 PC. ½" Sq. Dr. Socket Set
1	7811	30 PC. ½" Sq. Dr. Socket Set

No. 5212 SERVATOOL SALESMAKER COMPLETE WITH SETS

No. 5212ST—SERVATOOL SALESMAKER DISPLAY STAND ONLY

STD. PKG. 1 PKG. WT. 96 LBS.

STD. PKG. 1. PKG. WT. 42 LBS.



The NEW INDESTRO *Servatool* is shipped complete with a perforated board back for

X-TRA ADDED UTILITY

INDESTRO offers a wide variety of tool displays and individual tool kits that have been especially adapted for display on a perforated board.


For your guidance, and as Suggestions Only, we are listing, and illustrating, below a few of the socket and wrench numbers that can be effectively displayed on the perforated board portion.

DISPLAY SUGGESTION (As Illustrated)


Number	Description
5306	1/2" Sq. Dr. Sockets and Fittings
5306-1	1/2" Sq. Dr. 8 Pt. Sockets
5304	Open End Wrenches
5305	Long 45° Box Wrenches
5312	Combination Wrenches
5314	Combination Wrenches
5320	1/2" Sq. Dr. Deep Sockets

MORE DISPLAY IDEAS

Number	Description
T59	4 PC. Tappet Wrench Set in Plastic Pouch
740-6PK	6 PC. Box Wrench Set in Plastic Pouch
770-6PK	6 PC. Combination Wrench Set in Plastic Pouch
1806PK	6 PC. Obstruction Wrench Set in Plastic Pouch
10006PK	6 PC. Open End Wrench Set in Plastic Pouch
910-5W	5 PC. Box Wrench Set with Wall Hanger Klip
910-6W	6 PC. Box Wrench Set with Wall Hanger Klip
930-5W	5 PC. Open End Wrench Set with Wall Hanger Klip
930-6W	6 PC. Open End Wrench Set with Wall Hanger Klip
1070-05W	5 PC. Combination Wrench Set with Wall Hanger Klip
1070-06W	6 PC. Combination Wrench Set with Wall Hanger Klip
1070-6W	6 PC. Combination Wrench Set with Wall Hanger Klip
1060	11 PC. Combination Wrench Set in Plastic Kit
1064	7 PC. Combination Wrench Set in Plastic Kit
1065	8 PC. Combination Wrench Set in Plastic Kit
1067	14 PC. Combination Wrench Set in Plastic Kit
1068	14 PC. Combination Wrench Set in Plastic Kit
1453	11 PC. Hex. Dr. Socket Set with Wall Hanger
1454	19 PC. Hex. Dr. Socket Set with Wall Hanger



WALL DISPLAY



No. 5212WR—6 WIRE HANGERS AND 6 PLASTIC COVERS

STD. PKG. 1 PKG. WT. 4 LBS.



Adaptors, Reducing, Increasing.....	2, 4, 9, 18	Adjustable Wrenches.....	26	Auto Body Panel Cutter.....	54
Battery Plier.....	51	Battery Lifting Straps.....	62	Battery Wrench.....	62
Body and Fender Tools.....	54, 55, 56	Box Wrenches:		45° Pattern, Long and Short.....	24, 32, 33, 34
15° Pattern, Long.....	24	Short.....	24, 32	Ratcheting.....	34
Starter and Manifold.....	58	Brake Adjusting Tools.....	60	Brake Lining Tools.....	60
Brake Spring Pliers.....	51	Brushes, Wire.....	58	Carbon Scraper.....	59
Carburetor Adjusting Tool.....	61	Chisels.....	46, 47, 48, 49	Chrysler Differential Filler Plug Tool.....	62
Clutch Head Screw Drivers.....	44	Combination Wrenches.....	25, 35, 36, 37	Compressors, Piston Ring.....	59
Connecting Rod Socket.....	9	Counter Displays.....	79, 86	Cross Rim Wrenches.....	57
Cutters, Muffler, Tail Pipe, Body, Sheet Metal, Tubing.....	54, 60, 62	Cutting Pliers.....	50	Display Panels.....	72 thru 93
Distributor Adjusting Tool.....	61	Dolly Blocks.....	55	Drag Link Socket.....	9
Drain Plug Wrenches.....	62	Extractors, Screw.....	47	Feeler Gauges.....	65, 66
Fender Tools.....	54, 55, 56	File and Holder, Body and Fender.....	55	File, Ignition.....	61
Finger, Flex Mechanical.....	61	Flare Nut Wrenches.....	60	Flaring Tool.....	60
Flexible Driver, 1/4" Square Drive.....	61	Floor Display.....	92	Gauges, Feeler.....	65, 66
Guarantee.....	1	Gear Pullers.....	67	Grease Service Tools.....	62
Hacksaws and Blades.....	52	Handles and Attachments:		1/4" Square Drive.....	2, 3, 61
3/8" Square Drive.....	4, 5	1/2" Square Drive.....	8, 9	3/4" Square Drive.....	18
Hammers:		Ball Pein.....	53	Body and Fender.....	54
Carpenter's.....	53	Plastic Faced.....	53	Hammer Handles:	
Ball Pein.....	53	Plastic Faced.....	53	Hexagon Drive Socket Sets.....	38, 39, 40, 41, 42
Hollow Head Set Screw Wrenches.....	28, 29	Homeowners Set.....	42	Hub Pullers.....	68
Ignition Point Files.....	61	Ignition Pliers.....	50, 51	Ignition Sets.....	63, 64
Ignition Wrenches.....	23, 63, 64	Lubrication Tools.....	62	Magnetic Adaptor.....	61
Manifold Wrenches.....	58	Merchandisers.....	28, 29, 45, 61, 64, 66, 72 thru 93	Metal Snips.....	52
Metric Tools.....	69, 70, 71	Muffler and Tailpipe Cutters.....	62	Open End Wrenches.....	22, 30, 31
Ignition Wrenches.....	23, 63, 64	Obstruction Wrenches.....	23	Stamped Steel Ignition Wrenches.....	64
Tappet Wrenches.....	23	Offset Screw Drivers, Phillips and Regular.....	43, 44	Perforated Board Displays.....	87 thru 93
Phillips Type Screwdrivers.....	44	Pickup Tools.....	61	Pipe Wrenches.....	26
Piston Ring Tools.....	59	Pliers:		Battery.....	51
Brake Spring.....	51	Diagonal, Cutting.....	50	Ignition.....	50, 51, 64
Lineman's.....	50	Long Nose Side Cutting.....	50	Slip Joint.....	50
Vise Type.....	51	Water Pump.....	50, 51	Pry Bars.....	46
Pullers:		Gear.....	67	Hub.....	68
Steering Wheel.....	68	Pulleys.....	66	Punches.....	46, 47, 48, 49
Ratchets.....	2, 4, 8, 18	Ratchet Box Wrenches.....	34	Ratchet Inner Body Assemblies:	
1/4" Square Drive.....	2	3/8" Square Drive.....	4	1/2" Square Drive.....	8
Ratchet Plug Adaptor.....	8	Rim Wrenches.....	57	Ring Compressors.....	59
Ring Groove Cleaners.....	59	Ring Skid, Piston.....	59	"Rollaway" Tool Cabinet.....	20, 21
"Servatool" Merchandisers.....	86 thru 93	Screwdrivers.....	43, 44, 45	Clutch Head.....	44
Offset.....	43	Overhead Valve Adjusting.....	58	Phillips.....	44
Spark Testing.....	43	Screw Extractors.....	47	Screw Starter Adaptor.....	61
Set Screw Wrenches.....	28, 29	Snips.....	52	Sockets and Socket Sets, S.A.E.:	
1/4" Square Drive.....	2, 3	3/8" Square Drive.....	5, 6, 7	1/2" Square Drive.....	10 thru 17, 20
3/4" Square Drive.....	16, 17, 18, 19, 20	1/4" Hexagon Drive.....	38, 40	3/8" Hexagon Drive.....	38, 40
1/2" Hexagon Drive.....	39, 41, 42	Sockets and Socket Sets, Metric:		1/2" Square Drive.....	69, 71
1/4" Hexagon Drive.....	70	1/2" Hexagon Drive.....	70	Spark Plug Ratchet.....	4
Spark Plug Sockets.....	5, 10	Spark Plug Socket Inserts.....	5, 10	Spark Plug Testers.....	43
Spoons, Body and Fender.....	55, 56	Stamped Steel Wrenches.....	64	Starter Wrench.....	58
Steering Wheel Puller.....	68	Tappet Wrenches.....	23	Thickness Gauges.....	65, 66
Tire and Rim Tools.....	58	Tool Boxes.....	3, 6, 7, 11 thru 17, 19, 20, 56, 71	Torque Wrenches.....	3, 5, 9, 18, 27
Truck Rim Wrenches.....	57	Tube Cutter.....	60	Tube Flaring Tool.....	60
Universal Joint Sockets.....	5	Valve Grinder.....	58	Valve Tappet Adjusting Tool.....	58
Valve Tool, Ford "V8".....	58	Wheel Pullers.....	68	Wire Brushes.....	58
Wrenches (See Specific Types)		Wrenches, Metric.....	69		



Junior Display Panels

Adjustable and Pipe Wrenches.....	77
Adjustable Wrenches and Pliers.....	77
Chisels and Punches.....	77
Chisels, Punches, Screwdrivers.....	76
Counter Displays, Revolving.....	86
Hammers, Ball Pein.....	77
"Kliptite" Wrench Sets, Wall Hanger.....	79
"Kliptite" Wrench Sets, Unpolished.....	79
Phillips and Clutch Head Screwdrivers.....	76
Pipe and Adjustable Wrenches.....	77
Pliers.....	77
Pliers and Adjustable Wrenches.....	77
Pulleys, Die Cast.....	79
Pulleys, Steel.....	79
Pulley Counter Display.....	79
Screwdrivers.....	76
Screwdriver Counter Display.....	76
Screwdrivers, Punches, Chisels.....	76
Sockets and Fittings:	
1/4" Square Drive.....	73
3/8" Square Drive.....	73
1/2" Square Drive.....	73, 74
3/4" Square Drive.....	74
Sockets, Deep Wall and Spark Plug.....	74
Wrenches:	
Alloy Steel	
Box.....	75
Combination.....	75
Open End.....	75
Open End, Box, Combination.....	75
Select Steel	
Box.....	78
Combination.....	78
Open End.....	78
Open End, Box, Combination.....	78
Sets, Wall Hanger "Kliptite".....	79
Sets, Unpolished "Kliptite".....	79

Senior Display Panels

Body and Fender Tools.....	83
Chisels and Punches.....	81
Hammers:	
Ball Pein and Plastic Tip.....	83
Body and Fender.....	83

"Kliptite" Wrench Sets.....	84
Metric Tools.....	85
Phillips and Clutch Head Screwdrivers.....	82
Pliers.....	82
Pullers, Gear and Hub.....	85
Screwdrivers.....	82
Service Tools.....	84
Snips.....	85
Sockets and Fittings:	
3/8" Square Drive.....	80
1/2" Square Drive.....	80
Sockets, Metric.....	85
Wrenches:	
Alloy Steel	
Box.....	81
Open End.....	81
Select Steel	
Open End.....	84
Open End, Metric.....	85

SERVATOOLS for Perforated Board

Adjustable Wrenches.....	90
Pliers.....	90
Punches and Chisels.....	90
Screwdrivers.....	90
Sockets and Fittings:	
1/4" Square Drive.....	88
3/8" Square Drive.....	88
1/2" Square Drive.....	88
Sockets, Deep Wall.....	88
Socket Sets, Floor Display.....	92
Socket Sets, Wall Display.....	93
Wrenches:	
Alloy Steel	
Box.....	89
Combination.....	89
Open End.....	89
Select Steel	
Box.....	89
Combination.....	89
Open End.....	89

*Reserved
for
Additional New Displays*

WRENCH OPENING—BOLT AND NUT CHART

Wrench Size or Width Across the Flats of Bolt Heads and Nuts	American National—Bolt Size					Machine Screw Nuts and Stove Bolt Nuts
	Light (S.A.E.)	Regular (American Standard)		Heavy (U.S.S.)	N.C. and N.F. Cap Screws	
	Nuts	Bolts	Nuts	Bolts and Nuts		
$\frac{5}{32}$ " $\frac{3}{16}$ " $\frac{1}{4}$ " $\frac{5}{16}$ "						Nos. 0 & 1 Nos. 2 & 3 No. 4 Nos. 5 & 6
$\frac{11}{32}$ " $\frac{3}{8}$ " $\frac{7}{16}$ " $\frac{1}{2}$ "	$\frac{1}{4}$ $\frac{5}{16}$	$\frac{1}{4}$ $\frac{5}{16}$	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{1}{4}$ $\frac{5}{16}$	No. 8 No. 10 No. 12 & $\frac{1}{4}$
$\frac{9}{16}$ " $\frac{19}{32}$ " $\frac{5}{8}$ " $\frac{11}{16}$ "	$\frac{3}{8}$ $\frac{7}{16}$	$\frac{3}{8}$ $\frac{7}{16}$	$\frac{5}{16}$ $\frac{3}{8}$	$\frac{5}{16}$ $\frac{3}{8}$	$\frac{3}{8}$ $\frac{7}{16}$	$\frac{5}{16}$ $\frac{3}{8}$
$\frac{3}{4}$ " $\frac{25}{32}$ " $\frac{13}{16}$ " $\frac{7}{8}$ "	$\frac{1}{2}$ $\frac{9}{16}$	$\frac{1}{2}$ $\frac{9}{16}$	$\frac{7}{16}$ $\frac{1}{2}$ $\frac{9}{16}$	$\frac{7}{16}$ $\frac{1}{2}$	$\frac{1}{2}$ $\frac{9}{16}$ $\frac{5}{8}$	
$\frac{15}{16}$ " 1" $\frac{11}{16}$ " $\frac{11}{8}$ "	$\frac{5}{8}$ $\frac{3}{4}$	$\frac{5}{8}$ $\frac{3}{4}$	$\frac{5}{8}$ $\frac{3}{4}$	$\frac{5}{8}$ $\frac{3}{4}$	$\frac{3}{4}$ $\frac{7}{8}$	
$\frac{11}{4}$ " $\frac{15}{16}$ " $\frac{13}{8}$ " $\frac{17}{16}$ "	$\frac{7}{8}$ 1	$\frac{7}{8}$	$\frac{7}{8}$	$\frac{3}{4}$ $\frac{7}{8}$	1	
$\frac{11}{2}$ " $\frac{19}{8}$ " $\frac{11}{16}$ " $\frac{13}{16}$ "	$1\frac{1}{8}$ $1\frac{1}{4}$	1 $1\frac{1}{8}$	1 $1\frac{1}{8}$	1 $1\frac{1}{8}$	$1\frac{1}{8}$ $1\frac{1}{4}$	
$\frac{17}{8}$ " 2" $\frac{21}{16}$ " $\frac{23}{16}$ "	$1\frac{3}{8}$ $1\frac{1}{2}$	$1\frac{1}{4}$ $1\frac{3}{8}$	$1\frac{1}{4}$ $1\frac{3}{8}$	$1\frac{1}{4}$ $1\frac{3}{8}$	$1\frac{3}{8}$ $1\frac{1}{2}$	
$2\frac{1}{4}$ "		$1\frac{1}{2}$	$1\frac{1}{2}$			

SPARK PLUG WRENCH SET

Spark Plug Thread Size	Wrench Size	Fits Plugs					
		AC		Auto-Lite		Champion	
		Pass.	Com.	Pass.	Com.	Pass.	Com.
10MM	$\frac{5}{8}$ "			P4, P6, PR4, PR6		Y4A, Y6, Y8	
14MM	$1\frac{3}{16}$ "	42, C42, 43, C43, 43-5, 43L, 43-5R, 44, 44-5, R44XLS, 45, 45L, 45R, R45, R45S, 45XLR, 46, 46-5, 46L, 46X, 47, 47L, 48, 48X, 49	42, 42-5, 43, 43-5, 43L, 44, 44-5, 44XL, 44XL, 45, 45L, 46, 47	A3, AR4, A5, AG5, AL5, AR5, ARL5, A7, AG7, AL7, AN7, AR8, ARL8, A9, AL9, AE10, AR10, A11, AL-11, AR32, ARG41, AR41, AGR42, AR42, AGR51, AR51, ARG52, AR52, AR80, AGR82, AR82, ARL82, 4S140, 4GS150, 4S165, 4GS175, 4GS200, 4S250	AT4, ATL4, AT6, AT8, ATL8, AT10	H8, H9, H10, H10J, H11, H12, J3, J5, J6, J6J, J7, J7J, J8, J8J, J11, J11J, J12, J12J, J14, J18Y, N7, N8, NA8, N8B, N16Y, N18	
$\frac{1}{2}$ "	$1\frac{5}{16}$ "	24, 26				A25, 32	
	$1\frac{1}{8}$ "					33, 34, 36	
18MM	$1\frac{3}{16}$ "	85T	84T	BF7, BRF8, BRF82	BTF6	F10, F22, 860, 870	
	$\frac{7}{8}$ "	84, 86, 88	83, 83S, 85, 85S, 86, 87S, 88L	BR4, B5, B7, BR8, B9, BR10, B11	BT3, BT4, BT6, BT8, BT10	7, C7, 9, D10, 15A, C15, D16, D21, 64	4, 5, 6, 8, 10
	1"	82	82, 82S				
$\frac{3}{8}$ "	$\frac{7}{8}$ "	76, 76S		T7			
	$1\frac{5}{16}$ "	74, 78, 78S	73, 74, 75, 76, 77	T5, T9, T11	TT4, TT10, TT8	20, 22	0, 1, 2L, 3
	$1\frac{1}{8}$ "	78S				C4	

TOOLS FOR SERVICE

TOOLS FOR SERVICE

Automobiles

Trucks

Refrigeration Service

Farm Implements

Home and Hobbies

Industrial Production

Aircraft

Electrical Devices

Marine Gear

Railroads

Construction Equipment

